NAT'L INST. OF STAND & TECH R.I.C.
A11104 260351

NIST
PUBLICATIONS

NISTIR 5414
(Supersedes NISTIR 5354)

VALIDATED PRODUCTS LIST 1994 No. 2

Programming Languages
Database Language SQL
Graphics
GOSIP
POSIX
Computer Security

Judy B. Kailey
Peggy N. Himes
Editors

U.S. DEPARTMENT OF COMMERCE
Technology Administration
National Institute of Standards
and Technology
Computer Systems Laboratory
Software Standards Validation Group
Gaithersburg, MD 20899

April 1994

QC
100
.U56
#5414
1994

NIST

NISTIR 5414
(Supersedes NISTIR 5354)

VALIDATED PRODUCTS LIST 1994 No. 2

Programming Languages
Database Language SQL
Graphics
GOSIP
POSIX
Computer Security

Judy B. Kailey
Peggy N. Himes
Editors

U.S. DEPARTMENT OF COMMERCE
Technology Administration
National Institute of Standards
and Technology
Computer Systems Laboratory
Software Standards Validation Group
Gaithersburg, MD 20899

April 1994

(Supersedes January 1994 issue)

U.S. DEPARTMENT OF COMMERCE
Ronald H. Brown, Secretary

TECHNOLOGY ADMINISTRATION
Mary L. Good, Under Secretary for Technology

NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY
Arati Prabhakar, Director

FOREWORD

The Validated Products List is a collection of registers describing implementations of Federal Information Processing Standards (FIPS) that have been validated for conformance to FIPS. The Validated Products List also contains information about the organizations, test methods and procedures that support the validation programs for the FIPS identified in this document.

The Validated Products List is updated quarterly.

TABLE OF CONTENTS

1. INTRODUCTION 1-1
   1.1 Purpose 1-1
   1.2 Document Organization 1-2
      1.2.1 Programming Languages 1-2
      1.2.2 Database Language SQL 1-2
      1.2.3 Graphics 1-2
      1.2.4 GOSIP 1-2
      1.2.5 POSIX 1-2
      1.2.6 Computer Security 1-2
      1.2.7 FIPS Conformance Testing Products 1-2

2. PROGRAMMING LANGUAGES 2-1
   2.1 FIPS Programming Language Standards 2-1
   2.2 Organization of Programming Language Processor Entries 2-1
   2.3 Validation of Processors 2-2
      2.3.1 Validation Requirements 2-2
      2.3.2 Placement in the List 2-3
      2.3.3 Removal from the List 2-3
      2.3.4 Validation Procedures 2-3
   2.4 Certificate of Validation 2-3
   2.5 Language Processor Validation Suites 2-4
   2.6 Testing Laboratories and Supporting Organizations 2-5
   2.7 Language Processors with Certificates - No Nonconformities 2-7
      2.7.1 COBOL Processors 2-7
      2.7.2 Fortran Processors 2-11
      2.7.3 Ada Processors 2-17
      2.7.4 Pascal Processors 2-54
      2.7.5 C Processors 2-56
      2.7.6 Mumps Processors 2-61
   2.8 Language Processors with Registered Reports Only 2-62

3. DATABASE LANGUAGE (SQL) 3-1
   3.1 FIPS Database Language Standards 3-1
   3.2 Organization of Database Language Processor Entries 3-1
   3.3 Validation Requirements 3-2
   3.4 Certificate of Validation 3-2
   3.5 Registered Report 3-2
   3.6 Validation Procedures 3-2
   3.7 SQL Validation System 3-2
   3.8 SQL Processors 3-3

4. GRAPHICS CONFORMANCE TESTING 4-1
   4.1 FIPS GKS Standard 4-1
      4.1.1 Organization of GKS Entries 4-1
   4.2 FIPS PHIGS Standard 4-2

4.2.1 Organization of PHIGS Entries 4-2
4.3 FIPS CGM Standard 4-3
4.3.1 CGM Test Labs and Test Suite 4-3
4.3.2 Certificate of Validation 4-3
4.3.3 Validated Metafiles 4-3
4.4 Raster Graphics Standards 4-4
4.4.1 Certificate of Validation 4-4
4.4.2 Information Pack 4-4
4.5 GKS Implementations 4-5
4.6 Computer Graphics Metafiles 4-6
4.7 PHIGS Applications 4-7

5. U.S. GOSIP Testing Program Register Database System (GRD) 5-1
5.1 Description 5-1
5.2 U.S. GOSIP Register Database (GRD) 5-1
5.3 How To Access The GOSIP Register Database (GRD) 5-1
5.4 GOSIP Registers 5-3
5.4.1 Register of Conformance Testing Laboratories 5-3
5.4.2 Register of Approved US GOSIP MOT Validation Laboratories 5-6
5.4.3 GOSIP Register Database: Conformance Tested Products 5-6
5.4.4 Register of GOSIP Interoperability Test Suites 5-62
5.4.5 Register of GOSIP Interoperability Test and Registration Services 5-62
5.4.6 Register of GOSIP Means of Testing 5-63
5.4.7 Protocol Implementation Conformance Statements Register 5-74
5.4.8 Abstract Test Suites Conformance Register 5-78

6. NIST POSIX CONFORMANCE TESTING 6-1
6.1 FIPS POSIX Standard 6-1
6.2 POSIX Test Procedures 6-1
6.3 POSIX Test Suite 6-1
6.4 Validation Requirements 6-1
6.5 Testing Laboratories for NIST POSIX (FIPS 151-1) 6-2
6.6 Validated Products for NIST POSIX (FIPS 151-1) 6-3
6.7 Testing Laboratories and Validated Products for NIST POSIX (FIPS 151-2) . . 6-14

7. COMPUTER SECURITY 7-1
7.1 Cryptographic Standards 7-1
7.2 Data Encryption Validation Tests 7-1
7.3 Message Authentication Code (MAC) Validation System 7-1
7.4 Key Management Validation System (KMVS) 7-1
7.5 General 7-2
7.5.1 Request for Validation. 7-2
7.5.2 Information about Validated Products. 7-2
7.5.3 Validation Documentation. 7-2
7.6 DES Validated Devices 7-3
7.7 FIPS 113, Computer Data Authentication: Message Authentication Code (MAC) Implementations 7-9
7.8 FIPS 171, Key Management Validation Using ANSI X9.17 7-12

APPENDIX A FIPS CONFORMANCE TESTING PRODUCTS AND SERVICES A-1

1. INTRODUCTION

1.1 Purpose

The testing of Information Technology (IT) Products to determine the degree to which they conform to specific Federal Information Processing Standards (FIPS) may be required by Government agencies as specified by the FIPS, Federal Information Resources Management Regulation (FIRMR) Parts 201-20.303, 201-20.304, and 201-39.1002, and the associated Federal ADP and Telecommunications Standards Index. Products having a current validation certificate or test report may be offered or delivered by vendors in response to requirements as set forth in solicitations by Federal agencies. The Validated Products List (VPL) contains conformance testing information for the following IT Standards:

Programming Languages COBOL, Fortran, Ada, Pascal, C, and MUMPS
Database Language SQL
Graphics
GOSIP
POSIX
Computer Security

This List is updated and published quarterly. The information contained herein is supplied by the contributors listed in Section 2.6 and Appendix A, and is current as of the tenth of the month preceding the publication date. Copies of the VPL may be obtained from:

National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22151.

Subscriptions: (703) 487-4630
Individual Copies: (703) 487-4650

Ordering Number: PB93-937303/AS

The entries in the printed VPL are contained in WordPerfect Version 5.1 files and may be accessed on the Internet using the instructions listed below.

Type: **ftp speckle.ncsl.nist.gov** (internet address is 129.6.59.2)
Login as user **ftp**
Type your e-mail address preceded by a dash (-) as the password
Type: **cd vpl**
Type: **binary**
Type: **get** and the name of the file you want; e.g. **language**

Questions or comments concerning the VPL should be directed to:

National Institute of Standards and Technology (NIST)
Computer Systems Laboratory
Software Standards Validation Group
Building 225, Room A266
Gaithersburg, MD 20899
Telephone (301) 975-3274

1.2 Document Organization

1.2.1 Programming Languages

Section 2 identifies those COBOL, Fortran, Pascal, C, Ada, and MUMPS programming language processors that have a current validation certificate or registered test report referencing the applicable FIPS as of the date of this publication.

1.2.2 Database Language SQL

Section 3 identifies those SQL language processors that have a validation certificate or a registered test report for FIPS PUB 127-1 as of the date of this publication.

1.2.3 Graphics

Section 4 lists the implementations or files for which a validation certificate is currently in place. These entries include:

Graphical Kernel System (GKS) implementations (FIPS PUB 120-1),
Programmer's Hierarchical Interactive Graphics Systems (PHIGS) (FIPS PUB 153),
Computer Graphics Metafiles (CGMs) (FIPS PUB 128),
Raster Graphics data files (FIPS PUB 150).

1.2.4 GOSIP

Section 5 contains information regarding FIPS PUB 146-1, GOSIP, conformance testing registers.

1.2.5 POSIX

Section 6 identifies POSIX products that have a current validation certificate for FIPS PUB 151-1 and FIPS PUB 151-2.

1.2.6 Computer Security

Section 7 contains information regarding validated products for FIPS PUB 46-1, Data Encryption Standard (DES), FIPS PUB 113, Computer Data Authentication (Implements Message Authentication Code, ANSI X9.9), and FIPS PUB 171, Key Management Using ANSI X9.17.

1.2.7 FIPS Conformance Testing Products

Appendix A lists FIPS conformance testing products and services available to the public. Information for these products and services may be obtained by contacting the appropriate person listed.

2. PROGRAMMING LANGUAGES

2.1 FIPS Programming Language Standards

As specified by the FIPS, FIRMR and the associated Federal ADP and Telecommunications Standards Index, Federal agencies when acquiring language processors, are responsible for assuring that processors are in accordance with the following FIPS for programming languages:

a. COBOL processors must satisfy the provisions of FIPS PUB 21-3, COBOL, and must be identified as implementing all of the language elements of at least one of the subsets of FIPS COBOL as specified in FIPS PUB 21-3.

b. BASIC processors must satisfy the provisions of FIPS PUB 68-2, BASIC.

c. Fortran processors must satisfy the provision of FIPS PUB 69-1, Fortran, and must be identified as implementing all of the language elements of the subset or full levels of FIPS Fortran as specified in FIPS PUB 69-1.

d. Pascal processors must satisfy the provisions of FIPS PUB 109, Pascal.

e. Ada processors must satisfy the provisions of FIPS PUB 119, Ada.

f. MUMPS processors must satisfy the provisions of FIPS PUB 125-1, MUMPS.

g. C processors must satisfy the provisions of FIPS PUB 160, C.

h. VHDL processors must satisfy the provisions of FIPS PUB 172, VHDL.

Copies of the above publications are for sale by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

Conformance testing programs are currently available for all above FIPS except for the programming language BASIC and VHDL. A test suite for BASIC is being developed.

2.2 Organization of Programming Language Processor Entries

The entries in the VPL for programming language processors are presented as follows:

- The VENDOR ID column contains the name of the Vendor of the processor.

- The PROCESSOR ID column contains the Processor identification and the Validation Summary Report (VSR) or certificate number. This number refers to the VSR that was produced as a result of the testing. The VSR describes the testing environment and details any processor nonconformity that was detected as a result of the testing. Information for obtaining a VSR is listed in section 2.6.

- Derived processors in the VENDOR & COMPILER column are Ada processors that have been derived from the processor/hardware/operating system environment used during the testing. In order for derived processors to be listed here, they must be properly registered with the Department of Defense, Ada Joint Program Office (AJPO) by the vendor of the processor.

- The HARDWARE & OPERATING SYSTEM column presents the hardware and operating system environment (including pertinent supporting system software) used during the validation. In the case of Ada processors, those environments for derived processors will appear in this column.

- The EXPIRY DATE column lists the expiration date of the Certificate of Validation or Registered Validation Summary Report. A processor may be included in the List after the certificate has expired if the validation is in process. Notification must be received by NIST at least 30 days prior to publication of the List in order for such a processor to be included. In this case the expiration date will be followed by "(pending)".

- For COBOL processors, the SUBSET column cites the applicable Federal Subset. For Fortran processors, the LEVEL column specifies the applicable Federal level. For Pascal processors, the ISO 7185 Pascal Standard Level (ISO 7185 Level 0 is equivalent to FIPS 109). This designation is presented in the PROCESSOR ID column.

- The entries in the OTHER ENVIRONMENTS column are registered hardware and operating system environments for the processor tested. The vendor of the processor has certified that the identified processor, when operating under the environments included in this column, produces the same test results as those obtained from the hardware and operating system environment used during the validation. Test results and other information from these environments may be required as evidence for entries to be included in this column.

Also listed are the programming language processors that have been tested and during the testing were found to have one or more nonconformities.

2.3 Validation of Processors

2.3.1 Validation Requirements

In accordance with the requirements referenced in Section 1.1, language processors offered to the Government for purchase, lease, or use in connection with ADP services shall be validated for conformance to FIPS for programming languages. To confirm that the specifications of the designated FIPS have been met:

a. the processor shall be tested with the Compiler Validation System (CVS) approved by NIST,

b. the processor validations shall be conducted in accordance with NIST validation procedures,

c. a Validation Summary Report (VSR) shall be produced summarizing the test results of the CVS on the designated processor for that FIPS,

d. all nonconformities noted in the VSR shall be corrected within twelve months,

e. a Certificate of Validation shall be issued if validation results warrant. In order for a processor to receive a Certificate of Validation the processor must successfully pass all applicable tests of the CVS without exception.

The Federal ADP and Telecommunications Standards Index supplies standard terminology which may allow for delayed validation. When delayed validation is allowed, the offeror may meet this

requirement by showing evidence of having submitted the processor for validation. Proof of submission is in the form of a letter from NIST scheduling the validation.

Programming language processors offered to the Federal Government must comply with the applicable Government requirements. Failure to comply with these requirements shall be deemed sufficient cause to declare a bidder non-responsive or to declare a vendor in default for failure to deliver required software.

2.3.2 Placement in the List

For a processor to be placed in the List it must:

a. have been officially tested within the past twelve calendar months, and

b. have no errors remaining that were identified during a previous test.

2.3.3 Removal from the List

A processor is removed from the List when:

a. the processor is not officially tested within twelve calendar months, or

b. testing indicates that the processor still contains errors identified during a previous validation.

2.3.4 Validation Procedures

Validation procedures are published in the following documents:

Compiler Validation Procedures, dated January 15, 1993
Ada Compiler Validation Procedures and Guidelines, Version 3.1, August, 1992
Pascal Validation Policy and Procedures, Version 5.5, April 9, 1993
MUMPS Validation Procedures, Version 1.0, dated August 13, 1992

2.4 Certificate of Validation

A Certificate of Validation is issued for those programming language processors that have been tested and are considered to be in compliance with the FIPS as specified by the FIPS, FIRMR and the associated Federal ADP and Telecommunications Index.

The requirement for retesting may be waived and the certificate of validation extended at the option of NIST if:

a. no errors were identified during the previous testing of the processor,

b. the vendor certifies, in writing, to NIST that no changes have been made to either the processor or the supporting system software, and

c. no new version of the validation system has been officially released during the interim period.

2.5 Language Processor Validation Suites

Following are the validation suites and ordering information for testing programming language processors for conformance to FIPS.

a. Copies of the COBOL, Fortran, MUMPS, and Ada Compiler Validation Suites may be purchased from:

National Technical Information Service (NTIS)
5285 Port Royal Road
Springfield, VA 22161
Telephone (703) 487-4650 (Voice)
(703) 321-8547 (FAX)

COMPILER VALIDATION SYSTEM [MEDIUM/FORMAT]	VERSION	NTIS ACCESSION NUMBER
COBOL 85 (CCVS85)	4.2	PB93-504918
Fortran (FCVS78)	2.1	PB85-226736
Ada [Tape/Backup]	1.11	ADA212551
Ada [Tape/Tar]	1.11	ADA212437
Ada [Tape ANSI Standard]	1.11	ADA212548
Ada [Disk (MS/DOS)]	1.11	ADA212549
MUMPS [Tape/Backup]	7.61	PB91-507699
MUMPS [Tape/ANSI]	7.61	PB91-507715
MUMPS [Tape/Tar]	7.61	PB91-507723
MUMPS [Disk (MS-DOS)]	7.61	PB91-507707

b. The current version of the Pascal Validation System (PVS) is Version 5.5 and is available from:

British Standards Institution (BSI)
Software Engineering Department
BSI Quality Assurance
P. O. Box 375
Milton Keynes
MK14 6LL
ENGLAND
Telephone (011) +44-908-220908 (Voice)
(011) +44-908-220671 (FAX)

c. The current version of the ANSI C Validation Suite (ACVS™) is Version 4.0 and is available from:

Perennial, Inc.
4699 Old Ironsides Drive
Suite 210
Santa Clara, CA 95054
Telephone (408) 748-2900 (Voice)

2.6 Testing Laboratories and Supporting Organizations

The organizations listed below have performed validations, supplied information, or are sources for Validation Summary Reports (VSR) for programming languages. These organizations may be contacted for validation information and for copies of VSR(s). COBOL and Fortran VSR(s) may be obtained from NIST. Pascal VSR(s) whose VSR numbers begin with "NIST" or end in "US" may also be obtained from NIST. Pascal VSR(s) whose VSR numbers end in "UK" are available from BSI. Ada VSR(s) may be obtained from the Ada Information Clearinghouse, the National Technical Information Service, or from the Ada Validation Facility (AVF) that produced the VSR. To obtain a copy of a VSR from an AVF, locate the upper case letter in the certificate number (e.g., 870608W1. . .). That letter corresponds to the letter in the CODE column to the left of the organizations listed below.

CODE	ORGANIZATION	CONTACTS	LANGUAGE
S	National Institute of Standards and Technology Software Standards Validation Group Building 225, Room A266 Gaithersburg, MD 20899 (301) 975-3274 Telex: 197674 NBS UT FAX: (301) 948-6213	L. Arnold Johnson Judy Kailey Carmelo Montanez William Dashiell	All COBOL, Fortran BASIC Pascal, C Ada, MUMPS, SQL, VHDL
N	National Computing Centre Limited (NCC) Oxford Road Manchester M1 7ED ENGLAND (011) +44 (61) 228 6333 +44 (61) 236 4715 (FAX) Telex 668962	Jane Pink Jon Leigh David Bamber	COBOL Fortran Ada C
	German National Research Center for Computer Science (GMD) Department Scientific Visualization Supercomputer Center (HLRZ) P. O. 1316, Schloss Birlinghoven D-W-5205 Sankt Augustin 1 Germany (011) +49-2241-14-2706 (voice) (011) +49-2241-14-2618 (FAX) kirsch @gmdzi.gmd.de	Berthold Kirsch	Fortran
	Bureau Inter Administration de Documentation Informatique (BIADI) 21 Rue Bara 92132 Issy France	E. Bialot	COBOL Fortran
	Instituto Italiano del Marchio di Qualita (IMQ) Via Quintiliano, 43 20138 Milano Italy +39-2-5073266	Angelo Belloni	COBOL Fortran

	JMI Institute 21-25, Kinuta 1-Chome Setagaya-Ku, Tokyo 157 Japan +81 3 3416 9600	Y. Fukui	COBOL Fortran
	British Standards Institution (BSI) P.O. Box 375 Milton Keynes MK14 6LL ENGLAND (011) +44 0908-220908 Telex: 827682 BSIQAS G	John Souter	Pascal
W	Ada Validation Facility Language Control Facility ASD/SCEL Wright-Patterson AFB, OH 45433-6503 (513) 255-4472	Dale Lange	Ada
B or A	BNI-AVF AFNOR Direction Certification Tour Europe, Cedex 7 92080 Paris La Defense FRANCE (011) 33-142915960 Telefac: (011) 33-142915656 Telex: AFNOR 611 974 F	M. Alphonse Philippe	Ada
I	IABG-AVF Industrieanlagen-Betriebsgesellschaft Dept. ITE Einsteinstrasse 20 D-8012 Ottobrunn Federal Republic of Germany +49-89-6088-2477 e-mail: tonndorf@ajpo.sei.cmu.edu	Michael Tonndorf	Ada
	Ada Information Clearinghouse 3D139 1211 S. Fern, C-107 The Pentagon Washington, D.C. 20301-3081 (703) 685-1477		Ada VSR(s)
	National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161 (703) 487-4650		Ada VSR(s)

2.7 LANGUAGE PROCESSORS WITH CERTIFICATES NO NONCONFORMITIES

2.7.1 COBOL PROCESSORS

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	SUBSET	OTHER ENVIRONMENTS HW/OS
Bull HN	COBOL 85 Version 8c83.0 *NIST-92/1681*	DPS-90 *GCOS8 Version 4020 Release 3*	7/1/94	High	DPS 8000, DPS 9000 *GCOS8 Version 4020 Release 3*
Computer Associates	CA-Realia COBOL Version 4.2 Release 9305 *NIST-93/1301*	IBM PS/2 Model 80 *OS/2 Version 2.0*	6/1/94	Intermediate	IBM PS/2 Model 55SX, 60, 70, 90, 95 *OS/2 Version 2.0*
	CA-Realia COBOL Version 4.2 Release 9305 *NIST-93/1302*	IBM PS/2 Model 80 *MS/DOS Version 5.0*	6/1/94	Intermediate	IBM PS/2 Model 55sx, 60, 70, 90, 95 *MS-DOS Version 5.0*
Digital Equipment Corporation	VAX COBOL Version 5.2 *NIST-94/1401*	VAX 4000 Model 60 *OpenVMS VAX, Version 5.5*	4/1/95	High	VAX 4000 models 200, 300; VAX 6000 models 200, 300, 400, 500; VAX's 8200, 8250, 8300, 8350, 85xx, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840; VAX 9000 models 210, 400; VAXft 3000 model 310, VAX 11/730, VAX 11/750, VAX 11/785; MicroVAX II, 2000, 3100, 3200, 3500, 3520, 3540; VAXstation II, 2000, 3100, 3200, 3500, 3520, 3540; VAXserver 3600, 3602, 3800, 3900, 4000 models 200, 300; 6000, 210/220, 6000 310/320; 6000 410/420; 6000 510/520 *OpenVMS VAX Version 5.5*
	DEC COBOL for OpenVMS AXP Version 2.0 *NIST-94/1402*	DEC/3000 Model 500 *OpenVMS AXP, Version 6.1*	4/1/95	High	DEC 10000; 7000; 4000; 3000; 2000; 1000 *OpenVMS for AXP, Version 6.1*
	DEC COBOL for OSF/1 AXP Version 1.1 *NIST-94/1403*	DEC/3000 Model 500 *OSF/1 AXP, Version 2.0*	4/1/95	Intermediate	DEC 10000; 7000; 4000; 3000; 2000; 1000 *OSF/1 for AXP, Version 2.0*
Hewlett-Packard Company	COBOL/HP-UX Version B.07.00 *NIST-93/1501*	HP9000 Series 720 *HP-UX Version 9.0*	5/1/94	High	HP9000 Series 635, 645, 705, 710, 715/33, 715/50, 720, 725/50, 730, 735, 750, 755, 807, 815, 817, 822, 825, 827, 832, 834, 835, 837, 842, 845, 847, 850, 852, 855, 857, 860, 865, 867, 870, 870/200, 870/300, 870/400, 877, 887, 890/1, 890/2, 890/3, 890/4, 897, F10, F20, F30, G30, G40, G50, H20, H30, H40, H50, I30, I40, I50 *HP-UX Version 9.0*

2.7 LANGUAGE PROCESSORS WITH CERTIFICATES NO NONCONFORMITIES

2.7.1 COBOL PROCESSORS

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	SUBSET	OTHER ENVIRONMENTS HW/OS
	COBOL/iX Version A.04.08 *NIST-93/1502*	HP3000 Series 967 *MPE iX Version B.09.66*	5/1/94	High	HP3000 Series 917, 920, 922, 925, 927, 932, 935, 937, 947, 948, 949, 950, 955, 957, 958, 960, 967, 977, 980/100, 980/200, 980/300, 980/400, 987, 990, 992 *MPE/iX Version A.40.00*
IBM Canada, Ltd.	COBOL/400 Version 2 Release 2 *NIST-92/2071*	AS/400 *OS/400 Version 2 Release 2*	9/1/94	Intermediate	
IBM Corporation	IBM SAA AD/CYCLE COBOL/370 Version 1 Release 1 *NIST-94/1082*	IBM 3090 *VM/ESA Version ESA Release 1.0*	12/1/94	High	IBM 390, 3000, 4381-T92, 9000 *VM/ESA Version ESA Release 1.0*
	IBM SAA AD/CYCLE COBOL/370 Version 1 Release 1 *NIST-94/1081*	IBM 3090 *MVS/ESA Version 4 Release 3*	12/1/94	High	IBM 390, 3000, 4381-T92, 9000 *MVS/ESA Version 4 Release 3*
	VS COBOL II Version 1 Release 4 *NIST-93/1801*	IBM 3090 *MVS/ESA Version 4 Release 2.2*	8/1/94	Intermediate	IBM 370, 390, 3000, 4300, 9000 *MVS/370 Version 1 Release 3.6, MVS/XA Version 2 Release 2.3*
	VS COBOL II Version 1 Release 4 *NIST-93/1802*	IBM 3090 *VSE/ESA Version 1 Release 3*	9/1/94	Intermediate	IBM 370, 390, 3000, 4300, 9000 *VSE/ESA Version 1 Release 3*
	VS COBOL II Version 1 Release 4 *NIST-93/1803*	IBM 3090 *VM/ESA Version ESA Release 1.0*	9/1/94	Intermediate	IBM 370, 390, 3000, 4300, 9000 *VM/SP6*
mbp Information-stechnologie GmbH	Visual COBOL XO Version 3.3 *NIST/NCC-93/976*	Sintronic 486 DX 50 *MS-DOS Version 5.0*	7/15/94	High	
	Visual COBOL XO Version 3.3 *NIST/NCC-93/977*	Hewlett Packard HP9000/807S *HP-UX Version 8.02*	7/15/94	High	

2.7 LANGUAGE PROCESSORS WITH CERTIFICATES NO NONCONFORMITIES

2.7.1 COBOL PROCESSORS

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	SUBSET	OTHER ENVIRONMENTS HW/OS
Micro Focus	Micro Focus COBOL for DOS, Windows and OS/2, Version 3.1 *NIST-93/1821*	Compaq Deskpro *IBM OS/2 Version 2.0* IBM PS/2 Model 90 *IBM OS/2 Version 1.3* IBM PS/2 Model 90 *Microsoft Windows NT* IBM PS/2 Model 80 *Microsoft DOS Version 6*	8/1/94	High	IBM PS/2 Models 70, 80 *IBM OS/2 Version 2.0* IBM PS/2 Models 60, 65sx, 80 *IBM OS/2 Version 1.3* IBM PS/2 Models 90, 65sx, 60 *IBM DOS Version 6.0* IBM PS/2 Models 80, 70-486, 65sx, 60 *MS DOS Version 5.0* IBM PS/2 Models 90, 80, 65sx, 60 *MS DOS Version 4.0* IBM PS/2 Models 80, 70-486, 65sx, 60 *MS DOS Version 3.3*
	Micro Focus COBOL V3.1 for UNIX (Sun SPARC running Solaris 2) *NIST-93/1822*	Sun Sparcstation Model 2 *Sun Solaris (SunOS 5.1) Version 2*	8/1/94	High	
	Micro Focus COBOL for V3.1 for UNIX (IBM RS/6000) *NIST-93/1823*	IBM RS/6000 Powerstation Model 320 *AIX Version 3 Release 2.3*	8/1/94	High	
	Micro Focus COBOL V3.1 for UNIX (Intel 80386 running UNIX SVR4.2) *NIST-93/1824*	NCR 3000 Series Model 3314 *UNIX System V Release 4*	8/1/94	High	
	Micro Focus COBOL V3.1 for UNIX (Intel 80386 running UNIX SVR4.2) *NIST-93/1825*	UNIQ 486 EISA (Intel 80486 Processor) *UNIXWARE SYSTEM V, Release 4.2*	8/1/94	High	
	Micro Focus COBOL V3.1 for UNIX (Intel 80386 running SCO UNIX) *NIST-93/1826*	HIMS Technology (Intel 80486 processor) *SCO UNIX System V, Release 3.2*	8/1/94	High	
	Micro Focus COBOL V3.0.50 for UNIX (Sun SPARC running Solaris 1) *NIST-93/1827*	Sun Sparcstation Model 10 *Sun Solaris (SunOS 4.1.3) Version 1*	8/1/94	High	
	Micro Focus COBOL V3.0.50 for UNIX (Pyramid MISserver) *NIST-93/1828*	Pyramid MISserver-S *UNIX System V Release 4 DC/OSx V1.1*	8/1/94	High	
	Micro Focus COBOL V3.0 for UNIX (Intel 80386 running UNIX SVR4.0) *NIST-93/1829*	AT&T Star Server-E *UNIX System V, Version 2.1 Release 4*	8/1/94	High	

2.7 LANGUAGE PROCESSORS WITH CERTIFICATES NO NONCONFORMITIES

2.7.1 COBOL PROCESSORS

VENDOR	PROCESSOR ID *& VSR #*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	SUBSET	OTHER ENVIRONMENTS HW/*OS*
Microsoft Corporation	Microsoft COBOL Version 5.0 *NIST-92/1962*	IBM PS/2 Model 60 *IBM DOS Version 5.0* Compaq Deskpro *Microsoft DOS, Version 4.01*	8/1/94	High	IBM PS/2 Model 80 *DOS Version 3.3*
Sequent Computer Systems Corp.	Micro Focus COBOL Version 3.0 *NIST-93/1391*	S2000/250 *DYNIX/ptx Version 2 Release 0*	4/1/94	High	S2000/450, S2000/750 *DYNIX/ptx, Version 2 Release 0*
	Micro Focus COBOL Version 3.0 *NIST-93/2001*	S2000/250 *DYNIX/ptx Version 2.0 Release 1.0*	2/1/95	High	S2000/450, S/750 *DYNIX/ptx Version 2 Release 1.0*
Siemens Nixdorf Informations-systeme AG	COBOL85 Version 2.1A *NIST/NCC-93/975*	7.592I *BS2000/OSD (BS 2000) Version 1.0A (11.0A)*	5/1/94	High	
Tandem Computers, Inc.	COBOL85 Version D20 *NIST-93/1541*	NonStop VLX *Guardian 90 Version D10*	6/1/94	High	
Unisys Corporation	UCS COBOL (UCOB) Version 6R1 Release SB5R1 *NIST-93/1841*	2200/900 *1100 OS EXEC, Version 44R1 Release SB5R1*	8/1/94	High	2200/600, 2200/400, 1100/90 *1100 OS EXEC, Version 44R1 Release SB5R1*

2.7.2 FORTRAN PROCESSORS

VENDOR	PROCESSOR ID & VSR #	HARDWARE & OPERATING SYSTEM	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/OS
Bull HN	Fortran 77-ESV Version 8FV4.1 *NIST-92/1682*	DPS-9000E *GCOS8 Version SR40203*	7/1/94	Full	DPS-90, DPS-8000 *GCOS8 Version SR40203*
Concurrent Computer Corporation	SP-2450 (Fortran 77) Version 2 Release 1 *NIST-92/1501*	7100 *RTU 6.1*	6/1/94	Full	7400, 7500, 7200, 7502 *RTU Version 6.1* 6300, 6350, 6400, 6450, 6600, 6605, 6650, 6652, 6655, 6700, 6705, 6750, 6752 *RTU Version 6.0*
	Fortran VII Z Version R06 Release 01 *NIST-92/1502*	3280 MPS *OS/32 Version R09 Release 01*	6/1/94	Full	3205, 3210, 3220, 3230, 3240, 3250, 3230XP, 3250XP, 3280XP, 3230MPS, 3260MPS, 3280E MPS; Micro 3200CS*, Micro 3200ES*, Micro 3200 MPS* *OS/32 Version R09 Release 01*
	Fortran VII O Version R06 Release 01 *NIST-92/1503*	3280 MPS *OS/32 Version R09 Release 01*	6/1/94	Full	3205, 3210, 3220, 3230, 3240, 3250, 3230XP, 3250XP, 3280XP, 3230MPS, 3260MPS, 3280E MPS; Micro 3200CS*, Micro 3200ES*, Micro 3200 MPS* *OS/32 Version R09 Release 01*
	SP-2450 (Fortran 77) Version 2 Release 2 *NIST-92/1504*	8500/4 *RTU 6.0A*	6/1/94	Full	8450, 8550, 8400 *RTU Version 6.0A*
Convex Computer Corporation	Convex Fortran Version 8 *NIST-93/1421*	Convex C3880 *ConvexOS Version 10.2*	5/1/94	Full	Convex C-Series *ConvexOS Version 10.1, 10.2*
Cray Computer Corporation	f77 Version 1.0 *NIST-93/2201*	CRAY-3 *CSOS Version 1.0*	11/1/94	Full	
	f77 Version 1.0 *NIST-93/2202*	Cray 3 *CSOS Version 1.0*	11/1/94	Full	
Cray Research, Inc.	CF77 Compiling System Release 6.0 *NIST-93/1221*	Cray C90 *UNICOS Release 7.C.2ck*	8/1/94	Full	Cray C90 *UNICOS Release 7.0*
	CF77 Compiling System Release 6.0 *NIST-93/1222*	Cray Y-MP *UNICOS Release 7.C.2cl*	8/1/94	Full	Cray Y-MP, Cray Y-MPEL *UNICOS Release 7.0*

FORTRAN PROCESSORS, *Continued*

VENDOR	PROCESSOR ID *& VSR #*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/*OS*
Digital Equipment Corporation	DEC Fortran for RISC/ULTRIX Version 3.2 *NIST-93/2142*	DECstation 5000, Mod 200 *RISC/ULTRIX Version 4.3*	12/1/94	Full	DECstation 2100, 3100, 3100s; Personal DECstation 5000 20/25 MX, HX, TX, PXG+, PXG Turbo+; DECstation 5000 120/125/133 MX, CX, HX, PX, TX, PXG, PXG+, PXG Turbo, PXG Turbo+; 200 MX, CX, HX, PX, TX, PXG, PXG+, PXG Turbo+; 240 MX, HX, TX, PXG, PXG Turbo+; DECsystem 3100; 5000 25, 200, 240; 5100; 5400; 5500; 5810; 5820; 5830; 5840; 5900 *ULTRIX/RISC Version 4.3*
	DEC Fortran for OpenVMS VAX, Version 6.1 *NIST-93/2143*	VAX 6000-420 *OpenVMS VAX Version 6.0*	12/1/94	Full	VAX 4000 Models 100, 100A, 105A, 200, 300, 400, 500, 500A, 600, 600A, 700A; VAX 6000 Models 200, 300, 400, 500, 600; VAX 7000 Model 600; VAX 8200, 8250, 8300, 8350, 8500, 8550, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840, 8842; VAX 9000 Models 110, 210, 300, 400, 420, 430, 440; VAX 10000 Model 600; VAXft Models 110, 310, 410, 610, 612; VAX 11/730, 11/750, 11/780, 11/785; MicroVAX II, 2000, 3100 10/10E, 20/20E, 30, 40, 80, 90; MicroVAX 3300, 3400, 3500, 3600, 3800, 3900; VAXstation II, 2000; 3100 Models 30, 38, 40, 48, 76; 3200, 3500, 3250, 3540; VAXstation 4000 Models 60, 90, VLC; VAXserver 3100 Models 10/10E, 20/20E; 3300, 3400, 3500, 3600, 3602, 3800, 3900; VAXserver 4000 Models 200, 300, 500; VAXserver 6000 Models 210, 220, 310, 320, 410, 420, 510, 520, 610, 620, 630; VAXserver 9000 Models 110, 310, 320, 330, 340 *OpenVMS VAX Version 6.0, 5.5, 5.4*
	DEC Fortran for OpenVMS AXP, Version 6.1 *NIST-93/2141*	DEC 3000-500 *OpenVMS AXP Version 1.5*	12/1/94	Full	DEC 2000 300, DEC3000 300, 300L, 500X, 400 AXP Workstation, 400 AXP Server, 500 AXP Workstation, 500 AXP Server; 600, 600 Server 800, 800 Server, DEC 4000 600 AXP, 710; DEC 7000 600 AXP; DEC 10000 600 AXP *OpenVMS AXP Version 1.5*
	DEC Fortran for DEC/ OSF/1 AXP Version 3.4 *NIST-94/1404*	DEC 4000 Model 610 *DEC OSF/1 AXP Version 2.0*	4/1/95	Full	DEC/10000; 7000; 4000; 3000; 2000 *DEC OSF/1 Alpha Version 2.0*

FORTRAN PROCESSORS, *Continued*

VENDOR	PROCESSOR ID *& VSR #*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS *HW/OS*
	DEC Fortran for Windows NT AXP Systems, Version 1.0 *NIST-93/1761*	DECpc AXP/150 *Windows NT AXP, Version 1.0*	8/1/94	Full	
Encore Computer Corporation	Parallel Fortran+ Version 1.2.0 *NIST-93/1443*	Encore 93 *UMAX V Version 3.1.2*	5/1/94	Full	
	Parallel Fortran+ Version 1.2.0 *NIST-93/1442*	Encore 91 *UMAX V Version 3.0.7*	5/1/94	Full	Infinity 90 *UMAX V Version 3.0.7*
	Fortran 77+ Version 5.2.0 *NIST-93/1441*	Concept 32/97 *MPX-32 Version 3.5u02A*	5/1/94	Full	Concept 32/67, 32/20xx, Encore RSX *MPX-32 Version 3.5u02A*
	GCF Version 2.0 *NIST-92/1542*	Concept 32/97 *MPX-32 Version 3.5u02*	4/1/94	Full	Concept 32/67, 32/20xx, Encore RSX *MPX-32 Version 3.5u02*
Fujitsu America, Inc.	OSIV/MSP Fortran77 EX Version 11 Level 10 *NIST-91/1383*	Fujitsu VP100E *OSIV/F4 MSP Edition 20*	2/1/95	Full	Fujitsu M780; M760 *OSIV/F4 MSP Edition 20*
	OSIV/MSP Fortran77 EX Version 11 Level 10 *NIST-91/1384*	Amdahl 5990 *IBM MVS/SP Version 3 Release 1.3*	2/1/95	Full	IBM 3090/200E *IBM MVS/SP Version 2 Release 2.3*
	UXP/M Fortran77 EX/VP Version 11 Level 10 *NIST-91/1601*	Fujitsu VP2400/10 *UXP/M Version 10 Level 10*	2/1/95	Full	Fujitsu VP2000 Series *UXP/M Version 10 Level 10*
	UXP/M Fortran77 EX/VP Version 11 Level 10 *NIST-91/1602*	Fujitsu VP2400/10 *UXP/M Version 10 Level 10*	2/1/95	Full	Fujitsu VP2000 Series Fujitsu M Series *UXP/M Version 10 Level 10*
Hewlett-Packard Company	HP 9000 S700 Fortran 77 Version A.09.00 Rel 9.0 *NIST-93/1121*	HP9000 Model 720 *HP-UX Version 9.0*	1/1/95	Full	HP9000, mod 705, 710, 730, 750 *HP-UX Version* 9.0
	HP 9000 S300/S400 Fortran 77 Version A.09.00 Rel 9.0 *NIST-93/1122*	HP9000 Model 433T *HP-UX Version 9.0*	1/1/95	Full	HP9000, mod 400, 425, 332, 345, 350, 360, 370, 375, 380, 385 *HP-UX Version* 9.0
	HP 9000 S800 Fortran 77 Version A.09.00 Rel 9.0 *NIST-93/1123*	HP9000 Model 835 *HP-UX Version 9.0*	1/1/95	Full	HP9000, mod 807, 817, 825, 827, 834, 835, 837, 840, 845, 847, 850, 857, 860, 867, 870 *HP-UX Version 9.0*
	HP 3000 S900 Fortran 77 Version A.04.31 Rel 9.0 *NIST-93/1124*	HP3000 Model 947LX *MPE/iX Version 4.0*	1/1/95	Full	HP3000, mod 917, 922, 925, 927, 930, 932, 935, 937, 950, 955, 957, 960, 967, 980, 990 *MPE/iX Version 4.0*

FORTRAN PROCESSORS, *Continued*

VENDOR	PROCESSOR ID *& VSR #*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/*OS*
IBM Canada, LTD	IBM AIX XL Fortran Compiler/6000 Version 2 Release 3 *NIST-92/2031*	IBM RISC System/6000 POWERstation/ POWERserver 540 *AIX for RISC System/6000 Version 3 Release 2*	9/1/94	Full	RISC System/6000 Powerstation /Powerserver 220, 320H, 340, 350, 520H, 530, 530E, 540, 550, 560, 560F, 730, RISC System/6000 Powerserver 930, 950, 970 *AIX for RISC System/6000 Version 3 Release 2*
	IBM AIX XL Fortran Compiler/6000 Version 3 Release 1 *NIST-93/1921*	IBM RISC System/6000 POWERstation/ POWERserver 550 *AIX for RISC System/6000 Version 3 Release 2.5*	1/1/95	Full	RISC System/6000 Powerstation /Powerserver 220, 250, 25T, 25W, 320H, 340, 350, 520H, 530, 530E, 540, 550, 560, 560F, 58H, 590, 730, RISC System/6000 Powerserver 25S, 930, 950, 970, 990 *AIX for RISC System/6000 Version 3 Release 2.5*
IBM Corporation	VS Fortran Version 2 Release 5 *NIST-91/1921*	IBM 4381 *VM/SP Version 1 Release 5*	8/1/94	Full	S/370 30xx, 43xx, 93xx, S/390, ES/9000 *VM/XA Version 1, Rel 1, 2* S/370 30xx, 43xx, S/390, ES/9000 *VM/ESA Version 1, Rel 1, 1.1*
	VS Fortran Version 2 Release 5 *NIST-91/1922*	IBM S/370 3090 *MVS/ESA SP Version 4 Release 2*	8/1/94	Full	S/370 30xx, 43xx, 93xx, S/390, ES/9000 *MVS/SP Version 1, Release 3* *MVS/SP Version 2, Release 2* *MVS/SP Version 3, Release 1*
	VS Fortran Version 2 Release 5 *NIST-90/1823*	IBM 3090 *AIX/370 Version 1 Release 2*	8/1/94	Full	S/370, 30xx, 43xx, 93xx *AIX/370 Version 1, Release 2*
Intel SSD	f77 Native Compiler Version R4.5 *NIST-93/1781*	XP/S *OSF/1 AD Release R1.1*	11/1/94	Full	
Intergraph Corporation	Clipper Advanced Optimizing Fortran, Version 1.57 *NIST-94/1101*	Clipper Model 2730 *CLIX, Version 7.1*	12/1/94	Full	Clipper C300 and C400 *CLIX, Version 7.1*
	Clipper Advanced Optimizing Fortran, Version 2.0 *NIST-94/1104*	Clipper Model 2730 *CLIX, Version 7.1*	12/1/94	Full	Clipper C300 and C400 *CLIX, Version 7.1*
Microsoft Corporation	Fortran PowerStation 32 for Windows NT, Version 1.0 *NIST-93/2061*	Dell PC 486D/SO with Intel 486 CPU *Microsoft Windows NT Version 3.1*	10/1/94	Full	

FORTRAN PROCESSORS, *Continued*

VENDOR	PROCESSOR ID *& VSR #*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/*OS*
Modular Computer Systems, Inc.	GLS Fortran 77 Version C.0 *NIST-94/1561*	REAL/STAR 9088R-4 *REAL/IX Version E.0*	4/1/95	Full	REAL/STAR Models 9088 R-2, 9088 R-1, 9087 *REAL/IX Version E.0*
	Fortran 77/16 Version B.5 *NIST-94/1562*	CLASSIC 9250 *MAX IV Version L.0*	4/1/95	Full	CLASSIC 9230 *MAX IV Version L.0*
	Fortran 77/32 Version B.5 *NIST-94/1563*	CLASSIC 9250 *MAX 32 Version D.3*	4/1/95	Full	CLASSIC 9230 *MAX 32 Version D.3*
	Fortran PowerStation 32 for Windows NT Version 1.0 *NIST-93/2061*	Dell PC 486D/SO with Intel 486 CPU *Microsoft Windows NT Version 3.1*	10/1/94	Full	
Sequent Computer Systems, Inc.	ptx/Fortran Version 2.1p *NIST-93/2002*	S2000/250 *DYNIX/ptx Version 2 Release 1.0*	2/1/95	Full	S2000/450, S2000/750 *DYNIX/ptx Version 2 Release 1.0*
Siemens Nixdorf Informations-systeme AG	Fortran77 V1.3 *NIST/NCC-93/978*	PCE-5S *SINIX-Z V5.41*	11/1/94	Full	MX300 *SINIX-L Version 5.41* MX500 *SINIX-M Version 5.41* WX200 *SINIX-D Version 5.41*
	Fortran77 V1.3 *NIST/NCC-93/979*	RM400 *SINIX-N V5.41*	11/1/94	Full	RM600 *SINIX-P Version 5.41* RNM600 *SINIX-Y Version 5.41*
	FOR1 V2.2 *NIST/NCC-93/980*	7.592I *BS2000/OSD V1.0A (BS2000 V11.0A)*	11/1/94	Full	
	FORTRAN90 V1.0 *NIST/NCC-93/981*	7.592I *BS2000/OSD V1.0A (BS2000 V11.0A)*	11/1/94	Full	
Silicon Graphics Computer Systems Inc.	Fortran 77 Release 3.11 *NIST-93/1163*	M/120 *RISC/OS Release 5.01*	4/1/94	Full	M/800, M/1000, RC2030, RC3240, RC3260, RC4230, RC6280, RS2030, RS4230 *RISC/OS Release 5.01*
	Fortran Release 3.6 *NIST-93/1164*	IRIS 4D/25 *IRIX 5.0*	4/1/94	Full	Personal IRIS, IRIS, IRIS 4D/50, 4D/70, 4D/120, 4D/220, 4D/280 *IRIX Release 5.0*
SUNPRO	SPARCcompiler Fortran Version 4.0 *NIST-93/2181*	SPARCstation LX SPARCserver 1000 *Solaris Version 2.3*	2/1/95	Full	

FORTRAN PROCESSORS, *Continued*

VENDOR	PROCESSOR ID *& VSR #*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/*OS*
	SPARCcompiler Fortran MP (SPARCWORKS IMPACT 1.0 *NIST-93/2182*	SPARCstation 10 SPARCserver 1000 SPARCserver 2000 *Solaris Version 2.3*	2/1/95	Full	
	SPARCcompiler Fortran Version 2.0.1 *NIST-93/1381*	SPARCstation 2, SPARCstation 10, SPARCserver 690 *SunOS Version 4.1.3*	7/1/94	Full	
		SPARCstation 10, SPARCcenter 2000, SPARCserver 690MP *SunOS Version 5.2*			
	ProCompiler Fortran Version 3.0.1 *NIST-93/1901*	DELL Model 433DE *Solaris Version 2.1 Release X86*	8/1/94	Full	
Tandem Computers, Inc.	Fortran Version D10 *NIST-93/1542*	NonStop VLX *Guardian 90 Version D10*	6/1/94	Full	
Unisys Corporation	UCS Fortran (UFTN), Version 5R1 Release SB5R1 *NIST-93/1842*	2200/900 *1100 OS EXEC, Version 44R1 Release SB5R1*	8/1/94	Full	2200/600, 2200/400, 1100/90 *1100 OS EXEC, Version 44R1 Release SB5R1*

2.7.3 Ada PROCESSORS

The following pages list Ada compilers that have been validated by the Ada Joint Program Office (AJPO). Compilers are listed in order of vendor. The list is updated monthly, and presently includes 336 base compilers and 401 compilers derived from base implementations. For the most current information on validated Ada compilers, please contact the Ada Information Clearinghouse at (703) 685-1477.

(Key: • = Validated through Registration, base system above)
(Key: (#YYMMDDFX.XXNNN): YYMMDD is the date on-site testing was completed;
F is the Ada Validation Facility;
X.XX is the ACVC Version;
NNN is a unique sequence number that is assigned by the AVO)

For example, the certificate number #901120W1.11087 means the compiler completed on-site testing November 20, 1990, at Wright-Patterson AFB under ACVC 1.11.

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
•Validated by Registration AETECH XAda Ver. 6.1 (BASE #901129W1.11086)	Any computer system comprising: cpu: Intel 80386 or 80486; fpu: Optional; memory: 8 MByte RAM; disk: 160 MByte hard drive (under SCO Unix 3.2, Solaris X86, ESIX System V, Release 4.0, & Interactive Unix System V, Release 3.2)	Same as Host
•Validated by Registration AETECH XAda Version 6.1 (BASE #901129W1.11086)	Any computer system comprising: cpu: Intel 80386 or 80486; fpu: optional; memory: 8 MByte RAM; disk: 160 MByte hard drive (under Univel UnixWare Version 1.0.3a)	Same as Host
AETECH, Inc. IntegrAda 386 5.1.0 (#901120W1.11087)	Northgate 386/25 (under Phar Lap/DOS 3.3)	Northgate 386/25 (under MS DOS 3.3)
•Validated by Registration AETECH, Inc. IntegrAda 386 5.1.0 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 40 MByte hard drive (under Phar Lap/DOS 3.3)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 40 MByte hard drive (under MS DOS 3.3)
•Validated by Registration AETECH, Inc. IntegrAda for Windows Ver 1.2 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80386 & 80486; fpu: optional; memory: 4 MByte RAM; disk: 40 MByte hard drive (under MS DOS 3.3, 5.0, & 6.0, with Windows 3.1)	Same as Host
•Validated by Registration AETECH, Inc. IntegrAda 386 Ver 6.2 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80386 & 80486; fpu: optional; memory: 4 MByte RAM; disk: 40 MByte hard drive (under MS DOS 3.3, 5.0, & 6.0)	Same as Host
•Validated by Registration AETECH, Inc. IntegrAda DOS Ver 6.1 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80x86 series; fpu: optional; memory: 640 KByte RAM; disk: 40 MByte hard drive (under MS DOS 3.3, 5.0, & 6.0)	Same as Host
AETECH, Inc. IntegrAda 5.1.0 POSIX (#901129W1.11086)	Unisys PW/2 386 (under SCO Unix 3.2)	Same as Host
•Validated by Registration AETECH, Inc. IntegrAda Posix 5.1.0 (BASE #901129W1.11086)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 60 MByte hard drive (under SCO Unix 3.2)	Same as Host
•Validated by Registration AETECH, Inc. AETECH POSIX Compiler, Version 5.1.0 (BASE #901129W1.11086)	Any Computer System Comprising: cpu: Intel 80386 & 80486, fpu: optional, memory: 4 MByte RAM, disk: 60 MByte hard drive (under Interactive Unix System V, Release 3.2)	Same as Host
•Validated by Registration AETECH, Inc. AETECH POSIX Compiler Version 5.1.0 (BASE #901129W1.11086)	Any Computer System Comprising: cpu: Intel 80386 & 80486; fpu: optional; memory: 4 MByte RAM; disk: 60 MByte hard drive (under ESIX System V, Release 4.0)	Same as Host
Aitech Defense Systems, Inc. AI-ADA/88K Version 2.4 (#900930W1.11030)	VAXstation 3100 Cluster (under VMS 5.3)	Tadpole TP880V (88100-based VME board) (bare machine)
•Validated by Registration Aitech Defense Systems, Inc. AI-ADA/88K, Version 2.4 (BASE #900930W1.11030)	All DEC MicroVAX, VAXstation, VAXserver, VAX-11, VAX 8xxx & VAX 6xxx series (under VMS versions 5.0, 5.1, 5.2 & 5.3, as supported)	Tadpole TP880V (88100-based VME board) & Motorola MVME181 (88100-based VME board) (bare machines)
Aitech Defense Systems, Inc. AI-ADA/96K, Version 3.0 (#911012W1.11224)	VAXstation 3100 Cluster (under VMS 5.3)	DSP96002 ADS board (bare machine)
Aitech Defense Systems, Inc. AI-ADA/96K, Version 3.0 (#911012W1.11225)	Sun-4/330 (under SunOS 4.1.1)	DSP96002 ADS board (bare machine)
Alenia Aeritalia & Selenia S.p.A DACS VAX/VMS to 80x86 PM MARA Ada Cross Compiler, Version 4.6 (#920509S1.11259)	MicroVAX 4000/200 (under VMS Version 5.4)	Alenia MARA (80286-based) (under Alenia Operating System, Version 8.6 System)

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Alenia Aeritalia & Selenia S.p.A DACS 80x86PM, Version 4.60 (BASE #920509S1.11259)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.4)	Alenia MARA 80386-& 80486-based computers (under Alenia Operating System 8.6)
Alliant Computer Systems Corporation Alliant FX/Ada-2800 Compiler, Version 1.0 (#901218W1.11105)	Alliant FX/2800 (under Concentrix Release 2.0)	Same as Host
Alliant Computer Systems Corporation Alliant FX/Ada Compiler, Version 2.3 (#901218W1.11106)	Alliant FX/80 (under Concentrix Release 5.7)	Same as Host
AlsyCOMP_085, 5.5 Alsys (#931208W1.11334)	CompuAdd 466 (under Windows NT, Version 3.1 + Threads)	Same as Host
Alsys AlsyCOMP_053, Version 1.82 (#900509I1.11009)	VAX 8530 (under VMS, Version 5.1)	Same as Host
Alsys AlsyCOMP_042, Version 5.3 (#900627N1.11013)	IBM 9370 Model 90 (under AIX/370 Version 1.2)	Same as Host
Alsys AlsyCOMP_026, Version 1.82 (#900814I1.11040)	Sun-3/60 (under SunOS, Version 4.0.3)	Same as Host
Alsys AlsyCOMP_025, Version 1.83 (#900814I1.11041)	MIPS M/120-5 (under RISC/os, Version 4.0)	Same as Host
Alsys AlsyCOMP_046, Version 5.3 (#901022A1.11043)	Sony NEWS NWS-1850 (under NEWS-OS 3.3)	Same as Host
*Validated by Registration Alsys AlsyCOMP_046, Version 5.3 (BASE #901022A1.11043)	Sony NEWS series 1250, 15xx, 17xx, 18xx & 19xx (under NEWS-OS versions 3.3 & 3.4)	Any Host
Alsys AlsyCOMP_004, Version 5.3 (#901022A1.11044)	Apollo DN4000 (under Domain/OS SR10.2)	Same as Host
*Validated by Registration Alsys AlsyCOMP_004, Version 5.3 (BASE #901022A1.11044)	Apollo DN3000, DN3500, DN4000 & DN4500 (under Domain/OS SR10.2 & SR10.3)	Any Host
*Validated by Registration Alsys AlsyCOMP_004 Version 5.5.1 (BASE #901022A1.11044)	HP Apollo 9000 Series 400 (under Domain/OS SR10.4)	Any Host
Alsys AlsyCOMP_050, Version 5.3 (#901022A1.11045)	Bull DPX/2 320 (under B.O.S. 02.00.05)	Same as Host
*Validated by Registration Alsys AlsyCOMP_050, Version 5.3 (BASE #901022A1.11045)	Bull DPX 2/210, /220, /320, /340 & /360 (under BOS 02.00.05& 2.00.10)	Any Host
Alsys AlsyCOMP_002, Version 5.3 (#901022A1.11046)	HP 9000s350 (under HP-UX 6.5)	Same as Host
*Validated by Registration Alsys AlsyCOMP_002, Version 5.3 (BASE #901022A1.11046)	HP 9000 Series 300, all models (under HP-UX 6.5 & 7.0)	Any Host
*Validated by Registration Alsys AlsyCOMP_002 Version 5.5.1 (BASE #901022A1.11046)	HP 9000 Series 300 & 400 (all models) (under HP-UX 8.0)	Any Host
Alsys AlsyCOMP_005, Version 5.3 (#901022A1.11047)	Sun-3/260 (under SunOS 3.2)	Same as Host
*Validated by Registration Alsys AlsyCOMP_005, Version 5.3 (BASE #901022A1.11047)	Sun 3/50, /60, /75, /80, /160, /260, /280, /470 & /480 (under SunOS 3.2, 3.5, 4.0 & 4.1)	Any Host
*Validated by Registration Alsys AlsyCOMP_005 Version 5.5.1 (BASE #901022A1.11047)	Sun Microsystems Sun-3 computer family (under SunOS 4.1.1)	Any Host
Alsys AlsyCOMP_035, Version 5.3 (#901022A1.11048)	CETIA Unigraph 6000 (under Unigraph/X 3.1)	Same as Host
*Validated by Registration Alsys AlsyCOMP_035, Version 5.3 (BASE #901022A1.11048)	Unigraph 1000/325,2000/50, 2000/250,2000/325, 3000/325-333,6000/325-333, 7000/325,8000/325& 9000 (under Unigraph/X 3.1 & 3.1.1)	Any Host
*Validated by Registration Alsys AlsyCOMP_035 Version 5.5.1 (BASE #901022A1.11048)	CETIA Unigraph models 1000/325;2000/50,/250, /325; 3000/325-333; 6000/325-333;7000/325/ 8000/325;& 9000 (under Unigraph/X 3.2c.1)	Any Host
Alsys AlsyCOMP_016 Version 5.1 (#901102W1.11055)	Compaq Deskpro 386 (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Alsys AlsyCOMP_016 Version 5.1.1 (BASE #901102W1.11055)	Any Computer System that executes the Intel 80386 or 80486 instruction set (under MS/DOS 5.0 & Phar Lap 4.0)	Any Host
Alsys AlsyCOMP_016 Version 5.1 (#901102W1.11056)	CompuAdd 320 (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host
*Validated by Registration Alsys AlsyCOMP_016, Version 5.1 (BASE #901102W1.11056)	HP Vectra RS/20, RS/20C, RS/25 & RS/25C; AST Premium 386; and Unisys 386 & Desktop III (under MS-DOS 3.30, Phar Lap 2.0)	Any Host
*Validated by Registration Alsys AlsyCOMP_016 Version 5.1 (BASE #901102W1.11056)	Any Computer System Comprising: cpu: Intel 80386; fpu: optional; memory: 5 MByte RAM; disk: 10 MByte (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host
Alsys AlsyCOMP_016 Version 5.1 (#901102W1.11057)	ALR Power Veisa 486 (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host
Alsys AlsyCOMP_003 Version 5.1 (#901102W1.11058)	HP Vectra RS/25C (under MS-DOS 3.30)	Same as Host
*Validated by Registration Alsys AlsyCOMP_003, Version 5.1 (BASE #901102W1.11058)	Unisys Desktop III (under MS-DOS 3.30)	Same as Host
*Validated by Registration Alsys AlsyCOMP_003 Version 5.1 (BASE #901102W1.11058)	Any Computer System that executes the Intel 80286, 80386, or 80486 instruction set (under MS/DOS 5.0)	Any Host
Alsys AlsyCOMP_003 Version 5.1 (#901102W1.11059)	Zenith Z-248 Model 50 (under MS-DOS 3.30)	Same as Host
*Validated by Registration Alsys AlsyCOMP_003, Version 5.1 (BASE #901102W1.11059)	ICS SB286SC/12 (under MS-DOS 3.30)	Same as Host
*Validated by Registration Alsys AlsyCOMP_003, Version 5.1 (BASE #901102W1.11059)	HP Vectra ES/12; and IBM PC/AT (all models) (under MS-DOS 3.30)	Any Host
Alsys AlsyCOMP_037, Version 5.2 (#901114N1.11065)	INMOS T800 transputer on a B405 TRAM (bare) with an INMOS B008 Communications link implemented in an IBM PC/AT (under MS-DOS 3.1 and INMOS Iserver V1.3)	INMOS T800 transputer on a B405 TRAM (bare) using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver 1.3 for file-server support via an INMOS B008 board link
*Validated by Registration Alsys AlsyCOMP_037, V5.3 (BASE #901114N1.11065)	INMOS T800 transputer on a B403 TRAM (bare) with an INMOS B008 Communications link implemented in an IBM PC/AT (under MS-DOS 3.1 and INMOS Iserver V1.3)	INMOS T800 transputer on a B405 TRAM (bare) using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver 1.3 for file-server support via an INMOS B008 board link; INMOS T425 transputer on a B403 TRAM (bare) using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver 1.3 for file-server support via an INMOS B008 board link
*Validated by Registration Alsys Alsycomp_037 Version 5.4.2 (BASE #901114N1.11065)	INMOS T800 transputer on a B405 TRAM board (bare), with an INMOS B008 Communications link implemented in an IBM PC/AT (under MS-DOS 3.1 and INMOS Iserver V1.42h)	INMOS T800 transputer on a B405 TRAM (bare), using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver V1.42h for file-server support via an INMOS B008 board link and INMOS T425 transputer on a B403 TRAM (bare), using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver V1.42h for file-server support via an INMOS B008 board link
Alsys AlsyCOMP_012, Version 5.3 (#901116A1.11066)	HP 9000s350 (under HP-UX 6.5)	Motorola MVME101 (68000) (bare machine, using ARTK Version 5.3)
*Validated by Registration Alsys AlsyCOMP_012, Version 5.3 (BASE #901116A1.11066)	HP 9000 Series 300, Models 340, 345, 360, 370 & 375 (under HP-UX 6.5 & 7.0)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881) & MVME147-1 (68030/68882) (bare machines, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_012, Version 5.3 (BASE #901116A1.11066)	HP 9000 Series 300 (all models) (under HP-UX 6.5 & 7.0)	Motorola M68332EVS Evaluation System Customers (CPU32) (bare machine, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_012 Version 5.5.1 (BASE #901116A1.11066)	HP 9000 Series 400 (all models) (under HP-UX 8.0)	Motorola MVME 131, MVME133, MVME133XT, MVME135, & MVME147 (68020 & 68030 cpu.s) (bare machines, using VRTX32); Motorola MVME101, MVME121, MVME 131, MVME133, MVME133XT, MVME135, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpu.s) (bare machines, using ARTK Version 5.5.1)
*Validated by Registration Alsys AlsyCOMP_048 Version 5.5.1 (BASE #901116A1.11066)	Sun SPARCstation & SPARCserver computer families; SPARCcenter 2000 (under SunOS 4.1.2); Solbourne Series 5/100, /530, /600, /670, /800, 5E/900; & S4000 (under OS/MP 4.1A.1)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EVS, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpu.s) (bare machines, using ARTK Version 5.5.1)
*Validated by Registration Alsys AlsyCOMP_063 Version 5.5.1 (BASE #901116A1.11066)	HP 9000 Series 700 (all models) (under HP-UX 9.0)	Motorola MVME101, MVME121, M68332EVS, MVME131, MVME133, MVME133XT, MVME135, MVME147, & MVME167 (68000-, 68010-, 68020-, 68030-, & 68040-based single-board computers) (bare machines, using ARTK 5.5.1)

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Alsys AlsyCOMP_048, V5.5.2 (BASE #901116A1.11066)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver series of computers; and SPARCcenter 2000 (under SunOS 4.1.2)	Motorola MVME10, MVME121, MVME131, MVME133, MVME133XT, MVME135, MVME147, MVME167, & MEN A4 (68332) (bare machines, using ARTK 5.5.2)
*Validated by Registration Alsys AlsysCOMP_063, V5.5.2 (BASE #901116A1.11066)	Hewlett-Packard HP9000 Series 700 (under HP-UX 9.0)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, MVME147, MVME167, MEN A4 (68332) (bare machines, using ARTK 5.5.2)
*Validated by Registration Alsys AlsyCOMP_79, V5.5.2 (BASE #901116A1.11066)	IBM RS/6000 models M20, 220/22S/22W,230/23S/23W, 34H, 355, 360, 365, 370, 375/37T,55L, 570, 580, 58H, 590, 97B, 98B, & 990; CETIA models SBW 225, 2225, 2230, 334H, 3355, 3360, 3365, 3370, 3375, 5580, 558H, 5590, & 9990 (under AIX Version 3.2)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, MVME147, MVME167, & MEN A4 (68332) (bare machines, using ARTK 5.5.2)
Alsys AlsyCOMP_036, Version 5.3 (#901116A1.11067)	Apollo DN4000 (under Domain/OS SR10.2)	Motorola MVME147-1 (68030/68882)(bare machine, using ARTK Version 5.3)
*Validated by Registration Alsys AlsyCOMP_036, Version 5.3 (BASE #901116A1.11067)	Apollo DN 3000, 3500, 4000 & 4500 (under Domain/OS SR10.2 & SR10.3)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881)& MVME147-1 (68030/68882)(bare machines, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_036 Version 5.5.1 (BASE #901116A1.11067)	HP 9000 Series 400 (all models) (under DomainOS SR 10.4)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EVS, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpu.s) (bare machines, using ARTK Version 5.5.1)
Alsys AlsyCOMP_015, Version 5.3 (#901116A1.11068)	Sun 3/260 (under SunOS 3.2)	Motorola MVME121 (68010) (bare machine, using ARTK Version 5.3)
*Validated by Registration Alsys AlsyCOMP_015, Version 5.3 (BASE #901116A1.11068)	Sun 3/50, /60, /75, /80, /160, /260, /280, /470 & /480 (under SunOS 3.2, 3.5, 4.0 & 4.1)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881)& MVME147-1 (68030/68882)(bare machines, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_015 Version 5.5.1 (BASE #901116A1.11068)	Sun Microsystems Sun-3 computer family (under SunOS 4.1.1)	Motorola MVME 131, MVME133, MVME133XT, MVME135, & MVME147 (68020 & 68030 cpu.s) (bare machines, using VRTX32); Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EVS, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpu.s) (bare machines, using ARTK Version 5.5.1)
Alsys AlsyCOMP_017, Version 5.2 (#901118N1.11064)	MicroVAX II (under VMS V5.3)	INMOS T425 transputer on a B403 TRAM (bare) using the Host running INMOS Iserver 1.3 for file-server support via a CAPLIN QT0 board link
*Validated by Registration Alsys AlsyCOMP_017, V5.3 (BASE #901118N1.11064)	MicroVAX II (under VMS V5.3)	INMOS T425 transputer on a B403 TRAM (bare) using the Host running INMOS Iserver 1.3 for file-server support via a CAPLIN QT0 board link; INMOS T800 transputer on a B405 TRAM (bare) using the Host running INMOS Iserver 1.3 for file-server support via a CAPLIN QT0 board link
*Validated by Registration Alsys Alsycomp_017 Version 5.4.3 (BASE #901118N1.11064)	MicroVAX II (under VMS V5.3)	INMOS T425 transputer on a B403 TRAM (bare), using the Host running INMOS Iserver V1.42i for file-server support via a CAPLIN QT0 board link and INMOS T800 transputer on a B405 TRAM (bare), using the Host running INMOS Iserver V1.42i for file-server support via a CAPLIN QT0 board link
Alsys AlsyCOMP_018 Version 5.2 (#901120A1.11070)	MicroVAX 3100 (under VMS 5.3)	Same as Host
*Validated by Registration Alsys AlsyCOMP_018, Version 5.2 (BASE #901120A1.11070)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported) (under VMS 5.2 & 5.4)	Any Host
Alsys AlsyCOMP_006, Version 5.3 (#901125N1.11071)	IBM 9370 Model 90 (under VM/IS CMS release 5.1)	Same as Host
Alsys AlsyCOMP_023, Version 5.3 (#901125N1.11072)	IBM 370 3084Q (under MVS/XA release 3.2)	Same as Host
Alsys AlsyCOMP_011, Version 5.3 (#901127A1.11069)	VAX 6210 (under VMS 5.2)	Motorola MVME135-1 (68020/68881)(bare machine, using ARTK Version 5.3)
*Validated by Registration Alsys AlsyCOMP_011, Version 5.3 (BASE #901127A1.11069)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported) (under VMS 5.2, 5.3 & 5.4)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881)& MVME147-1 (68030/68882)(bare machines, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_011 Version 5.3.1 (BASE #901127A1.11069)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 series of computers (under VMS 5.2, 5.3, & 5.4, as supported)	Motorola MVME101 (68000), MVME121 (68010), MVME133XT & MVME135-1 (68020), & MVME147-1 (68030) (bare machines, using ARTK 5.3.1)
*Validated by Registration Alsys AlsyCOMP_028 Version 5.3 (BASE #901127A1.11069)	Compaq Deskpro 386/20 (under DOS 3.31 & 5.0)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135-1, MVME147-1, M68332EVS (68000, 68010, 68020, & 68030 cpu.s) (bare machine, using ARTK Version 5.3)

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Alsys AlsyCOMP_011 Version 5.5.1 (BASE #901127A1.11069)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 computer series (under VMS 5.4)	Motorola MVME 131, MVME133, MVME133XT, MVME135, & MVME147 (68020 & 68030 cpu.s) (bare machines, using VRTX32); Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EVS, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpu.s) (bare machines, using ARTK Version 5.5.1)
Alsys AlsyCOMP_034, Version 5.1 (#901221W1.11103)	Multitech 1100 (under SCO Unix 3.2)	Same as Host
*Validated by Registration Alsys AlsyCOMP_034, Version 5.1 (BASE #901221W1.11103)	Everex AGI 3000D, Compaq Deskpro 386 & SAI Technologies Army Lightweight Computer Unit (LCU V2) (under Interactive Unix 3.2)	Each Host, self-targetted
*Validated by Registration Alsys AlsyCOMP_034, Version 5.1 (BASE #901221W1.11103)	Prime MBX (under Prime Unix V.4)	Same as Host
*Validated by Registration Alsys AlsyCOMP_034, Version 5.1 (BASE #901221W1.11103)	Any Computer System comprising: cpu: Intel 80386 or 80486; fpu: optional (under a Unix 3.2-based OS)	Each Host, self-targetted
*Validated by Registration Alsys AlsyCOMP_034 Version 5.1 (BASE #901221W1.11103)	Any Computer System that executes the Intel 80386 or 80486 instruction set (under SCO Open Desktop 1.1 & SCO Unix 3.2, SCO Open Desktop 2.0 & SCO Unix 3.2.4, Interactive Unix 3.2.2, and AT&T Unix System V Release 4.0)	Any Host
*Validated by Registration Alsys AlsyCOMP_034, Version 5.1.2 (BASE #901221W1.11103)	Zenith Data Systems Z-Station 433 DEh (under SCO Unix 3.2.4 running SecureWare CMW+ Version 2.2)	Same as Host
*Validated by Registration Alsys AlsyCOMP_034 Version 5.5 (BASE #901221W1.11103)	Any computer system that executes the Intel 80386 or i486 instruction set (under SCO Open Desktop 2.0 with SCO Unix version 3.2.4, Interactive Unix 3.2.2, or AT&T Unix System V Release 4.0)	Any Host (same OS as Host)
*Validated by Registration Alsys AlsyCOMP_034 Version 5.1.2 (BASE #901221W1.11103)	SAIC LCU V2 (under SCO Open Desktop 2.0 (SCO Unix 3.2.4))	Same as Host
Alsys AlsyCOMP_043, Version 5.3 (#901221W1.11104)	Apple Macintosh IIcx (under Macintosh System Software 6.0.5)	Same as Host
Alsys AlsyCOMP_034 Version 5.1 (#910129W1.11113)	IBM PS/2 Model 80 (under LynxOS Version 2.0 + Threads Release 11)	Same as Host
*Validated by Registration Alsys AlsyCOMP_034, Version 5.1 (BASE #910129W1.11113)	IBM PS/2 Models 70-xxx & 80-xxx (under LynxOS Version 2.0 Release 15)	Any Host
*Validated by Registration Alsys AlsyCOMP_070 Version 5.5.3 (BASE #910129W1.11113)	Any computer system that executes the Intel 80386 or i486 instruction set (under LynxOS, Version 2.1)	Same as Host
Alsys AlsyCOMP_056, Version 1.82 (#910131I1.11127)	Sun 3/60 (under SunOS, Version 4.0.3)	KWS EB68020 (under OS-9/68020, Version 2.3)
Alsys AlsyCOMP_055, Version 1.82 (#910201I1.11128)	VAX 8530 (under VMS, Version 5.3-1)	KWS EB68020 (under OS-9/68020, Version 2.3)
Alsys AlsyCOMP_029, Version 5.3 (#910323W1.11131)	CompuAdd 325 (under DOS 3.31)	Intel iSBC 386/116 (bare machine, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_029, Version 5.3.1 (BASE #910323W1.11131)	Any Computer System that executes the Intel 80386 or 80486 instruction set (under MS-DOS version 5.0 & Phar Lap version 4.0)	Any 80486 single board computer (bare machine, using ARTK 5.3)
Alsys AlsyCOMP_030, Version 5.3 (#910323W1.11132)	MicroVAX II (under VMS 5.2)	Intel iSBC 386/31 (bare machine, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_030, Version 5.3.1 (BASE #910323W1.11132)	MicroVAX II (under VMS 5.2)	Any 80386 single board computer (bare machine, using ARTK 5.3)
Alsys AlsyCOMP_033, Version 5.3 (#910323W1.11133)	Sun 3/140 (under SunOS 4.1)	Intel iSBC 386/12 (bare machine, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_052, Version 5.3.1 (BASE #910323W1.11133)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Intel iSBC 386/31, iSBC 386/1xx, iSBC 486/1xx (bare machines, using ARTK 5.3)
Alsys AlsyCOMP_049, Version 1.83 (#910407I1.11144)	VAX 8530 (under VMS Version 5.3-1)	Integrated Device Technology IDT7RS301 System (R3000/R3010) (bare machine)
*Validated by Registration Alsys AlsyCOMP_049, Version 1.83-01 (BASE #910407I1.11144)	VAX 8530 (under VMS 5.3-1)	Lockheed Sanders STAR MVP (R3000/R3010) (bare machine)

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Alsys AlsyCOMP_049, Version 1.84 (BASE #910407I1.11144)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 series of computers (under VMS 5.3 & 5.4)	Lockheed Sanders STAR MVP board (R3000/R3010)(bare machine)
Alsys AlsyCOMP_057, Version 1.83 (#910625I1.11193)	DECstation 3100 (under ULTRIX Version 4.0)	Same as Host
*Validated by Registration Alsys AlsyCOMP_057, Version 1.83-01 (BASE #910625I1.11193)	DEC DECstation & DECsystem computer families (under ULTRIX 4.0 & 4.2)	Any Host
Alsys AlsyCOMP_024, Version 5.3 (#910809W1.11195)	IBM RISC System 6000, model 520 (under AIX v3.1)	Same as Host
*Validated by Registration Alsys AlsyCOMP_024 V5.4 (BASE #910809W1.11195)	IBM RISC System 6000 (all models) (under AIX 3.2)	Any Host
Alsys AlsyCOMP_058, Version 5.3 (#910809W1.11196)	Unisys B39 (under BTOS II, v3.2.0)	Same as Host
Alsys AlsyCOMP_040, Version 5.3 (#910809W1.11197)	HP Vectra RS/25C (under DOS 3.30)	Unisys B39 (under BTOS II, v3.2.0)
Alsys AlsyCOMP_062, Version 5.35 (#911107W1.11227)	HP 9000 Series 700 Model 720 (under HP-UX, Version A.B8.05 (release 8.05))	Same as Host
*Validated by Registration Alsys AlsyCOMP_062 Version 5.35 (BASE #911107W1.11227)	HP 9000 Series 700, all models (under HP-UX, Version A.B8.05 (release 8.05)); HP 9000 Series 800, all models (under HP-UX, Version A.B8.00 (release 8.00))	HP 9000 Series 700, all models (under HP-UX, Version A.B8.05 (release 8.05))
*Validated by Registration Alsys AlsyCOMP_062 Version 5.5.1 (BASE #911107W1.11227)	HP 9000 Series 700, all models (under HP-UX, Version 9.01); HP 9000 Series 800, all models (under HP-UX, Version 9.0)	HP 9000 Series 700, all models (under HP-UX, Version 9.01)
*Validated by Registration Alsys AlsyCOMP_076, Version 5.5.2 (BASE #911107W1.11227)	HP 9000 Series 700, all models (under HP-UX, Version 9.1)	HP 9000/742RT VME board (under HP-RT, Version 1.1)
*Validated by Registration Alsys AlsyCOMP_062 Version 5.5.2 (BASE #911107W1.11227)	HP 9000 Series 700, all models (under HP-UX, Version 9.01); HP 9000 Series 800, all models (under HP-UX, Version 9.0)	HP 9000 Series 700, all models (under HP-UX, Version 9.01)
Alsys AlsyCOMP_062, Version 5.35 (#911107W1.11228)	HP 9000 Series 800 Model 835 (under HP-UX, Version A.B8.00 (release 8.00))	Same as Host
*Validated by Registration Alsys AlsyCOMP_062 Version 5.35 (BASE #911107W1.11228)	HP 9000 Series 700, all models (under HP-UX, Version A.B8.05 (release 8.05)); HP 9000 Series 800, all models (under HP-UX, Version A.B8.00 (release 8.00))	HP 9000 Series 800, all models (under HP-UX, Version A.B8.00 (release 8.00))
*Validated by Registration Alsys AlsyCOMP_062 Version 5.35 (BASE #911107W1.11228)	HP 9000 Series 800 Models 807, 817, 847, & 867 (under HP-UX B-Level Security Operating System, Version A.08.08)	Any Host
*Validated by Registration Alsys AlsyCOMP_062 Version 5.5.1 (BASE #911107W1.11228)	HP 9000 Series 700, all models (under HP-UX, Version 9.01); HP 9000 Series 800, all models (under HP-UX, Version 9.0)	HP 9000 Series 800, all models (under HP-UX, Version 9.0)
*Validated by Registration Alsys AlsysCOMP_062 Version 5.5.2 (BASE #911107W1.11228)	HP 9000 Series 700, all models (under HP-UX, Version 9.01); HP 9000 Series 800, all models (under HP-UX, Version 9.0)	HP 9000 Series 800, all models (under HP-UX, Version 9.0)
Alsys AlsyCOMP_072 Version 5.37 (#911119A1.11231)	Sun SPARCstation 2 (under SunOS 4.1.1)	Same as Host
*Validated by Registration Alsys AlsyCOMP_047, Version 5.37 (BASE #911119A1.11231)	Sun SPARCstation ELC, IPC & IPX; SPARCserver 330, 370, 390, 470, 490, 630MP, 670MP & 690MP (under SunOS 4.1.1)	Any Host
*Validated by Registration Alsys AlsyCOMP_047, Version 5.37 (BASE #911119A1.11231)	Solbourne Series 5/500, /530, /600, /670, /800 & 5E/900; and S4000 (under OS/MP 4.1)	Any Host
*Validated by Registration Alsys AlsyCOMP_047 Version 5.5.1 (BASE #911119A1.11231)	SPARCstation ELC, IPC, & IPX; SPARCserver 330, 370, 390, 490, 690MP, 670MP, & 690MP (under SunOS 4.1.1)	Any Host
*Validated by Registration Alsys AlsyCOMP_047 Version 5.5.1 (BASE #911119A1.11231)	Solbourne Series 5/500, /530, /600, /670, /800, & 5E/900; & S4000 (under OS/MP 4.1)	Any Host
*Validated by Registration Alsys AlsyCOMP_047 Version 5.5.1 (BASE #911119A1.11231)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer series (all models) (under Solaris 2.1)	Any Host
Alsys AlsyCOMP_061, Version 1.83 (#920429I1.11251)	DECstation 3100 (under ULTRIX Version 4.2)	Lockheed Sanders STAR MVP board (R3000/3010)(bare machine)
*Validated by Registration Alsys AlsyCOMP_061, Version 1.84 (BASE #920429I1.11251)	DEC DECstation & DECsystem computer families (under ULTRIX 4.2)	Lockheed Sanders STAR MVP board (R3000/R3010)(bare machine)

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Alsys AlsyCOMP_061, Version 1.84-01 (BASE #920429I1.11251)	DEC DECstation & DECsystem computer families (under ULTRIX 4.2)	Lockheed Sanders STAR MVP board (R3000/R3010), Integrated Device Technology IDT7RS385board (R3081E) (bare machines)
Alsys AlsyCOMP_069, Version 1.83 (#920730I1.11262)	Control Data 4336 (under TC/IX 1.0.2)	Same as Host
*Validated by Registration Alsys AlsyCOMP_069, Version 1.83 (BASE #920730I1.11262)	Control Data 4000 series of computers (under TC/IX 1.0.2 & 1.1)	Any Host
*Validated by Registration Alsys AlsyCOMP_069, Version 1.83 (BASE #920730I1.11262)	Control Data 4000 series of computers (under TC/IX 1.2)	Any Host
Alsys AlsyCOMP_062 Version 5.35 (#921118N1.11298)	HP 9000 Series 800 Model 827 (under HP-UX Version 8.02)	Same as Host
Alsys AlysCOMP_073, Version 5.3 (#921126N1.11300)	IBM ES/9000 Model 610 (under AIX/ESA Version 2)	Same as Host
Alsys AlsyCOMP_019 Version 5.3.1 (#921210W1.11302)	CompuAdd 433 (under MS-DOS 5.0 running Phar Lap 4.0)	Intel iSBC 186/100 (bare machine)
*Validated by Registration Alsys AlsyCOMP_065, Version 5.3 (BASE #921210W1.11302)	Sun Microsystems Sun-4, SPARCserver, and SPARCstation computer families (under SunOS 4.1)	Any Intel 8086, 80186, or 80286 single-board computer (bare machine, running ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_019 Version 5.3.1 (BASE #921210W1.11302)	CompuAdd 433 (under MS-DOS 5.0 running Phar Lap 4.0)	Any 80C186EB- & 80C188EB-based single-board computers (bare machines)
Alsys Alsys Ada Software Development Environment for HP 9000 Series 600, 700 & 800, Version 5.35 (#930115S1.11305)	HP 9000 Series 800 Model 807 (under HP-UX BLS Version A.08.08)	Same as Host
Alsys Alsys Ada Software Development Environment for HP 9000 Series 600, 700 & 800, Version 5.35 (#930115S1.11306)	HP 9000 Series 800 Model 817 (under HP-UX BLS Version A.08.08)	Same as Host
Alsys Alsys Ada Software Development Environment for HP 9000 Series 600, 700 & 800, Version 5.35 (#930115S1.11307)	HP 9000 Series 800 Model 847 (under HP-UX BLS Version A.08.08)	Same as Host
Alsys Alsys Ada Software Development Environment for HP 9000 Series 600, 700 & 800, Version 5.35 (#930115S1.11308)	HP 9000 Series 800 Model 867 (under HP-UX 8LS Version A.08.08)	Same as Host
Alsys Alsys Ada Software Development Environment for HP 9000 Series 700/800, Version 5.35 (#930115S1.11309)	Zenith Data Systems Z-Station 433 DEh (under SCO Unix 3.2 running SecureWare CMW+ Version 2.2 w/MaxSix)	Same as Host
Alsys AlsyCOMP_068, Version 1.83 (#930125I1.11310)	Control Data 4680 (under EP/IX 1.4.3)	Same as Host
Alsys AlsyCOMP_032, 5.5 (#931208W1.11333)	CompuAdd 433 (under IBM OS/2, Version 2.1 + Threads)	Same as Host
*Validated by Registration Alsys (formerly TeleSoft) TeleGen2 Ada Cross Development System for Sun-4 to 68k, Version 4.1aS (or V1A_S) (BASE #921218I1.11304)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver series of computers (under SunOS 4.1)	DY 4 Systems SVME-122 (bare machine, using TeleAda-Exec)
Alsys / German MoD NATO SWG on APSE Compiler for Sun3/SunOS, Version S3C1.82-02 (#911016I1.11233)	Sun-3/60 (under SunOS Version 4.0.3, with CAIS Version 5.5D)	Sun-3/60 (under SunOS Version 4.0.3)
Alsys / German MoD NATO SWG on APSE Compiler for VAX/VMS, Version VC1.82-02 (#911118I1.11236)	VAX 8350 (under VMS Version 5.4-1, with CAIS Version 5.5E)	VAX 8350 (under VMS Version 5.4-1)
Alsys / German MoD NATO SWG on APSE Compiler for VAX/VMS to MC68020, Version VCM1.82-02 (#920306I1.11248)	VAX 8350 (under VMS Version 5.4-1, with CAIS Version 5.5E)	Motorola MVME133XT (MC68020) (bare machine)
Alsys / German MoD NATO SWG on APSE Compiler for Sun3/SunOS to MC68020, Version S3CM1.82 (#920728I1.11261)	Sun-3/60 (under SunOS Version 4.0.3, with CAIS Version 5.5E)	Motorola MVME133XT (MC68020) (bare machine)
ATLAS ELEKTRONIK GmbH ATLAS ELEKTRONIK Ada Compiler VME 1.82 (#910324I1.11136)	VAX 6000-410 (under VMS Version 5.2)	ATLAS ELEKTRONIK GmbH MPR 2300 (under MOS 2300, Version 2.1)

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Concurrent Computer Corporation C3Ada, Version 0.5 (#900427I1.11008)	Concurrent Computer Corporation 8400 (MIPS R3000/3010)(under RTU Version 5.1)	Same as Host
*Validated by Registration Concurrent Computer Corporation C3Ada, Version 0.5 (BASE #900427I1.11008)	Concurrent Computer Corporation 8500 (MIPS R3000/R3010)(under RTU Version 5.1)	Same as Host
Concurrent Computer Corporation C3 Ada Version 1.1v (#901130W1.11107)	Concurrent Computer Corporation 6650 with Super Lightning Floating Point (under RTU Version 5.0C)	Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1v (BASE #901130W1.11107)	Concurrent Computer Corporation Series 6000 with Super Lightning Floating Point, and Series 5000 with Lightning Floating Point (all models) (under RTU Version 5.0A, 5.0B & 5.0C)	Any Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1 (BASE #901130W1.11107)	Concurrent Computer Corporation Series 6000 (MC68030, with Super Lightning Floating Point) & Series 5000 (MC68020, with Lightning Floating Point) (under RTU Versions 5.0A, 5.0B, 5.0C & 6.0)	Same as Host
Concurrent Computer Corporation C3 Ada Version R03-00V (#901130W1.11108)	Concurrent Computer Corporation 3280MPS (under OS/32 Version R08-03.2)	Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version R03-00V (BASE #901130W1.11108)	Concurrent Computer Corporation Series 3200: 3200 MPS, 3203, 3205, 3210, 3220, 3230, 3250, 3230XP, 3250XP, 3230MPS, 3260MPS, Micro4, and Micro5 (under OS/32 Versions R08-03, R08-03.1 & R08-03.2)	Any Host
*Validated by Registration Concurrent Computer Corporation C3Ada Version R03-00 (BASE #901130W1.11108)	Concurrent Computer Corporation System Bus Processor family of computers (under Trusted OS/32 and MTM Version R08-03.3S, and OS/32 Versions R08-03.2, R09-01.1OS/32,& R09-02)	Any Host
Concurrent Computer Corporation C3 Ada Version 1.0v (#901130W1.11109)	Concurrent Computer Corporation 8400 (MIPS R3000/3010)(under RTU Version 5.1)	Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.0v (BASE #901130W1.11109)	Concurrent Computer Corporation Series 8000 (all models) (under RTU Versions 5.1, 5.1A & 5.1B)	Any Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.0 (BASE #901130W1.11109)	Concurrent Computer Corporation Series 8000 (MIPS R3000/3010)(under RTU Versions 5.1A, 5.1B & 6.0)	Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 2.0p (BASE #901130W1.11109)	Concurrent Computer Corporation Series 8000 (R3000/3010),all models (under RTU Versions 5.1A, 5.1B & 6.0)	Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 2.0b (BASE #901130W1.11109)	Concurrent Computer Corporation Series 8000 (MIPS R3000/3010)(under RTU Version 6.0)	Any Host
Concurrent Computer Corporation C3 Ada Version 1.1v (#901130W1.11110)	Concurrent Computer Corporation 6650 with MC68882 Floating Point (under RTU Version 5.0C)	Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1v (BASE #901130W1.11110)	Concurrent Computer Corporation Series 6000 with an MC68882 fpu, and Series 5000 with an MC68881 fpu (all models) (under RTU Versions 5.0A, 5.0B & 5.0C)	Any Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1 (BASE #901130W1.11110)	Concurrent Computer Corporation Series 6000 (MC68030/MC68882)& Series 5000 (MC68020/MC68881) (under RTU Versions 5.0A, 5.0B, 5.0C & 6.0)	Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.2 & 2.0b (BASE #901130W1.11110)	Concurrent Computer Corporation Series 7000 (MC68040) (under RTU Version 6.1)	Any Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 2.0b (BASE #901130W1.11110)	Concurrent Computer Corporation Series 7000 (MC68040) (under RTU Version 6.1)	Any Host
Control Data Systems, Inc. NOS/VE Ada, Version 1.4 (#931217S1.11336)	CYBER 180-930-31 (under NOS/VE, Level 826)	Same as Host
CONVEX Computer Corporation CONVEX Ada, Version 2.0 (#900910W1.11027)	CONVEX C220 (under ConvexOS 8.1)	Same as Host

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration CONVEX Computer Corporation CONVEX Ada, Version 2.0 (BASE #900910W1.11027)	CONVEX C120, C201, C202, C210, C220, C230, C240, C210i, C220i & C230i (under ConvexOS, Versions 8.1 and 9.0)	Any Host
*Validated by Registration CONVEX Computer Corporation CONVEX Ada, Version 2.0 (BASE #900910W1.11027)	CONVEX C120, C201, C202, C210, C210i, C220, C220i, C230, C230i, C240, C3210, C3220, C3230, C3240, C3410, C3420, C3430, C3440, C3450, C3460, C3470, C3480, C3810, C3820, C3830, C3840, C3850, C3860, C3870, C3880 (under ConvexOS versions 8.1, 9.0, 9.1 & 10.0)	Each Host, self-targetted
*Validated by Registration CONVEX Computer Corporation CONVEX Ada, Version 2.1 (BASE #900910W1.11027)	CONVEX C120, and C2xx, C32xx, C34xx, & C38xx computer series (under ConvexOS, Versions 8.1, 9.0, 9.1, 10.0, & 10.1; and ConvexOS/Secure Versions 9.5 & 10.0)	Same as Host
*Validated by Registration Cray Research Inc. Cray Ada Compiler Release 3.1 (BASE #901112W1.11116)	CRAY X-MP/EA & X-MP (all models) (under UNICOS Releases 6.1 & 7.0)	Any Host
*Validated by Registration Cray Research Inc. Cray Ada Compiler Release 3.1 (BASE #901112W1.11117)	CRAY Y-MP & Y-MP EL (all models) (under UNICOS Releases 6.1 & 7.0)	Any Host
*Validated by Registration Cray Research Inc. Cray Ada Compiler Release 3.1 (BASE #911006W1.11223)	CRAY CRAY-2/4-128 (all models) (under UNICOS Releases 6.1 & 7.0)	Any Host
Cray Research, Inc. Cray Ada Compiler Release 2.0 (#901112W1.11116)	Cray X-MP/EA (under UNICOS Release 5.0)	Same as Host
*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #901112W1.11116)	CRAY X-MP & X-MP/EA, all models (under UNICOS Releases 5.1, 6.0 & 6.1)	Each Host, self-targeted
*Validated by Registration Cray Research, Inc. Cray Ada Compiler 3.0 (BASE #901112W1.11116)	X-MP/EA (all models) (under UNICOS Release 6.1)	Same as Host
Cray Research, Inc. Cray Ada Compiler Release 2.0 (#901112W1.11117)	Cray Y-MP (under UNICOS Release 5.0)	Same as Host
*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #901112W1.11117)	Cray Y-MP, all models (under UNICOS Releases 5.1, 6.0 & 6.1)	Each Host, self-targeted
*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #901112W1.11117)	CRAY Y-MP EL (under UNICOS Releases 6.0 & 6.1)	Same as Host
*Validated by Registration Cray Research, Inc. Cray Ada Compiler 3.0 (BASE #901112W1.11117)	CRAY Y-MP & Y-MP EL (all models) (under UNICOS Releases 6.1)	Each Host, self-targeted
*Validated by Registration Cray Research, Inc. Cray Ada Compiler 3.1 (BASE #901112W1.11117)	CRAY C-90 (in Y-MP mode) (under UNICOS 7C.0)	Same as Host
Cray Research, Inc. Cray Ada Compiler Release 2.0 (#911006W1.11223)	CRAY-2/4-128 (under UNICOS Release 6.1)	Same as Host
*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #911006W1.11223)	CRAY-2 (all models) (under UNICOS Release 6.1)	Each Host, self-targeted
*Validated by Registration Cray Research, Inc. Cray Ada Compiler 3.0 (BASE #911006W1.11223)	CRAY-2/4-128 (all models) (under UNICOS Release 6.1)	Each Host, self-targeted
DDC International A/S DACS VAX/VMS Native Ada Compiler System, Version 4.6 (#901129S1.11050)	VAX 8530 (under VMS Version 5.3)	Same as Host
DDC International A/S DACS VAX/VMS to 68020 Bare Cross Compiler System, Version 4.6 (#901129S1.11051)	MicroVAX 3100 (under VMS Version 5.3)	Motorola MVME133 board (68020/68881)(bare machine)
DDC International A/S DACS VAX/VMS to 80386 PM Bare Ada Cross Compiler System, Version 4.6 (#901129S1.11074)	VAX 8530 (under VMS Version 5.3)	Intel iSBC 386/21 (bare machine)
DDC International A/S DACS 80386 UNIX V Ada Compiler System, Version 4.6 (#901129S1.11075)	ICL DRS300 (under DRS/NX, Version 3.2 (UNIX System V/386 release 3.2))	Same as Host

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
DDC International A/S DACS Sun3/SunOS Native Ada Compiler System, Version 4.6 (#901129S1.11076)	Sun-3/60 (under SunOS, Version 4.0_Export)	Same as Host
DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (#901129S1.11077)	VAX 8530 (under VMS Version 5.3)	Intel iSBC 186/03 (bare machine)
*Validated by Registration DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 186/03 (bare machine)
*Validated by Registration DDC International A/S DACS VAX/VMS to 8086 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 86/35 (bare machine)
*Validated by Registration DDC International A/S DACS VAX/VMS to 80286 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 286/12 (bare machine)
*Validated by Registration DDC International A/S DACS VAX/VMS to 80286PM Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 286/12 in Protected Mode (bare machine)
DDC International A/S DACS VAX/VMS to 80386 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (#901129S1.11078)	VAX 8530 (under VMS Version 5.3)	Intel iSBC 386/21 (bare machine)
DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6 (#901129S1.11079)	VAX 8530 (under VMS Version 5.3)	Intel iSBC 186/03 (bare machine)
*Validated by Registration DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6 (BASE #901129S1.11079)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 186/03 (bare machine)
*Validated by Registration DDC International A/S DACS VAX/VMS to 8086 Bare Ada Cross Compiler System, Version 4.6 (BASE #901129S1.11079)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 86/35 (bare machine)
*Validated by Registration DDC International A/S DACS VAX/VMS to 80286 Bare Ada Cross Compiler System, Version 4.6 (BASE #901129S1.11079)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 286/12 (bare machine)
*Validated by Registration DDC International A/S DACS VAX/VMS to 80286PM Bare Ada Cross Compiler System, Version 4.6 (BASE #901129S1.11079)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 286/12 in Protected Mode (bare machine)
DDC International A/S DACS 80386DMS/OS Ada Compiler System, Version 4.6 (#901129S1.11112)	IBM PS/2 Model 80-311 (under LynxOS 386/PS2, Version 2.0A)	Same as Host
DDC International A/S DACS VAX/VMS to 80860 Bare Ada Cross Compiler System, Version 4.6.1 (#910502S1.11158)	VAX 8530 (under VMS Version 5.3)	Tadpole Technology plc TP860M (bare machine)
DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (BASIC_MODE) (#910502S1.11159)	Sun-3/50 (under SunOS Release 4.0_Export)	Motorola MVME143 board (68030/68882)(bare machine)
DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (SECURE_MODE) (#910502S1.11160)	Sun-3/50 (under SunOS Release 4.0_Export)	Motorola MVME143 board (68030/68882)(bare machine)

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration DDC-I, Inc. DACS VAX/VMS to 80486PM Bare Ada Cross Compiler System, Version 4.6 (BASE #901129S1.11074)	VAX 8530 (under VMS Version 5.3)	Intel iSBC 486/125 (bare machine)
DDC-I, Inc. DACS MIPS RISC/os to MIPS R3000 Bare Ada Cross Compiler System, Release 2.1-16 (#920805S1.11263)	MIPS M/120-5 (under RISC/os Version 4.50)	Lockheed Sanders STAR MVP R3000/R3010Board (bare machine)
DDC-I, Inc. DACS DECstation/ULTRIX to MIPS R3000 Bare Ada Cross Compiler System, Release 2.1-16 (#920805S1.11264)	DECstation 3100 (under ULTRIX Version 4.0)	Integrated Device Technology IDT7RS301R3000/R3010Board (bare machine)
DDC-I, Inc. DACS Sun SPARC/SunOS Native Ada Compiler System, Version 4.6.1 (#920805S1.11265)	SPARCstation 2 (under SunOS, Version 4.1.1)	Same as Host
DDC-Inter, Inc. InterACT Ada 1750A Compiler System, Release 3.5 (#910705S1.11191)	MicroVAX 3100 Cluster (under VMS 5.2)	InterACT MIL-STD-1750A Instruction Set Architecture Simulator Release 2.3 (bare machine simulation)
DDC-Inter, Inc. InterACT Ada MIPS Cross-Compiler System, Release 2.0 (#910705S1.11192)	MicroVAX 3100 Cluster (under VMS 5.2)	Lockheed Sanders STAR MVP R3000/R3010Board (bare machine)
*Validated by Registration DDC-Inter, Inc. InterACT Ada MIPS Cross-Compiler System, Release 2.1 (BASE #910705S1.11192)	MicroVAX 3100 Cluster (under VMS 5.2)	Lockheed Sanders STAR MVP R3000/R3010Board (bare machine)
DDC-INTER, Inc. DACS Sun SPARC/SunOS to 80386 PM bare Ada Cross Compiler System, Version 4.6.4 (#931119S1.11331)	Sun SPARCstation 1+ (under SunOS, Release 4.1.1)	Intel iSBC 386/116 (bare machine)
DDC-INTER, Inc. DACS MIPS R3000 bare Ada Cross Compiler System, Version 4.7.1 (#931119S1.11332)	Sun SPARCstation IPX (under SunOS, Release 4.1.3)	DACS Sun SPARC/SunOS to MIPS R3000 Bare Instruction Set Architecture Simulator, Version 4.7.1, executing on the Host (bare machine simulation)
*Validated by Registration DESC Ltd VME Ada Compiler VA3.25 (BASE #921008N1.11293)	ICL Series 39 Level 80 (under VME with VME8 Environment Option Version SV292)	Same as Host
*Validated by Registration DESC Ltd. VME Ada Compiler VA3.20 (BASE #921008N1.11293)	ICL Series 39 Level 80 (under VME with VME8 Environment Option Version SV292)	Same as Host
Digital Equipment Corporation VAX Ada, Version 2.2 (#901109S1.11053)	VAX 8800 (under VMS Version 5.4)	Same as Host
*Validated by Registration Digital Equipment Corporation VAX Ada Version 2.2 (BASE #901109S1.11053)	DEC VAX-11, VAXserver, VAXstation, VAXft, MicroVAX, VAX 4000, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported); Ratheon Military VAX Computer Model 860; and Norden MilVAX Computer Model MilVAX II (under VMS Version 5.4)	Any Host
*Validated by Registration Digital Equipment Corporation VAX Ada Version 2.3 (BASE #901109S1.11053)	All VAX, MicroVAX, VAXstation, VAXserver series of computers (as supported) (under VMS Versions 5.4 & 5.5)	Any Host
Digital Equipment Corporation VAX Ada, Version 2.2 (#901109S1.11054)	VAX 8800 (under VMS Version 5.4)	MicroVAX II (under VAXELN Version 4.1, using VAXELN Ada Version 2.2)
*Validated by Registration Digitol Equipment Corporation VAX Ada Version 2.2 (BASE #901109S1.11054)	DEC VAX-11, VAXserver, VAXstation, VAXft, MicroVAX, VAX 4000, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported); Ratheon Military VAX Computer Model 860; and Norden MilVAX Computer Model MilVAX II (under VMS Version 5.4)	VAX 4000 Models 200 & 300; VAX 6000 Series 200, 300 & 400; VAX 8200, 8250, 8500, 8530, 8550, 8700, 8800 & 8810; VAX-11/730 & /750; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3600, 3800 & 3900; VAXstation 2000, 3100, 3150, 3200, 3500 & II/GPX; VAXserver 3100, 3300, 3400, 3500, 3600, 3800, 3900; VAXserver 4000-300; VAXserver 6000 Models 210, 220, 310, 320, 410 & 420; Ratheon Military VAX Computer Models 810 & 860; Norden MilVAX Computer Model MilVAX II, IVAX 620 & 630; VAX RTA; KA620-BA & KA800-M; rtVAX 300, 1000, 3200, 3300, 3305, 3400, 3500, 3600, 3800, 4000 Model 300, 8550, 8700, rtVAX 6000 Models 200, 300 & 400 Series and rtVAXstation 3100 Models 30 & 38 (under VAXELN Version 4.2, using VAXELN Ada Version 2.2)
*Validated by Registration Digital Equipment Corporation VAX Ada Version 2.2 (BASE #901109S1.11054)	VAX 6000 Model 200, 300 & 400 Series; VAX 8200, 8250, 8300, 8350, 8500, 8530, 8550, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840, 8842, 8974 & 8978; VAX-11/730, /750, /780, /785; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3600, 3800 & 3900; VAXstation II, 2000, 3100 series, 3200, 3500, 3520, 3540 & 8000; VAXserver 3100, 3300, 3400, 3500, 3600, 3602, 3800, 3900; VAXserver 6000-310, 6000-410 & 6000-420; Ratheon Military VAX Computer Model 860 (under VMS Version 5.4)	VAX 6000 Model 200, 300 & 400 Series; VAX 8200, 8250, 8500, 8530, 8550, 8700, 8800 & 8810; VAX-11/730 & /750; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3600, 3800 & 3900; VAXstation 2000, 3100, 3150, 3200, 3500 & II/GPX; VAXserver 3100, 3300, 3400, 3500, 3600, 3602, 3800, 3900; VAXserver 6000 Models 210 220, 310, 320, 410 & 420; Ratheon Military VAX Computer Models 810 & 860; Norden Systems: Mil Vax II, IVAX 620 & 630; VAX RTA; KA620-BA, rtVAX 300, 1000, 3200, 3300, 3305, 3400, 3500, 3600, 3800, 8550, 8700, rtVAX 6000 Model 200, 300 & 400 Series & rtVAXstation 3100 Models 30 & 38 (under VAXELN Version 4.1 using VAXELN Ada Version 2.2)

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Digital Equipment Corporation VAX Ada Version 2.3 (BASE #901109S1.11054)	All VAX, MicroVAX, VAXstation, VAXserver series of computers (as supported) (under VMS Versions 5.4 & 5.5)	VAX 4000, 6000, & 9000 series of computers; MicroVAX II, 2000, & 3000 series of computers; VAXstation II, 2000, 3000, & 4000 series of computers; VAXserver 3000, 4000, & 6000 series of computers; IVAX 620 & 630; KA620-BA, KA800-M, & KAV30 VME SBC; rtVAX 300, 1000, 3000, 4000, 6000, & 9000 series of computers; rtVAXstation 3100 series of computers; (under VAXELN Version 4.4, using VAXELN Ada Version 2.2)
Digital Equipment Corporation DEC Ada, Version 1.0 (#911025S1.11226)	DECstation 5000 Model 200 (under ULTRIX 4.2)	Same as Host
*Validated by Registration Digital Equipment Corporation DEC Ada, Version 1.0 (BASE #911025S1.11226)	DECstation 2100, 3100, 3100s, 5000 Models 120/125, 120/125CX, 120/125PXG, 120/125PXGTURBO, 200, 200CX, 200PX, 200PXG, 200PXG TURBO; and DECsystem 3100, 5000 Model 200, 5100, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX Versions 4.0, 4.1 & 4.2)	Any Host
*Validated by Registration Digital Equipment Corporation DEC Ada, Version 1.0 (BASE #911025S1.11226)	DEC DECstation 2100, 3100, & 5000, and DECsystem 5000, 5100, 5400, 5500, 5800, & 5900 series of computers (under ULTRIX Versions 4.0, 4.1, 4.2, & 4.2A)	Any Host
*Validated by Registration Digital Equipment Corporation DEC Ada, Version 1.1 (BASE #911025S1.11226)	DECstation 2100, 3100, & 5000; and DECsystem 3100, 5000, 5100, 5400, 5500, 5810, 5820, 5840, & 5900 series of computers (under Ultrix Version 4.2)	Any Host
Digital Equipment Corporation DEC Ada for OpenVMS AXP Systems, Version 3.0-5 (#930319S1.11315)	DEC 3000 Model 400 (under OpenVMS AXP Operating System, Version 1.0)	Same as Host
*Validated by Registration Digital Equipment Corporation DEC Ada for OpenVMS AXP Systems, Version 3.0-5 (BASE #930319S1.11315)	DEC 3000 Workstation and Server models, 4000, 7000, & 10000 series of AXP computers (under OpenVMS Version 1.0)	Any Host
Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-7 (#930319S1.11316)	VAXstation 4000 Model 60 (under VMS Version 5.5)	Same as Host
*Validated by Registration Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-7 (BASE #930319S1.11316)	VAXft, VAX 4000, 6000, 8000, 9000, & 10000; MicroVAX II, 2000, & 3000; VAXstation II, 2000, 3000, 4000; VAXserver 3000, 4000, & 6000 series of computers (as supported) (under VMS Version 5.4 & 5.5)	Any Host
Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-7 (#930319S1.11317)	VAXstation 4000 Model 60 (under VMS Version 5.5)	VAXstation 3100 Model 48 (under VAXELN Version 4.4, using VAXELN Ada Version 2.2)
*Validated by Registration Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-7 (BASE #930319S1.11317)	VAXft, VAX 4000, 6000, 8000, 9000, & 10000; MicroVAX II, 2000, & 3000; VAXstation II, 2000, 3000, 4000; VAXserver 3000, 4000, & 6000 series of computers (as supported) (under VMS Version 5.4 & 5.5)	VAX 4000, 6000, & 9000; MicroVAX II, 2000, 3000; KA620-BA, KAV30 VME SBC, KA800-M; rtVAX 300, 1000, 3000, 4000, 6000, 9000, & rtVAXstation 3100; IVAX 620 & 630; VAXstation II, 2000, 3000, & 4000; VAXserver 3000, 4000, & 6000 series of computers (as supported) (under VAXELN Version 4.4, using VAXELN Ada Version 2.2)
Digital Equipment Corporation DEC Ada for DEC OSF/1 AXP Systems, Version 3.1 (#931029S1.11330)	DEC 3000 Model 400 (under DEC OSF/1, Version 1.3)	Same as Host
*Validated by Registration Digital Equipment Corporation DEC Ada for DEC OSF/1 AXP Systems, Version 3.1 (BASE #931029S1.11330)	DEC 2000 Sever, 3000 Workstation and Server models, 4000, 7000, & 10000 series of AXP computers (under DEC OSF/1 Version 1.3)	Any Host
*Validated by Registration Dowty Maritime Limited TeleGen2 Ada Cross Development System, Version 3.2 for VAX/VMS to 386 (BASE #910325I1.11139)	DEC VAX-11, MicroVAX, VAXserver, VAXstation, VAXft; and VAX 4000, 6000, 7000, 8000, 9000, & 10000 series of computers (under VMS 5.5-2)	All members of the Intel iSBC 386 & iSBC 486 model series (bare machines, using TeleAda-EXEC 3.2)
E-Systems/ECI Division Tolerant Ada Development System, Version 6.0 (#901003W1.11039)	Tolerant Etemity (under TX, 5.4.0)	Same as Host
EDS-Scicon Defence Limited XD Ada MC68040/ARTX Version 1.2 (#921112N1.11297)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.5)	Motorola MVME167 (68040) (bare machine)
Encore Computer Corporation Parallel Ada Development System, Revision 1.0 (#910130W1.11114)	Encore 91 Series Model 91-0340 (under UMAX 3.0)	Same as Host
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 1.0 (BASE #910130W1.11114)	Encore 91 Series, all models (under UMAX 3.0)	Any Host
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.0 (BASE #910130W1.11114)	Encore 91, 93, & 94 Series, all models (under UMAX 3.0)	Any Host

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11114)	Encore Infinity 90 Series, all models (under UMAX 3.0.X)	Any Host
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11114)	Encore 91 Series, all models (under UMAX 3.0.X)	Any Host
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11114)	Encore 93 Series, all models (under UMAX 3.1.X)	Any Host
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.3.0 (BASE #910130W1.11114)	Encore Infinity 90 Series, all models (under UNMAX 3.0.X)	Any Host
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.3.0 (BASE #910130W1.11114)	Encore 91 Series, all models (under UMAX 3.0.X)	Any Host
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.3.0 (BASE #910130W1.11114)	Encore Infinity R/T series, all models (under UMAX 3.0.X)	Any Host
Encore Computer Corporation Parallel Ada Development System, Revision 1.0 (#910130W1.11115)	Encore 91 Series Model 91-0340 (under UMAX 3.0)	Encore 91 Series Model 91-0430 (under uMPX 1.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 1.0 (BASE #910130W1.11115)	Encore 91 Series, all models (under UMAX 3.0)	Encore 91 Series, all models (under microMPX 1.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.0 (BASE #910130W1.11115)	Encore 91 Series, all models (under UMAX 3.0)	Encore 91 Series, all models (under microMPX 1.0 & microARTE 1.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11115)	Encore 91 Series, all models (under UMAX 3.0.X)	Any Host machine (under MicroARTE 1.2.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11115)	Encore 93 Series, all models (under UMAX 3.1.X)	Any Host machine (under MicroARTE 1.2.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.3.0 (BASE #910130W1.11115)	Encore 91 Series, all models (under UMAX 3.0.X)	Any Host machine (under ARTE Target Runtime 2.0.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.3.0 (BASE #910130W1.11115)	Encore Infinity R/T series, all models (under UMAX 3.0.X)	Any Host machine (under ARTE 2.0.0)
*Validated by Registration Green Hills Software, Inc. Green Hills Optimizing Ada Compiler, 1.8.7 (BASE #940223W1.11338)	SPARCstation 10 (under SunOS, Release 4.1.3)	Same as Host
*Validated by Registration Green Hills Software, Inc. Green Hills Optimizing Ada Compiler, 1.8.7 (BASE #940223W1.11338)	SPARCstation 10 (under SunOS, Release 4.1.3)	Force CPU-40 (68040) (bare machine using VxWorks, 5.1)
Green Valley Software C_Ada, Version 1.1 (#930927S1.11328)	ZENY 386 (under UNIX System V/386, Release 3.2)	Same as Host
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11180)	MIPS M/120 RISComputer (under UMIPS 4.51)	Same as Host
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11182)	IBM RISC System 6000/520 (under AIX Version 3)	Same as Host
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11184)	HP 9000 Series 400 Model 400T (under HP-UX 7.03)	Same as Host
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11186)	Concurrent Computer Corporation M6000 Model 6450 (under RTU 5.0C)	Same as Host

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11187)	Concurrent Computer Corporation M8000 Model 8500 (under RTU 5.1A)	Same as Host
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11188)	Data General AViiON 400 Model 402 (under DG/UX 4.31)	Same as Host
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11190)	HP 9000 Series 700 Model 720 (under HP-UX 8.01)	Same as Host
*Validated by Registration Harris Corporation Harris Ada Compiler, version 6.2 (BASE #900918W1.11028)	Harris NH-4400, NH-4800, & NH-5800 (under CX/UX 6.1, CX/RT 6.1, CX/SX 6.1, & CX/SX 6.2)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
Harris Corporation, Computer Systems Division Harris Ada 5.1 (#900918W1.11028)	Harris NH-4400 (under CX/UX 5.1)	Same as Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1 (BASE #900918W1.11028)	Harris NH-4400 (under CX/UX 5.1, CX/RT 5.1, OR CX/SX 5.1)	Any Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, Version 5.1 (BASE #900918W1.11028)	Harris NH-4400 (under CX/UX 5.2, CX/RT 5.2 & CX/SX 5.2)	Same as Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1.1 (BASE #900918W1.11028)	Harris NH-4400 & NH-4800 (under CX/UX 5.3, CX/RT 5.3 & CX/SX 5.3)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler 5.1.1 (BASE #900918W1.11028)	NH-4400 & NH-4800 (under CX/UX 6.1, CX/RT 6.1, & CX/SX 6.1)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler 5.1.1 (BASE #900918W1.11028)	NH-4400, NH-4800, & NH-5800 (under CX/UX 6.2, CX/RT 6.2, & CX/SX 6.2)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada version 5.2 (BASE #900918W1.11028)	Harris NH-4400, -4800, & -5800 (under CX/UX 6.2, CX/RT 6.2, & CX/SX 6.2)	Harris NH-4400, NH-4800, & NH-5800 (Harris Ada runtime System & ARMS Runtime System)
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, version 6.2 (BASE #900918W1.11028)	Harris NH-4400, NH-4800, & NH-5800 (under CX/UX 6.2 & CX/RT 6.2)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, version 7.1 (BASE #900918W1.11028)	Harris NH-4400, NH-4800, & NH-5800 (under CX/UX 7.1 & CX/RT 7.1)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
Harris Corporation, Computer Systems Division Harris Ada 5.1 (#900918W1.11029)	Harris NH-3800 (under CX/UX 5.1)	Same as Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1 (BASE #900918W1.11029)	Harris NH-1200, NH-3400 & NH-3800 (under CX/UX 5.1, CX/RT 5.1, OR CX/SX 5.1)	Any Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, Version 5.1 (BASE #900918W1.11029)	NH-1200, NH-3400 & NH-3800 (under CX/UX 5.2, CX/RT 5.2 & CX/SX 5.2)	Same as Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1.1 (BASE #900918W1.11029)	Harris NH-1200, NH-3400 & NH-3800 (under CX/UX 5.3, CX/RT 5.3 & CX/SX 5.3)	Any Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler 5.1.1 (BASE #900918W1.11029)	Harris NH-1200, NH-3400, & NH-3800 (under CX/UX 6.1, CX/RT 6.1, & CX/SX 6.1)	Any Host
Hewlett-Packard Co./Apollo Systems Division Domain Ada V6.0m (#910411W1.11137)	DN4500 (under Domain/OS SR10.3)	Same as Host

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Hewlett-Packard Co./Apollo Systems Division Domain Ada V6.0p (#910411W1.11138)	DN10000 (under Domain/OS SR10.3.p)	Same as Host
Hewlett-Packard Company HP 9000 Series 300 Ada Compiler, Version 5.35 (#901022W1.11049)	HP 9000 Series 300 Model 370 (under HP-UX, Version A.07.00)	Same as Host
*Validated by Registration Hewlett-Packard Company HP 9000 Series 300 Ada Compiler, Version 5.35 (BASE #901022W1.11049)	HP 9000 Series 300 & 400, all models (under HP-UX, Version A.87.03)	Any Host
*Validated by Registration Hewlett-Packard Company HP 9000 Series 300 Ada Compiler, Version 5.35t (BASE #901022W1.11049)	HP 9000 Series 300 & 400, all Models (under HP-UX, Versions A.87.00 (release 7.0), A.87.03 (release 7.3), A.87.05 (release 7.5) & A.88.00 (release 8.0), as supported)	Any Host from the same Series, under the same OS version
IBM Canada, Ltd. ADX Ada/6000 Release 2, Preliminary Version (#901127W1.11085)	RISC System/6000 model 7013-530 (under ADX 3.1)	Same as Host
*Validated by Registration IBM Canada, Ltd. ADX Ada/6000 Release 2.0 (BASE #901127W1.11085)	RISC System/6000 models 7013-320, -520, -530, -540, -550, -730 & -930 (under ADX 3.1)	Any Host
*Validated by Registration IBM Canada, Ltd. ADX Ada/6000 Release 2.2 (BASE #901127W1.11085)	RISC System/6000 models 7013-320, -520, -530, -540, -550, -730, & -930 (under ADX 3.1 & 3.2)	Any Host, running same ADX version as Host
IBM Canada, Ltd. ADX Ada/6000 Internal Development Version (#920121W1.11234)	RISC System/6000 model 7012-320 (under ADX 3.2)	Same as Host
*Validated by Registration IBM Canada, Ltd. ADX Ada/6000 Release 3.0 (BASE #920121W1.11234)	RISC System/6000, all models (under ADX 3.2)	Any Host
IBM Canada, Ltd. XL Ada/6000 Internal Development Version (#921119W1.11299)	RISC System/6000, model 7013-520 (under ADX 3.2)	Same as Host
Intel Corporation iPSC/860 Ada Release 6.1.0(E) Unix System V/860 Release 4 Version 3, 312425-0001 (#920513W1.11255)	Intel i860 Station (under Unix System V/860, Version 4)	Intel iPSC/860 (under Ada-NX, Release 3.3.1)

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Intermetrics Intermetrics MVS Ada Compiler, Version 8.1 (BASE #910622W1.11170)	Amdahl 5890/180E (under MVS/XA Release 2.2)	Same as Host
Intermetrics Inc. RISCAE TRW RH32-targeted Ada Compiler, 1.0 (#930901W1.11321)	VAXstation 4000 (under VMS 5.5)	RISCAE TRW RH32 Simulator (bare machine simulation, executing on the Host)
Intermetrics Inc. RISCAE Honeywell RH32-targeted Ada Compiler, 1.0 (#930901W1.11322)	VAXstation 4000 (under VMS 5.5)	RISCAE Honeywell RH32 Simulator (bare machine simulation, executing on the Host)
Intermetrics, Inc. UTS Ada Compiler, Version 302.03 (#910425W1.11141)	IBM 3083 (under UTS 580 Release 1.2.3)	Same as Host
Intermetrics, Inc. Intermetrics MVS Ada Compiler, Version 7.0 (#910622W1.11170)	Amdahl 5890/180E (under MVS/XA Release 2.2)	Same as Host
International Business Machines Corporation IBM Ada/370, Version 1.1.0 (#901128W1.11091)	IBM 3083 (under VM/SP HPO Release 5.0)	Same as Host
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3090 (under VM/ESA Release 1.0 ESA Feature)	Same as Host
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3084 (under VM/ESA Release 1.0 370 Feature)	Same as Host
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3090 (under VM/XA Release 2.1)	Same as Host
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3090 (under VM/SP Release 6.0 HPO 60)	Same as Host
International Business Machines Corporation IBM Ada/370, Version 1.1.0 (#901128W1.11092)	IBM 4381 (under MVS/XA Release 3.8)	Same as Host

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration International 8usiness Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11092)	IBM 3090 (under MVS/ESA Release 4.1)	Same as Host
International 8usiness Machines Corporation IBM Ada/370, Version 1.2.0 (optimized) (#910612W1.11166)	IBM 3083 (under VM/SP HPO Release 5.0)	Same as Host
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (optimized) (#910612W1.11167)	IBM 4381 (under MVS/ESA Release 3.1)	Same as Host
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (unoptimized) (#910612W1.11168)	IBM 3083 (under VM/SP HPO Release 5.0)	Same as Host
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/SP HPO 6.0)	IBM 937x, 43xx, 308x, 3090 & ES/9000 processors (under VM/SP HPO 6.0)
*Validated by Registration International 8usiness Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/XA 2.1)	IBM 937x, 43xx, 308x, 3090 & ES/9000 processors (under VM/XA 2.1)
*Validated by Registration International 8usiness Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3084 (under VM/ESA 1.1.0 (370 Feature))	IBM 937x, 43xx, 308x, 3090 & ES/9000 processors (under VM/ESA 1.1.0 (370 Feature)))
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/ESA 1.1.0 (ESA Feature))	IBM 937x, 43xx, 308x, 3090 & ES/9000 processors (under VM/ESA 1.1.0 (ESA Feature))
*Validated by Registration International 8usiness Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/ESA 1.1.1)	I8M 937x, 43xx, 308x, 3090 & ES/9000 processors (under VM/ESA 1.1.1)
*Validated by Registration International Business Machines Corporation IBM Ada/370, VM/CMS Ada Compiler, Version 1.4.0 (BASE #910612W1.11168)	IBM 3084 (under VM/ESA 1.1.0(370 Feature)); I8M 3090 (under VM/ESA 1.1.0(ESA Feature), VM/ESA 1.1.1, VM/XA 2.1, & VM/SP HPO 5.0 & 6.0)	IBM 937x, 43xx, 308x 8090, & ES/9000 processors (under same OS as Host)
International 8usiness Machines Corporation IBM Ada/370, Version 1.2.0 (unoptimized) (#910612W1.11169)	IBM 4381 (under MVS/ESA Release 3.1)	Same as Host
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 & 1.3.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/SP XA 2.2)	I8M 937x, 43xx, 308x, 3090 & ES/9000 processors (under MVS/SP XA 2.2)
*Validated by Registration International 8usiness Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/ESA Release 4.1.0)	IBM 937x, 43xx, 308x, 3090 & ES/9000 processors (MVS/ESA Release 4.1.0)
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/ESA Release 4.2.0)	I8M 937x, 43xx, 308x, 3090 & ES/9000 processors (MVS/ESA Release 4.2.0)
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.3.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/ESA 4.1.0 & 4.2.0)	IBM 937x, 43xx, 308x, 3090, & ES/9000 computers (under same OS as Host)
*Validated by Registration International 8usiness Machines Corporation IBM Ada/370, Version 1.3.0 (BASE #910612W1.11169)	IBM 4381 (under MVS/ESA 3.1.0)	IBM 937x, 43xx, 308x, 3090, & ES/9000 computers (under same OS as Host)
*Validated by Registration International Business Machines Corporation IBM Ada/370 MVS Compiler, Version 1.4.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/ESA 3.1.0, 4.1.0, & 4.2.0, & MVS/SP XA 2.2)	IBM 937x, 43xx, 308x 8090, & ES/9000 processors (under same OS as Host)
International Computers Limited VME Ada Compiler VA3,00 (#911003N1.11222)	ICL Series 39 Level 80 (under VME with VME8 Environment Option Version SV291)	Same as Host

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
International Computers Limited VME Ada Compiler VA3.10 (#921008N1.11293)	ICL Series 39 Level 80 (under VME with VMEB Environment Option Version SV292)	Same as Host
Irvine Compiler Corporation ICC Ada v7.0.0 (#910510W1.11145)	HP 9000 Model 720 (under HP-UX Release 8.01)	Same as Host
*Validated by Registration Irvine Compiler Corporation ICC Ada for HP 9000 Series 700/800, Version 7.4 (BASE #910510W1.11145)	HP 9000 Series 700 & 800, all Models (under HP-UX Version A.B8.05 (release 8.05))	Any Host
*Validated by Registration Irvine Compiler Corporation ICC Ada for HP 9000 Series 700/800 7.4 (BASE #910510W1.11145)	HP 9000 Series 700 & 800, all models (under HP-UX Versions 8.0 & 9.0, all releases; and HP-UX BLS Version 8.0, all releases)	Same as Host
Irvine Compiler Corporation ICC Ada v7.0.0 (#910510W1.11146)	Sun 3/50 (under SunOS V4.0)	Same as Host
*Validated by Registration Irvine Compiler Corporation ICC Ada for Sun3, Version 7.4 (BASE #910510W1.11146)	Sun Microsystems Sun-3 computer family (under SunOS 4.0 & 4.1)	Any Host
Irvine Compiler Corporation ICC Ada v7.0.0 (#910510W1.11147)	HP 9000 Model 400 (under HP-UX Release 7.03)	Same as Host
*Validated by Registration Irvine Compiler Corporation ICC Ada for HP 9000 Series 300/400, Version 7.4 (BASE #910510W1.11147)	HP 9000 Series 300 & 400, all Models (under HP-UX Version A.B8.05 (release 8.05))	Any Host
Irvine Compiler Corporation ICC Ada v7.0.0 (#910510W1.11148)	VAXstation 3100 Model M38 (under VMS 5.3-1)	Intel i80960MC (bare machine)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MC, Version 7.4 (BASE #910510W1.11148)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, VAX 9000, & VAX 10000 series of computers (under VMS 5.4)	Intel i960MC with or without ICE960 on an Intel EXV80960MC board; any single-board computer that uses the i960 chip; Intel i960 simulator (executing on the Host) (bare machine)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MC 7.4 (BASE #910510W1.11148)	HP 9000 Series 300 & 400, all models (under HP-UX Version 8.0, all releases)	Intel i960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the i960 chip; and Intel i060 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MC 7.4 (BASE #910510W1.11148)	HP 9000 Series 700, all models (under HP-UX Version 8.0, all releases)	Intel i960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the i960 chip; and Intel i060 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MC 7.4 (BASE #910510W1.11148)	Sun Microsystems Sun-3 computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel i960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the i960 chip; and Intel i060 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MC 7.4 (BASE #910510W1.11148)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel i960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the i960 chip; and Intel i060 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960XA, Version 7.5 (BASE #910510W1.11148)	DEC VAX-11, MicroVAX, VAXserver, VAXstation, VAXft; and VAX 4000, 6000, 7000, 8000, 9000, & 10000 series of computers (under VMS 5.4)	Intel i960XA with or without ICE960 on an Intel EXV80960XA board; any single-board computer that uses the i960XA chip; Intel i960XA simulator (executing on the Host) (bare machine)
Irvine Compiler Corporation ICC Ada v7.4.0 (#92052011.11260)	VAXstation 3100 Model M38 (under VMS Version 5.3-1)	Intel i960MX in Hughes DMV running in tagged mode (bare machine, using CHKSYS kernel version 104)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MX and i960MM, Version 7.4 (BASE #92052011.11260)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, VAX 9000, & VAX 10000 Series of computers (under VMS 5.4)	Intel i960MM & i960MX on a TRONIX PI960MX-DXV JIAWG Execution Vehicle board; any single-board computer that uses the i960MM/MX superscalar chip; Intel i960 simulator (executing on the Host) (bare machine)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MM and i960MX Version 7.4 (BASE #92052011.11260)	HP 9000 Series 300 & 400, all models (under HP-UX Version 8.0, all releases)	Intel i960MM & i960MX, with/without ICE 960, on a TRONIX PI960MX-DXV JIAWG Execution Vehicle board; any single-board computer using the 1960MM/MX superscalar chip; and Intel i060 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MM and i960MX Version 7.4 (BASE #92052011.11260)	HP 9000 Series 700, all models (under HP-UX Version 8.0, all releases)	Intel i960MM & i960MX, with/without ICE 960, on a TRONIX PI960MX-DXV JIAWG Execution Vehicle board; any single-board computer using the i960MM/MX superscalar chip; and Intel i060 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MM and i960MX Version 7.4 (BASE #92052011.11260)	Sun Microsystems Sun-3 computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel i960MM & i960MX, with/without ICE 960, on a TRONIX PI960MX-DXV JIAWG Execution Vehicle board; any single-board computer using the i960MM/MX superscalar chip; and Intel I060 simulator, executing on the Host (bare machines)

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MM and i960MX Version 7.4 (BASE #920520I1.11260)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel i960MM & i960MX, with/without ICE 960, on a TRONIX PI960MX-JXV JIAWG Execution Vehicle board; any single-board computer using the i960MM/MX superscalar chip and Intel i060 simulator, executing on the Host (bare machines)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11031)	Sun-3/260 (under SunOS, Version 4.1)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11032)	Sun-4/110 (under SunOS, Version 4.1)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11032)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS Versions 4.1 & 4.1.1)	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11033)	DECstation 3100 (under Ultrix, Version 3.0)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11033)	DECstation 2100, 3100 & 5000 (under Ultrix 3.0)	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11034)	IBM PS/2 Model 60 (with Floating-Point Co-Processor) (under IBM PC-DOS 3.30)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11034)	Any Computer System comprising: cpu: any that executes the Intel 80286, 80386, or 80486 instruction set, fpu: Intel 80287, 80387, or equivalent, as appropriate, memory: 640 KByte RAM minimum, disk: 20 MByte hard drive, OS: IBM PC-DOS 3.30	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (BASE #900909W1.11034)	Any Computer System Comprising: Cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; Fpu: Intel 80287, 80387, or equivalent, as appropriate; Memory: 640 or greater KByte RAM; Disk: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #900909W1.11034)	Any Computer System Comprising: cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; fpu: Intel 80287, 80387, or equivalent, as appropriate; memory: 640 KByte RAM; disk: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11035)	IBM PS/2 Model 30 (with Floating-Point Co-Processor) (under IBM PC-DOS 3.30)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11035)	Any Computer System comprising: cpu: any that executes the Intel 8086 instruction set, fpu: Intel 8087 or equivalent, as appropriate, memory: 640 KByte RAM minimum, disk: 20 MByte hard drive, OS: IBM PC-DOS 3.30	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (BASE #900909W1.11035)	Any Computer System Comprising: Cpu: any that executes the Intel 8086 instruction set; Fpu: Intel 8087 or equivalent, as appropriate; Memory: 640 or greater KByte RAM; Disk: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #900909W1.11035)	Any Computer System Comprising: cpu: any that executes the Intel 8086 instruction set; fpu: Intel 8087 or equivalent, as appropriate; memory: 640 KByte RAM; disk: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11036)	ITT XTRA/286 (with Floating-Point Co-Processor) (under MS-DOS 3.20/OS286)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11036)	Any Computer System comprising: cpu: any that executes the Intel 80286, 80386, or 80486 instruction set, fpu: Intel 80287, 80387, or equivalent, as appropriate, memory: 1.5 MByte RAM minimum, disk: 20 MByte hard drive, OS: MS-DOS 3.20/OS286	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (BASE #900909W1.11036)	Any Computer System Comprising: Cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; Fpu: Intel 80287, 80387, or equivalent, as appropriate; Memory: 1.5 or greater MByte RAM; Disk: 20 MByte hard drive (under MS-DOS 3.30/OS286)	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #900909W1.11036)	Any Computer System Comprising: cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; fpu: Intel 80287, 80387, or equivalent, as appropriate; memory: 1.5 MByte RAM; disk: 20 MByte hard drive (under MS-DOS 3.20/OS286)	Any Host

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11037)	80 Data 386/25 (under 386/ix 1.0.6)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11037)	Any Computer System comprising: cpu: any that executes the Intel 80386 or 80486 instruction set, fpu: optional Intel 80387 or equivalent, for 80386 cpu, memory: 2 MByte RAM minimum, disk: 40 MByte hard drive, OS: SCO Unix 3.2 or Interactive 386/ix 1.0.6	Any Host machine running the same OS
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11037)	Sequent Symmetry 2000/40, /200, /400 & /700 (under DYNIX/ptx V1.2.0)	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (BASE #900909W1.11037)	Any Computer System Comprising: Cpu: any that executes the Intel 80386 or 80486 instruction set; Fpu: Intel 80387 or equivalent, for 80386 cpu; Memory: 2 or greater MByte RAM; Disk: 40 MByte hard drive (under SCO Unix 3.2 or INTERACTIVE UNIX System V/386 Release 3.2)	Any Host with the same OS
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11038)	Apple Macintosh II (under System 6.0.3)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11038)	Apple Macintosh SE 30 (under System 6.0.3)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#901108W1.11060)	Apple Macintosh II (under A/UX 2.0)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#901108W1.11061)	Stardent Titan P3 (under Stardent/Unix 3.0)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#901108W1.11062)	MicroVAX 3100 (under Ultrix 3.1)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#901108W1.11063)	MicroVAX II (under VMS 5.2)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (#911002W1.11218)	IBM PS/2 Model 80 (with Floating Point Co-Processor) (under IBM PC-DOS 3.30/OS386)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #911002W1.11218)	Any Computer System Comprising: cpu: any that executes the Intel 80386 or 80486 instruction set; fpu: Intel 80387 or equivalent, as appropriate; memory: 1.5 MByte RAM; disk: 20 MByte hard drive (under IBM PC-DOS 3.30/OS386)	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911002W1.11219)	NeXTstation (under System Release 2.0)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911002W1.11220)	SGI PowerSeries 4D/310S (under IRIX Sys V 3.3.2)	Mercury MC860 VM (under MC/OS, Version 2.0)
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #911002W1.11220)	SGI PowerSeries 4D/310S (under IRIX Sys V 3.3.2)	Mercury MC860VB & MC860VM (under MC/OS, Version 2.0)
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #911002W1.11220)	SGI PowerSeries 4D/310S (under IRIX Sys V 3.3.2)	Mercury MC860VS (under MC/OS, Version 2.VS)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911002W1.11221)	Sun-4/110 (under SunOS, Version 4.1)	Mercury MC860 VM (under MC/OS, Version 2.0)
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #911002W1.11221)	Sun Microsystems Sun-4/110, /150, /260 & /280; SPARCserver 330, 370, 390, 470 & 490; and SPARCstation 2, IPC & IPX (under SunOS Versions 4.1 & 4.1.1) and SPARCengine 1E (under SunOS Version 4.1e)	Mercury MC860VB & MC860VM (under MC/OS, Version 2.0) and Mercury MC860VS (under MC/OS, Version 2.VS)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911216W1.11232)	Sequoia Series 400 (under Topix, Version 6.5)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920915W1.11266)	Intergraph Interpro 2400 (under CLIX System 5, Release 3.1)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (BASE #920915W1.11266)	InterGraph InterPro Series C300- & C400-based models (under CLIX, System 5 Release 3.1)	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920915W1.11267)	Essence 836 (under DOS 5.0, running Microsoft Windows 3.0)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920915W1.11268)	BBN TC2000 (under nX 3.0.1)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920915W1.11269)	BBN TC2000 (under nX 3.0.1)	BBN TC2000 (under pSOS+/88k)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#921202W1.11301)	HP 9000/827 (under HP-UX 8.02)	Same as Host

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#930401W1.11313)	Motorola VME 167-68040 (under OS/9 68K, v2.4)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#930401W1.11314)	Essence 486 (under MS-DOS 5.0)	ADSP-21020 (bare machine)
MIPS Computer Systems MIPS ASAPP 3.0 (#900619W1.11010)	MIPS M/2000 (under RISC/os 4.50)	R3200-6 CPU board (bare machine)
MIPS Computer Systems MIPS Ada 3.0 (#900619W1.11011)	MIPS M/2000 (under RISC/os 4.50)	Same as Host
*Validated by Registration Multiprocessor Toolsmith Inc. CASEWorks/RT Ada v1.1 for Sun SPARCStation (BASE #930722W1.11318)	Sun Microsystems SPARCstation series (under SunOS 4.11, 4.1.2, & 4.1.3)	Any Host
*Validated by Registration Multiprocessor Toolsmith Inc. CASEWorks/RT Ada v1.1 for Sun SPARCStation (BASE #930722W1.11319)	Sun Microsystems SPARCstation series (under SunOS 4.11, 4.1.2, & 4.1.3)	Any MC68020-, MC68030-, & MC68040-based single-board computer (bare machines, using Unison 3.1)
Multiprocessor Toolsmiths Inc. CASEWorks/RT Ada for the Sun SPARCStation, 1.1 (#930722W1.11318)	Sun SPARCstation 10 (under SunOS 4.1.3)	Same as Host
Multiprocessor Toolsmiths Inc. CASEWorks/RT Ada MC680x0, Version 1.1 (#930722W1.11319)	Sun SPARCstation 10 (under SunOS 4.1.3)	Motorola MVME147 (bare machine)
Multiprocessor Toolsmiths Inc. CASEWorks/RT Ada i860, Version 1.1 (#930722W1.11320)	Sun SPARCstation 2 (under SunOS 4.1.1)	CSPI Supercard II (Intel 80860) with VSB daughterboard (bare machine)
*Validated by Registration Multiprocessor Toolsmiths Inc. CASEWorks/RT Ada v1.1 for i860 (BASE #930722W1.11320)	Sun Microsystems SPARCstation series (under SunOS 4.11, 4.1.2, & 4.1.3)	CSPI Supercard 2 with VSB daughterboard, CSPI Supercard 3 with VSB daughterboard, CSPI Supercard 3XL with VSB daughterboard, & CSPI Supercard 4 with VSB daughterboard (bare machines, using Unison/pSOS+ 3.1)
NEC Corporation NEC Ada Compiler System for EWS-UX/V (Release 4.0), Version Release 2.1 (4.6) (#910918S1.11216)	NEC EWS4800/220 (under EWS-UX/V (Release 4.0) R2.1)	Same as Host
*Validated by Registration NEC Corporation NEC Ada Compiler System, Version R4.1 (4.6.4) (BASE #910918S1.11216)	UP4800 Series models 520, 605, 620, 625, 630, & 635 (under UP-UX/V R4.1) EWS4800 Superstation RISC Series (all EWS RISC models, only) (under EWS-UX/V(R4.0) R6.2 & EWS-UX/V(R4.2) R7.1, as supported)	Any Host
NEC Corporation NEC Ada Compiler System for EWS-UX/V to V70/RX-UX832, Version 1.0 (#910918S1.11217)	NEC EWS4800/60 (under EWS-UX/V R8.1)	NEC MV4000 (under RX-UX832 V1.6)
*Validated by Registration NEC Corporation NEC Ada Compiler System for EWS-UX/V (Rel 4.0) to V70/RX-UX832, Version 1.0 (BASE #910918S1.11217)	All RISC (MIPS R3000- & R4000-based) models of the EWS4800 series (under EWS-UX/V (4.0) R2.1)	NEC MV4000 (under RX-UX832 V1.6)
*Validated by Registration NEC Corporation NEC Ada Compiler System for EWS-UX/V(Rel 4.0) to V70/RX-UX832 version R4.1(V4.6.4) (BASE #910918S1.11217)	EWS4800 Superstation RISC Series (under EWS-UX/V(R4.0) R6.2)	NEC MV4000 (under RX-UX832 V1.63)
North China Institute of Computing Technology C_Ada, Version 1.0 (#910902N1.11198)	MicroVAX II (under ULTRIX 3.0)	Same as Host
Proprietary Software Systems, Inc. PSS VAX/ZR34325 Compiler Version XB-01.000 (#920423I1.11250)	VAX 8350 (under VMS Version 5.4)	PSS Zoran ZR34325 Digital Signal Processor AdaRAID Version XX-01.000 (bare machine simulation, executing on the Host)
R.R. Software, Inc. Janus/Ada 2.2.0 Phar Lap/DOS (#901120W1.11088)	IBM PS/2 Model 80 (under Phar Lap/DOS 3.3)	IBM PS/2 Model 80 (under MS DOS 3.3)
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.0 Phar Lap/DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 40 MByte hard drive (under Phar Lap/DOS 3.3)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 40 MByte hard drive (under MS DOS 3.3)
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.1 DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: any that executes Intel 8086/8088 instructions; fpu: optional; memory: 640 KByte RAM; disk: 20 MByte hard drive (under MS DOS 3.3)	Same as Host
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.2 DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: any that executes the Intel 8086/8088 instruction set; fpu: optional; memory: 640 KByte RAM; disk: 20 MByte hard drive (under MS-DOS 3.3)	Any Host

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.2 386 to DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: any that executes the Intel 80386 instruction set; fpu: optional; memory: 2 MByte RAM; disk: 40 MByte hard drive (under Phar Lap / MS-DOS 3.3)	Any Host (under MS-DOS 3.3)
R.R. Software, Inc. Janus/Ada 2.2.0 Unix (#901129W1.11089)	Northgate 386/25 (under SCO Unix 3.2)	Same as Host
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.0 UNIX (BASE #901129W1.11089)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 60 MByte hard drive (under SCO Unix 3.2)	Same as Host
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.2 UNIX (BASE #901129W1.11089)	Any Computer System Comprising: cpu: any that executes the Intel 80386 instruction set; fpu: optional; memory: 4 MByte RAM; disk: 40 MByte hard drive (under SCO Unix 3.2)	Any Host
Rational M68020/OS-2000 Cross-Development Facility, Version 7 (#901116W1.11081)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	Phillips PG2100 (OS-2000 Release 2.0)
Rational M68020/Unix Cross-Development Facility, Version 7 (#901116W1.11082)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	HP 9000 Model 370MH (under HP-UX Version 7.0)
Rational M68020/Bare Cross-Development Facility, Version 7 (#901116W1.11083)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	Motorola MVME135 (68020) (bare machine)
Rational Rational Environment, D_12_24_0 (#901116W1.11084)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	Same as Host
Rockwell International Corporation DDC-Based Ada/CAPS Compiler, Version 6.0 (#910306W1.11129)	VAX 8650 (under VMS, Version 5.3-1)	CAPS/AAMP1 (bare machine)
*Validated by Registration Rockwell International Corporation DDC-Based Ada/CAPS Compiler, Version 6.1 (BASE #910306W1.11129)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.3-1 & 5.4)	CAPS/AAMP1 (bare machine)
Rockwell International Corporation DDC-Based Ada/CAPS Compiler, Version 6.0 (#910306W1.11130)	VAXstation 3100 Model 30 (under VMS 5.4)	CAPS/AAMP2 (bare machine)
*Validated by Registration Rockwell International Corporation DDC-Based Ada/CAPS Compiler, Version 6.1 (BASE #910306W1.11130)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.3-1 & 5.4)	CAPS/AAMP2 (bare machine)
*Validated by Registration Rockwell International Corporation DDC-Based Ada/CAPS Compiler System, Version 6.3 (BASE #910306W1.11130)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, VAX 9000, & VAX 10000 series of computers (under VMS 5.5-2)	CAPS/AAMP2 & CAPS/AAMP3 (bare machines)
SD-Scicon UK Ltd XD Ada MC68020, Version 1.2 (#901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS Version 5.3)	Motorola MVME133XT board (MC68020) (bare machine)
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68020 Version 1.2 (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.3)	Motorola MVME135-1 board (MC68020) and Motorola MVME147S-1 board (MC68030) (bare machines)
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68020, Version 1.2A (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME133XT board (MC68020) (bare machine)
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68020 MVME135 & MVME147, Version 1.2A (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME135-1 (MC68020) & MVME147S-1 (MC68030) boards (bare machines)
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68020/EFA, Version 1.2A (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME135-1 board (MC68020) (bare machine)
*Validated by Registration SD-Scicon UK Ltd XD Ada CPU32 Version 1.2 (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.4)	Motorola M68340EVS Evaluation System CPU32 (bare machine)
*Validated by Registration SD-Scicon UK Ltd XD Ada CPU32/MC68332 Version 1.2 (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.4)	Motorola M68332EVS Evaluation System CPU32 (bare machine)
SD-Scicon UK Ltd XD Ada MIL-STD-1750A, Version 1.2 (#901214N1.11080)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.3)	Fairchild F9450 on a SBC-50 board (MIL-STD-1750A) (bare machine)
SD-Scicon UK Ltd XD Ada MC68000, Version 1.2 (#910314N1.11134)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MC68000 on an MVME117-3FP board (bare machine)

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68000/EFA, Version 1.2 (BASE #910314N1.11134)	Local Area VAX Cluster (comprising VAXserver 3600, MicraVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MC68000 on an MVME117-3FP board (bare machine)
SD-Scicon UK Ltd XD Ada MC68020/ARTX, Version T1.2 (#910911N1.11199)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME147S-1 (MC68030) (bare machine)
SD-Scicon UK Ltd XD Ada MC68040, Version 1.2 (#911128N1.11230)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME165 (MC68040) (bare machine)
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68040/FORCE CPU-40, Version 1.2 (BASE #911128N1.11230)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.5)	FORCE CPU-40 (MC68040) (bare machine)
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68040, Version 1.2 (BASE #911128N1.11230)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.5)	Motorola MVME167 (68040) (bare machine)
Siemens Nixdorf Informations-systeme AG SIEMENS NIXDORF BS2000 Ada Compiler V2.1 (#901119I1.11111)	SIEMENS NIXDORF 7.590G (under BS2000 V9.5)	Same as Host
*Validated by Registration Siemens Nixdorf Informations-systeme AG SIEMENS NIXDORF BS2000 Ada Compiler V2.1 (BASE #901119I1.11111)	SIEMENS NIXDORF 7.530, 7.536, 7.541, 7.550, 7.551, 7.560, 7.561, 7.570, 7.571, 7.580 & 7.590; 7.500-C30, -C40, -H60, -H90 & -H120 (under BS2000 V9.5 & V10.0)	Same as Host
Siemens Nixdorf Informations-systeme AG Ada (SINIX) V4.1 (#910711W1.11181)	Siemens Nixdorf WX200 (SINIX-ODT) (under SINIX-ODT V1.0)	Same as Host
*Validated by Registration Siemens Nixdorf Informations-systeme AG Ada (SINIX) V4.1 (BASE #910711W1.11181)	Siemens Nixdorf WX200 (SINIX-ODT) (under SINIX-ODT V1.5)	Same as Host
Siemens Nixdorf Informations-systeme AG Ada (SINIX) V4.1 (#920325I1.11249)	Siemens Nixdorf MX300i (under SINIX Version V5.41)	Same as Host
*Validated by Registration Siemens Nixdorf Informations-systeme AG Ada (SINIX) V4.1 (BASE #920325I1.11249)	Siemens Nixdorf WX200 & MX500i (under SINIX Version 5.41)	Each Host, self targeted
*Validated by Registration Siemens Nixdorf Informations-systeme AG Ada (SINIX) V4.1 (BASE #920325I1.11249)	Siemens Nixdorf PC (under SINIX Version V5.41)	Same as Host
Siemens Nixdorf Informations-systeme AG Ada (SINIX) V4.1 (#920922I1.11276)	Siemens Nixdorf RM600 (under SINIX Version V5.41)	Same as Host
*Validated by Registration Siemens Nixdorf Informations-systeme AG Ada (SINIX) V4.1 (BASE #920922I1.11276)	Siemens Nixdorf RM400 (under SINIX Version V5.41)	Same as Host
Silicon Graphics Computer Systems 4D ADA 3.0 (#900703W1.11014)	Iris-4D/380 (under IRIX Release 4D-3.3)	Same as Host
Silicon Graphics Computer Systems 4D ADA 3.0 (#900703W1.11015)	Iris-4D/220S (under IRIX Release 4D-3.3)	Same as Host
Silicon Graphics Computer Systems 4D ADA 3.0 (#900703W1.11016)	Iris-4D/25 (under IRIX Release 4D-3.3)	Same as Host
Silicon Graphics, Inc. VADS SGI-Irix, SC4-ADA-4.0, Version 6.1 (#910920W1.11203)	SGI Indigo (under Irix V4.0)	Same as Host
*Validated by Registration Silicon Graphics, Inc. VADS SGI-Irix, SC4-ADA-4.0, Version 6.1 (BASE #910920W1.11203)	IRIS Indigo, Personal IRIS 4D, IRIS 4D series of computers (under Irix V4.0)	Any Host
Silicon Graphics, Inc. VADS SGI-Irix, SC4-ADA-4.0, Version 6.1 (#910920W1.11204)	SGI 4D/440 (under Irix V3.3)	Same as Host
SKY Computers, Inc. Meridian Ada, Version 4.1 (#910711W1.11183)	SGI Personal Iris W-4D25 (under Irix System V 3.3)	SKYbolt 8116-V (under SKYbolt kernel version 2.33)
SKY Computers, Inc. Meridian Ada, Version 4.1 (#910711W1.11185)	SPARCstation 1 (under SunOS release 4.1)	SKYstation 8117-P (under SKYstation kernel version 2.33)
SKY Computers, Inc. Meridian Ada, Version 4.1 (#910711W1.11189)	SGI Personal Iris W-4D25 (under Irix System V 3.3)	Same as Host
Stratus Computer, Inc. Stratus Ada, Version 6.1 (#921015W1.11294)	Stratus XA/R20 (under FTX, 2.0.1)	Same as Host

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Sun Microsystems Sun Microsystems Sun Ada, SunOS, ADE-1.0-4-4-21, Version 1.0 (BASE #900510W1.11006)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families; SPARCserver 600MP Series; & 4600MP-64 (under SunOS Version 4.2 releases 4.1 & 4.1.2, as supported)	Any Host
*Validated by Registration Sun Microsystems Sun Microsystems Sun Ada, SunOS, ADE-1.1-4-4-21, Version 1.1 (BASE #900510W1.11006)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families; SPARCserver 600MP Series; & 4600MP-64 (under SunOS Version 4.2 release 4.1.2)	Any Host
*Validated by Registration Sun Microsystems Sun Microsystems Sun Ada, SunOS, ADE-1.1-4-4-21, Versions 1.0 & 1.1 (BASE #900510W1.11006)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1.3)	Any Host
Tartan, Inc. Tartan Ada VMS/C30, Version 4.0 (#901210I1.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 Application Board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/C30, Version 4.1 (BASE #901210I1.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 Application Board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/C30, Version 4.1.1 (BASE #901210I1.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 Application Board, NAVY SEM-D Key Code ADSP (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/C30/IPS, Version 4.1.2 (BASE #901210I1.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/C3X Version 4.3 (BASE #901210I1.11121)	VAXstation 3100 (under VMS 5.5)	Texas Instruments TMS320C30 Application Board, & Atlanta Signal Processors Elf TMS320C31 board (bare machines)
Tartan, Inc. Tartan Ada Sun/960MC, Version 4.0 (#901210I1.11122)	Sun 3/60 (under SunOS Version 4.0.3)	Intel ICE960/25 on an Intel EXV80960MC board (bare machine)
Tartan, Inc. Tartan Ada Sun/Sun, Version 4.0 (#901211I1.11118)	Sun 3/60 (under SunOS Version 4.0.3)	Same as Host
*Validated by Registration Tartan, Inc. Tartan Ada Sun/Sun, Version 4.1 (BASE #901211I1.11118)	Sun 3/60 (under SunOS Version 4.0.3)	Same as Host
*Validated by Registration Tartan, Inc. Tartan Ada Sun/Sun, Version 4.2 (BASE #901211I1.11118)	Sun 3/60 (under SunOS Version 4.0.3)	Same as Host
Tartan, Inc. Tartan Ada VMS/960MC, Version 4.0 (#901212I1.11120)	VAXstation 3100 (under VMS 5.2)	Intel ICE960/25 on an Intel EXV80960MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC, Version 4.1 (BASE #901212I1.11120)	VAXstation 3100 (under VMS 5.2)	Intel EXV80960MC board, & Intel ICE960/25 on an Intel EXV80960MC board (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC, Version 4.2.1 (BASE #901212I1.11120)	VAXstation 3100 (under VMS 5.2)	Intel ICE960/25 on an Intel EXV80960MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC, Version 4.2.1 (BASE #901212I1.11120)	VAXstation 3100 (under VMS 5.2)	Intel EXV80960MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC, Version 4.2.2 (BASE #901212I1.11120)	VAXstation 3100 (under VMS 5.2)	Intel EXV80960MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC/SVMRT, Version 4.3 (BASE #901212I1.11120)	VAXstation 3100 (under VMS 5.5)	Cyclone CVME962 board, & Intel EXV80960MC board (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC/PMRT, Version 4.3 (BASE #901212I1.11120)	VAXstation 3100 (under VMS 5.5)	Cyclone CVME962 board, Intel EXV80960MC board, & PI-960MX-DV board (bare machines)
Tartan, Inc. Tartan Ada Sun/C30 Version 4.0 (#901212I1.11123)	Sun 3/50 (under SunOS Version 4.0.3)	Texas Instruments TMS320C30 Application Board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada Sun/C30, Version 4.1.1 (BASE #901212I1.11123)	Sun 3/50 (under SunOS Version 4.0.3)	Texas Instruments TMS320C30 Application Board (bare machine)
Tartan, Inc. Tartan Ada VMS/1750A, Version 4.0 (#901213I1.11119)	VAXstation 3200 (under VMS 5.2)	Texas Instruments STL VHSIC 1750A (bare machine)

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/1750A, Version 4.1 (BASE #901213I1.11119)	VAXstation 3200 (under VMS 5.2)	Texas Instruments STL VHSIC 1750A (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/1750A, Version 4.3 (BASE #901213I1.11119)	VAXstation 3100 (under VMS 5.5)	Texas Instruments STL VHSIC 1750A, & Fairchild F9450 on an SBC-50 (MIL-STD-1750A) (bare machines)
Tartan, Inc. Tartan Ada VMS/680X0, Version 4.1 (#910613I1.11171)	VAXstation 3100 (under VMS 5.2)	Motorola MVME134 (MC68020) (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/680X0, Version 4.1.1 (BASE #910613I1.11171)	VAXstation 3100 (under VMS 5.2)	Motorola MVME134 (MC68020), MVME143 (MC68030), & MVME165 (MC68040) (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/680X0/IPS, Version 4.1.2 (BASE #910613I1.11171)	VAXstation 3100 (under VMS 5.2)	Motorola MVME134 (MC68020) (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/68XXX Version 4.3 (BASE #910613I1.11171)	VAXstation 3100 (under VMS 5.5)	Motorola MVME134 (68020), MVME143 (68030), MVME165 (68040), MC68332 (CPU32), & MC68340 (CPU32) (bare machines)
Tartan, Inc. Tartan Ada SPARC C30, Version 4.2 (#920313I1.11244)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments TMS320C30 Application Board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada SPARC C3X, Version 4.3 (BASE #920313I1.11244)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments TMS320C30 Application Board, & Atlanta Signal Processors Elf TMS320C31 board (bare machines)
Tartan, Inc. Tartan Ada SPARC 1750a, Version 4.2 (#920313I1.11245)	SPARCstation ELC (under SunOS version 4.1.1)	Fairchild F9450 on an SBC-50 board (MIL-STD-1750A)(bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada SPARC/1750A, Version 4.3 (BASE #920313I1.11245)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments STL VHSIC 1750A, & Fairchild F9450 on an SBC-50 (MIL-STD-1750A) (bare machines)
Tartan, Inc. Tartan Ada SPARC 680X0, Version 4.2 (#920313I1.11246)	SPARCstation ELC (under SunOS version 4.1.1)	Motorola MVME134 (MC68020) (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada SPARC/68XXX Version 4.3 (BASE #920313I1.11246)	SPARCstation ELC (under SunOS version 4.1.1)	Motorola MVME134 (68020), MVME143 (68030), MVME165 (68040), MC68332 (CPU32), & MC68340 (CPU32) (bare machines)
Tartan, Inc. Tartan Ada SPARC 960mc, Version 4.2 (#920313I1.11247)	SPARCstation ELC (under SunOS version 4.1.1)	Intel EXV80960MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada SPARC 960mc, Version 4.2.2 (BASE #920313I1.11247)	SPARCstation ELC (under SunOS Version 4.1.1)	Intel EXV80960MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada RS6000/960mc, Version 4.2.2 (BASE #920313I1.11247)	IBM RISC System/6000 Model 320H (under AIX Version 3.2)	Intel EXV80960MC board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada SPARC/960MC/SVMRT, Version 4.3 (BASE #920313I1.11247)	SPARCstation ELC (under SunOS version 4.1.1)	Cyclone CVME962 board, & Intel EXV80960MC board (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada SPARC/960MC/PMRT, Version 4.3 (BASE #920313I1.11247)	SPARCstation ELC (under SunOS version 4.1.1)	Cyclone CVME962 board, Intel EXV80960MC board, & PI-960MX-DXV board (bare machines)
Tartan, Inc. Tartan Ada VMS/C40 v4.2.1 (#921030I1.11296)	VAXstation 4000 Model 60 (under VMS 5.5)	Texas Instruments TMS320C40 Parallel Processing Development System (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada SPARC/C40, Version 4.3 (BASE #921030I1.11296)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments TMS320C40 Parallel Develpment System (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/C40, Version 4.3 (BASE #921030I1.11296)	VAXstation 3100 (under VMS 5.5)	Texas Instruments TMS320C40 Parallel Develpment System (bare machine)
TeleSoft TeleGen2 Sun-3 Ada Development System, Version 4.01 (#900525I1.11012)	Sun-3/280 (under Sun UNIX 4.2, Release 4.0.3)	Same as Host
TeleSoft TeleGen2 Ada Host Development System, Version 4.1, for SPARCSystems (#901128W1.11090)	Sun-4/280 (under Sun UNIX 4.2, Release 4.1)	Same as Host

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration TeleSoft TeleGen2Ada Host Development System for SPARCSystems, Version 4.1 (BASE #901128W1.11090)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families (under SunOS 4.2, release 4.1)	Any Host
*Validated by Registration TeleSoft TeleGen2Ada Host Development System for SPARCSystems, Version 4.1 (BASE #901128W1.11090)	Solbourne Series 5 & 5E; and S4000 (under OS/MP 4.1)	Any Host
*Validated by Registration TeleSoft TeleGen2Ada Host Development System for SPARCSystems, Version 4.1.1 (BASE #901128W1.11090)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.1)	Any Host
TeleSoft TeleGen2Ada Cross Development System, Version 4.1, for VAX/VMS to 68K (#910121I1.11124)	MicroVAX 3800 (under VAX/VMS Version 5.2)	Motorola MVME133A-20 (MC68020) (bare machine)
*Validated by Registration TeleSoft TeleGen2Ada Cross Development System for VAX to 68K, Version 4.1 (BASE #910121I1.11124)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.0, 5.1, 5.2, 5.3 & 5.4, as supported)	Motorola board series MVME133*, MVME135*, MVME136* (MC68020); MVME141* & MVME147* (MC68030); and Force CPU-30, CPU-31, CPU-32 & CPU-37 (bare machines)
*Validated by Registration TeleSoft TeleSoft TRIAD System for VAX/VMS to 68K, Version 4.1 (BASE #910121I1.11124)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.0, 5.1, 5.2, 5.3 & 5.4, as supported)	Motorola board series MVME147* (MC68030) (bare machines, using TeleAda-Exec)
*Validated by Registration TeleSoft TeleGen2Ada Cross Development System for VAX/VMS to 68K, Version 4.1 (BASE #910121I1.11124)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported) (under VMS Versions 5.0, 5.1, 5.2, 5.3 & 5.4)	Motorola MVME165* & MVME167* (68040) board families (bare machines)
TeleSoft TeleGen2Ada Cross Development System, Version 4.1, for VAX/VMS to MIPS (#910123I1.11125)	MicroVAX 3800 (under VAX/VMS Version 5.2)	Integrated Device Technology IDT7RS301 System (R3000/R3010) (bare machine)
TeleSoft TeleGen2Ada Cross Development System, Version 4.1, for SUN-3 to 68K (#910125I1.11126)	Sun-3/480 (under Sun UNIX, Release 4.1)	Motorola MVME135-1 (MC68020) (bare machine)
TeleSoft TeleGen2Ada Cross Development System, Version 3.1 for VAX/VMS to 386 (#910325I1.11139)	VAX 6210 (under VMS 5.3)	Intel iSBC 386-120 (80386/387) (bare machine, using TeleAda-EXEC 1.0)
*Validated by Registration TeleSoft TeleGen2Ada Cross Development System, Version 3.1 (BASE #910325I1.11139)	VAX 4000-300 (under VMS 5.4-3)	Intel iSBC 486/133SE board (bare machine, using TeleAda-EXEC 1.0)
TeleSoft TeleGen2Ada Cross Development System, Version 3.1 for SPARC to 68K (#910325I1.11140)	Sun-4/60 (under SunOS 4.1)	Motorola MVME147 (68030) (bare machine, using TeleAda-EXEC 1.0)
*Validated by Registration TeleSoft TeleGen2Ada Cross Development System for SPARC to 68K, Version 4.1 (BASE #910325I1.11140)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.1)	Motorola MVME133*, MVME135*, MVME136* (68020); MVME141* & MVME147* (68030); and MVME165* & MVME167* (68040) board families (bare machines, optionally using TeleAda_Exec 2.0)
TeleSoft TeleGen2Ada Host Development System, Version 4.1, for MacII Systems (#910721I1.11194)	Apple Macintosh IIfx (under A/UX 2.0)	Same as Host
*Validated by Registration TeleSoft TeleGen2Ada Host Development System for MacII Systems, Version 4.1 (BASE #910721I1.11194)	Apple Macintosh II family, & SE/30 (under A/UX Release 2.0)	Any Host
TeleSoft TeleGen2Ada Development System for VAX to 1750A, Version 3.25 (#911028I1.11229)	MicroVAX 3800 (under VMS Version 5.4)	MIL-STD-1750AECSPO ITS RAD Simulator, Version 6.0 (bare machine simulation, executing on the Host)
TeleSoft TeleGen2Ada Compilation System for VAX to 80960, Version 4.1 (#911213I1.11235)	MicroVAX 3800 (under VMS Version 5.4)	Intel EXV 960 MC-MIL (i960 XA) (bare machine, using Hughes O.S. Ada RTS interface)
TeleSoft TeleGen2Ada Cross Development System Version 4.1.1 for SUN-4 to eMIPS (#921029I1.11295)	Sun-4/690 (under SunOS Release 4.1.2)	Integrated Device Technology IDT7RS301 System (R3000/R3010) (bare machine)
TeleSoft TeleGen2(tm) Ada Cross Development System for Sun-4 to i960, Version 4.1.1 (#921218I1.11303)	Sun-4/690 (under SunOS Release 4.1.2)	CVME962 System (i960XA board with MC Processor) (bare machine)
TeleSoft TeleGen2(tm) Ada Cross Development System for Sun-4 to e68k, Version 4.1c (#921218I1.11304)	Sun-4/690 (under SunOS Release 4.1.2)	Motorola MVME147S-1 (68030/68882) (bare machine)
Texas Instruments MIPS-Ada, Version 3.0 (#901030W1.11052)	MIPS M/2000 (under RISC/os 4.02)	TI DP32 R3000 Processor (bare machine, using TI DP32 RTE Version 1.0)

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Texas Instruments TI Ada, Version 1.0 (#910403W1.11135)	MicroVAX 3400 (under VMS 5.3-1)	TI DP32 R3000 Processor (bare machine, using TI Executive and Runtime Services (EARS) Version 1.0)
TLD Systems, Ltd. TLD Sun-4/MIL-STD-175 0A Ada Compiler System, Version 2.9.0 (#920319W1.11237)	Sun-4/75 (under SunOS, Version 4.1.1)	Rockwell International RI-1750AB Brassboard Development System (bare machine, using TLDrtx Real Time Executive, Version 1.0.0)
TLD Systems, Ltd. TLD MV/MV Ada Compiler System, Version 2.9.0 (#920319W1.11238)	Data General MV/32 20000-2 (under AOS/VS II, Version 2.03)	Same as Host
TLD Systems, Ltd. TLD Sun-4/MIL-STD-175 0A Ada Compiler System, Version 2.9.0 (#920319W1.11239)	Sun-4/75 (under SunOS, Version 4.1.1)	Honeywell Program Development Unit (PDU) with Honeywell Generic VHSIC Spaceborne Computer (GVSC) MIL-STD-1750A(bare machine, using TLDrtx Real Time Executive, Version 1.0.0)
TLD Systems, Ltd. TLD Sun-4/MIL-STD-175 0A Ada Compiler System, Version 2.9.0 (#920319W1.11240)	Sun-4/75 (under SunOS, Version 4.1.1)	TLD MIL-STD-1750AMultiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0, and executing on the Host)
TLD Systems, Ltd. TLD RISC6000/MIL-STD-1750A Ada Compiler System, Version 2.9.0 (#920319W1.11241)	IBM RISC System 6000, Model 530 (under AIX, Version 3.1)	TLDmps MIL-STD-1750A Multiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0, and executing on the Host)
*Validated by Registration TLD Systems, Ltd. TLD RISC6000/MIL-STD-1750A Ada Compiler System, Version 2.9.0 (BASE #920319W1.11241)	IBM RISC System 6000 series (under AIX, Version 3.1)	IBM User Console with IBM Generic VHSIC Spaceborne Computer (bare machine, using TLDrtx Real Time Execution, Version 1.0.0)
TLD Systems, Ltd. TLD VAX/MIL-STD-1750A Ada Compiler System, Version 2.9.0 (#920319W1.11242)	MicroVAX 3500 (under VMS, Version 5.1)	TLD MIL-STD-1750AMultiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0, and executing on the Host)
*Validated by Registration TLD Systems, Ltd. TLD VAX/MIL-STD-1750A Ada Compiler System, Version 2.9.0 (BASE #920319W1.11242)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.4)	IBM User Console with IBM Generic VHSIC Spaceborne Computer (bare machine, using TLDrtx Real Time Execution, Version 1.0.0)
TLD Systems, Ltd. TLD HP 9000/MIL-STD-1750 A Ada Compiler System, Version 2.9.0 (#920319W1.11243)	HP 9000/350 (under HP-UX, Version 7.0)	TLDmps MIL-STD-1750A Multiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0, and executing on the Host)
TLD Systems, Ltd. TLD Comanche VAX/MIL-STD-1750A Ada Compiler System, Version 3.4.C (#931012W1.11329)	VAXstation 4000 Model 60 (under VMS 5.5)	TLD MIL-STD-1750AMultiple Processor Simulator (TLDmps), executing on the Host (bare machine simulation, using TLD Real Time Executive (TLDrtx), 3.4.C)
U.S. Air Force AFCAS 1750A Ada Compiler, Version 1.0 (#910425W1.11142)	VAXstation 3100 (under VMS Version 5.3)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)
*Validated by Registration U.S. Air Force AFCAS 1750A Ada Compiler, Version 1.1 (BASE #910425W1.11142)	DEC VAXstation 3100 (under VMS Version 5.4)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)
U.S. Air Force AFCAS 1750A/XMEM Ada Compiler, Version 1.0 (#910425W1.11143)	VAXstation 3100 (under VMS Version 5.3)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)
*Validated by Registration U.S. Air Force AFCAS 1750A/XMEM Ada Compiler, Version 1.1 (BASE #910425W1.11143)	DEC VAXstation 3100 (under VMS Version 5.4)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)
U.S. NAVY AdaVAX, Version 5.0 (/OPTIMIZE) (#910517S1.11162)	VAX 8600 (under VMS Version 5.3)	Same as Host
U.S. NAVY AdaVAX, Version 5.0 (/NO_OPTIMIZE) (#910517S1.11163)	VAX 8600 (under VMS Version 5.3)	Same as Host
U.S. NAVY AdaVAX, Version 5.0 (/OPTIMIZE) (#910517S1.11164)	VAX-11/785 (under VMS Version 5.3)	Same as Host
U.S. NAVY AdaVAX, Version 5.0 (/NO_OPTIMIZE) (#910517S1.11165)	VAX-11/785 (under VMS Version 5.3)	Same as Host
U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) (#910626S1.11172)	VAX 8550 (under VMS Version 5.3)	AN/UYK-43 (single cpu) (bare machine)
U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) (#910626S1.11173)	VAX 8550 (under VMS Version 5.3)	AN/UYK-43 (EMR) (bare machine)
U.S. NAVY Ada/M, Version 4.0 (/OPTIMIZE) (#910626S1.11174)	VAX 8550 (under VMS Version 5.3)	AN/UYK-44 (EMR) (bare machine)
U.S. NAVY Ada/M, Version 4.0 (/OPTIMIZE) (#910626S1.11175)	VAX 8550 (under VMS Version 5.3)	AN/AYK-14 (bare machine)
U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) (#910626S1.11176)	VAX-11/785 (under VMS Version 5.3)	AN/UYK-43 (single cpu) (bare machine)
U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) (#910626S1.11177)	VAX-11/785 (under VMS Version 5.3)	AN/UYK-43 (EMR) (bare machine)
U.S. NAVY Ada/M, Version 4.0 (/OPTIMIZE) (#910626S1.11178)	VAX-11/785 (under VMS Version 5.3)	AN/UYK-44 (EMR) (bare machine)

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
U.S. NAVY Ada/M, Version 4.0 (/OPTIMIZE) (#910626S1.11179)	VAX-11/785 (under VMS Version 5.3)	AN/AYK-14 (bare machine)
U.S. NAVY AdaVAX, Version 5.5 (/OPTIMIZE) (#920918S1.11270)	VAXstation 4000 (under VMS Version 5.5)	Same as Host
U.S. NAVY AdaVAX, Version 5.5 (/NO_OPTIMIZE) (#920918S1.11271)	VAXstation 4000 (under VMS Version 5.5)	Same as Host
U.S. NAVY Ada/M, Version 4.5 (/OPTIMIZE) (#920918S1.11272)	VAX Cluster (comprising VAX 8550, 8600, & 8650 machines) (under VMS Version 5.3)	Enhanced Processor (EP) AN/UYK-44 (bare machine)
U.S. NAVY Ada/M, Version 4.5 (/OPTIMIZE) (#920918S1.11273)	VAX Cluster (comprising VAX 8550, 8600, & 8650 machines) (under VMS Version 5.3)	VHSIC Processor Module (VPM) AN/AYK-14 (bare machine)
U.S. NAVY Ada/M, Version 4.5 (/NO_OPTIMIZE) (#920918S1.11274)	VAX Cluster (comprising VAX 8550, 8600, & 8650 machines) (under VMS Version 5.3)	Enhanced Processor (EP) AN/UYK-44 (bare machine)
U.S. NAVY Ada/M, Version 4.5 (/NO_OPTIMIZE) (#920918S1.11275)	VAX Cluster (comprising VAX 8550, 8600, & 8650 machines) (under VMS Version 5.3)	VHSIC Processor Module (VPM) AN/AYK-14 (bare machine)
UNISYS Corporation UCS Ada, Version 1R1 (#910510S1.11161)	UNISYS 2200/600 (under OS1100, Version 43R2)	Same as Host
*Validated by Registration UNISYS Corporation UCS Ada, Version 1R1 (BASE #910510S1.11161)	UNISYS 1100/90, 2200/100, /200, /400, /600, & /900 (under OS 1100, Versions 43R2 & 43R3, as supported)	Any Host
*Validated by Registration Verdix VADSworks Sun4 => 68K, VAda-115-40800, Version 2.0 (BASE #920513W1.11256)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.0, 4.1, & 4.2)	DY 4 Systems SVME-144; Force CPU-40 Series; Motorola MVME162, MVME165, MVME167, & MVME167A; PEP Modular Computer VM40; and Tadpole TP41V (bare machine, using vxWorks 5.0)
*Validated by Registration Verdix VADSworks Sun4 => SPARC, VAda-115-40850, Version 2.0 (BASE #920513W1.11257)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.0, 4.1, & 4.2)	Sun SPARCengine 1e (bare machine, using vxWorks 5.0)
Verdix Corporation VAda-110-6161, Version 6.0.2 (#900228W1.11001)	DECstation 3100 (under ULTRIX 3.1)	Same as Host
*Validated by Registration Verdix Corporation VAda-110-6161, Version 6.0.2 (BASE #900228W1.11001)	DECstation 2100, 5000; DECsystem 5400, 5810, 5820, 5830, 5840 (under ULTRIX 3.1)	Any Host
*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.0, VAda-110-6161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.0)	Any Host
*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.1, VAda-110-6161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.1)	Any Host
*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.2, VAda-110-6161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under Ultrix 4.2)	Any Host
*Validated by Registration Verdix Corporation VADS DEC-RISC, VAda-110-6161, Versions 6.0, 6.1, & 6.2 (BASE #900228W1.11001)	Digitial Equipment Corp. DECstation & DECsystem series of MIPS-based computers (under ULTRIX 3.1, 4.0, 4.1, 4.2, & 4.3)	Any Host
Verdix Corporation VAda-110-0202, Version 6.0 (#900228W1.11002)	VAXsystem 3100 (under ULTRIX 3.1)	Same as Host
*Validated by Registration Verdix Corporation VAda-110-0202, Version 6.0 (BASE #900228W1.11002)	DEC VAX-11, MicroVAX, VAXserver, VAXstation, VAX 6000, VAX 8000 & VAX 9000 series (under ULTRIX 4.0)	Any Host
*Validated by Registration Verdix Corporation VAda-110-0202, Version 6.0 (BASE #900228W1.11002)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under ULTRIX 4.2)	Any Host
Verdix Corporation VADS Sun3 SunOS, VAda-110-1313, Version 6.0 (#900510W1.11003)	Sun 3/280 (under SunOS 4.0)	Same as Host
*Validated by Registration Verdix Corporation VADS Sun-3 Sun OS, VAda-110-1313, Version 6.0 (BASE #900510W1.11003)	Sun-3/50, /60, /80, /150, /160, /260, /280, /470 & /480 (under SunOS 4.0 & 4.1)	Any Host machine (under same OS version)
Verdix Corporation VADS IBM PS/2 AIX => Intel 80386, VAda-110-35315, Version 6.0 (#900510W1.11004)	IBM PS/2 Model 80 (under AIX 1.1)	Intel iSBC 386/12 (bare machine)

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS IBM PS/2 AIX => 68K, VAda-110-35125, Version 6.0 (#900510W1.11005)	IBM PS/2 Model 80 (under AIX 1.1)	Motorola MVME133A-20 (MC68020) (bare machine)
Verdix Corporation VADS Sun-4 SunOS, VAda-110-4040, Version 6.0 (#900510W1.11006)	Sun 4/280 (under SunOS 4.0)	Same as Host
*Validated by Registration Verdix Corporation VAda-110-4040, Version 6.0 (BASE #900510W1.11006)	Sun-4/20, /65, /110, /150 & /260; SPARCserver 310, 330, 370, 390, 470 & 490; SPARCstation SLC, 1, 1+, 2, 310, 330 & 370; and SPARCengine 1 VME (under SunOS 4.1)	Any Host
Verdix Corporation VADS Sun3 SunOS => 68K, VAda-110-13125, Version 6.0 (#900510W1.11007)	Sun 3/280 (under SunOS 4.0) (bare machine)	Motorola MVME147 (MC68030)
*Validated by Registration Verdix Corporation VADS Sun3 SunOS => 68K, VAda-110-13125, Version 6.0 (BASE #900510W1.11007)	Sun-3/50, /60, /80, /150, /160, /260, /280, /470 & /480 (under SunOS 4.0 & 4.1)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series & MVME141 (MC68030), MVME133 Series, MVME134, MVME135 & MVME136 (MC68020), MVME-110, MVME-165 & MVME-167; Tadpole TP32V & TP33M (bare machines)
Verdix Corporation VADS IBM RISC System/6000, AIX 3.1, VAda-110-7171, Version 6.0 (#900726W1.11017)	IBM RISC System/6000 Model 530 (under AIX 3.1)	Same as Host
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000, AIX 3.1, VAda-110-7171, Version 6.0 (BASE #900726W1.11017)	IBM RISC System/6000 Models 320, 520, 540, 730 & 930 (under AIX 3.1)	Any Host
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000, AIX 3.1, VAda-110-7171, Version 6.0 (BASE #900726W1.11017)	IBM RISC System/6000 Models 220, 320, 320H, 340, 350, 520, 520H, 530H, 540, 550, 560, 730, 930, & 950 (under AIX 3.2)	Any Host
*Validated by Registration Verdix Corporation VADS IBM RISC System /6000, VAda-110-7171, Versions 6.0, 6.1, & 6.2 (BASE #900726W1.11017)	IMB RISC System/6000 series of computers (under AIX 3.1 & 3.2)	Any Host
Verdix Corporation VADS HP 9000/300, HP-UX 7.0, VAda-110-1515, Version 6.0 (#900726W1.11018)	HP 9000/350 (under HP-UX	Same as Host 7.0)
*Validated by Registration Verdix Corporation VADS HP 9000/300, HP-UX 7.0, VAda-110-1515, Version 6.0 (BASE #900726W1.11018)	HP 9000 Series 300 Models 310, 320, 330, 340, 350, 360 & 370 (under HP-UX 7.0)	Any Host
Verdix Corporation VADS Prime EXL/320, UNIX System V/386 3.2, VAda-110-3232, Version 6.0 (#900726W1.11019)	Prime EXL/320 (under UNIX System V/386 3.2)	Same as Host
Verdix Corporation VADS VAX/VMS 5.2, VAda-110-0303, Version 6.0 (#900726W1.11020)	MicroVAX 3100 (under VAX/VMS V5.2)	Same as Host
*Validated by Registration Verdix Corporation VADS VAX/VMS 5.3, VAda-110-0303, Version 6.0 (BASE #900726W1.11020)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.3)	Any Host
*Validated by Registration Verdix Corporation VADS VAX/VMS 5.2, VAda-110-0303, Versions 6.0 & 6.2 (BASE #900726W1.11020)	DEC VAX-11, MicroVAX, VAXserver, VAXstation, and VAX 6000, 8000, & 9000 series of computers (under VMS 5.0, 5.2, & 5.3)	Any Host
Verdix Corporation VADS VAX/VMS => 68k, VMS 5.2, VAda-110-03125, Version 6.0 (#900726W1.11021)	MicroVAX 3100 (under VAX/VMS V5.2)	Motorola MVME147 (MC68030) (bare machine)
*Validated by Registration Verdix Corporation VADS VAX/VMS => 68K, VMS 5.2, VAda-110-03125, Version 6.0 (BASE #900726W1.11021)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.2)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series & MVME141 (MC68030), MVME133 Series, MVME134, MVME135 & MVME136 (MC68020), MVME-165 & MVME167; Tadpole TP32V & TP33M (bare machines)
Verdix Corporation VADS VAX/VMS => Intel 386, VMS 5.2, VAda-110-03315, Version 6.0 (#900726W1.11022)	MicroVAX 3100 (under VAX/VMS V5.2)	Intel iSBC 386/32 (bare machine)

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Verdix Corporation VADS VAX/VMS=>Intel 386, VMS 5.3, VAda-110-03315, Version 6.0 (BASE #900726W1.11022)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.3)	Intel iSBC 386/32 (bare machine)
Verdix Corporation VADS VAX/Ultrix=>68k, Ultrix 3.1, VAda-110-02125, Version 6.0 (#900726W1.11023)	MicroVAX 3100 (under Ultrix 3.1)	Tektronix MV System, MV 68020 Support System, using TekDB Version 5.0.2 emulation software (bare machine simulation)
*Validated by Registration Verdix Corporation VADS VAX/ULTRIX => 68K, ULTRIX 3.1, VAda-110-02125, Version 6.0 (BASE #900726W1.11023)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under Ultrix 3.1)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator S8C; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series & MVME141 (MC68030), MVME133 Series, MVME134 & MVME135 (MC68020); Tadpole TP32V & TP33M (bare machines); Tektronix MV System, MV 68020 Support System using TekDB Version 5.0.2 emulation software (bare machine simulation)
*Validated by Registration Verdix Corporation VADS VAX/ULTRIX=>68K, ULTRIX 3.1, VAda-110-02125, Version 6.0 (BASE #900726W1.11023)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under Ultrix 4.0, 4.1, & 4.2)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; SBE VCOM-24; Tadpole TP32V; and Tektronix MV System, MV 68020 Support System using TekDB Version 5.0.2 emulation software (bare machine simulation) (bare machines)
Verdix Corporation VADS DEC-RISK=>68k, Ultrix 3.1, VAda-110-61125, Version 6.0 (#900726W1.11024)	DECstation 3100 (under Ultrix 3.1)	Motorola MVME147 (MC68030) (bare machine)
*Validated by Registration Verdix Corporation VADS DEC-RISC => 68K, Ultrix 4.0, VAda-110-61125, Version 6.0 (BASE #900726W1.11024)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.0)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator S8C; Matrix MS-CPU220, MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series (MC68030), MVME133 Series, MVME134, MVME135 (MC68020); Tadpole TP32V & TP33M (bare machines)
*Validated by Registration Verdix Corporation VADS DEC-RISC=>68K, Ultrix 3.1, VAda-110-61125, Versions 6.0, 6.1, 6.2 (BASE #900726W1.11024)	Digital Equipment Corp. DECstation & DECsystem series of MIPS-based computers (under ULTRIX 3.1, 4.0, 4.1, 4.2, & 4.3)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MD-CPU320, & MD-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; S8E VCOM-24; and Tadpole TP32V (bare machines)
Verdix Corporation VADS IBM RISC System/6000=>68k,AIX 3.1, VAda-110-71125, Version 6.0 (#900726W1.11025)	IBM RISC System/6000 Model 530 (under AIX 3.1)	Motorola MVME147 (MC68030) (bare machine)
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000=>68K, AIX 3.1, VAda-110-71125, Version 6.0 (BASE #900726W1.11025)	IBM RISC System/6000 Models 320, 520, 540, 730 & 930 (under AIX 3.1)	Cyclone CVME 44, CVME 46 & CVME48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME133 Series, MVME134, MVME135 & MVME147 Series; and Tadpole TP32V & TP33M (bare machines)
*Validated by Registration Verdix Corporation VADS VAX/VMS=>68K, VAda-110-03125, Versions 6.0 & 6.2 (BASE #900726W1.11025)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, VAX 9000 Series of computers (under VMS 5.0, 5.2, & 5.3)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, &MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; SBE VCOM-24; and Tadpole TP32V (bare machine)
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000=>68K, VAda-110-71125, Versions 6.0, 6.1, & 6.2 (BASE #900726W1.11025)	IBM RISC System/6000 series of computers (under AIX 3.1 & 3.2)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series HK68/V30 Series, & HK68/V3E Series Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; SBE VCOM-24; and Tadpole TP32V (bare machine)
Verdix Corporation VADS IBM RISC System/6000=>386,AIX 3.1, VAda-110-71315, Version 6.0 (#900726W1.11026)	IBM RISC System/6000 Model 530 (under AIX 3.1)	Intel iSBC 386/116 (bare machine)

Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000=>386,AIX 3.1, VAda-110-71315, Version 6.0 (BASE #900726W1.11026)	IBM RISC System/6000 Models 320, 520, 540, 730 & 930 (under AIX 3.1)	Intel iSBC 386/116 (bare machine)
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000=>386, AIX 3.1, VAda-110-71315, Version 6.0 (BASE #900726W1.11026)	IBM RISC System/6000 Models 220, 320, 320H, 340, 350, 520, 520H, 530H, 540, 550, 560, 730, 930, & 950 (under AIX 3.2)	Intel iS8C 486/125 (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 => 68K, SunOS 4.0, VAda-110-40125, Version 6.0 & 6.2 (BASE #900726W1.11097)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MD-CPU320, MD-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; S8E VCOM-24; and Tadpole TP32V
Verdix Corporation VADS VAX/VMS 5.2 => Intel 80386/WEITEK 3167, VAda-110-03315, Version 6.0 (#901129W1.11094)	MicroVAX 3100 (under VMS Version 5.2)	Intel iS8C 386/116 using a WEITEK 3167 fpu (bare machine)
*Validated by Registration Verdix Corporation VADS VAX/VMS 5.3 => Intel 80386/WEITEK3167, VAda-110-03315, Version 6.0 (BASE #901129W1.11094)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.3)	Intel iSBC 386/116 using a WEITEK 3167 fpu (bare machine)
Verdix Corporation VADS UNIX System V/386, Rel. 4, VAda-110-3232, Version 6.0 (#901129W1.11095)	Intel 302 System (under UNIX System V/386, Release 4)	Same as Host
*Validated by Registration Verdix Corporation VADS UNIX System V/486, Rel. 4, VAda-110-3232, Version 6.0 (BASE #901129W1.11095)	NCR 3000, 3320, 3335, 3345, 3445, 3447, 3450, & 3550 (under UNIX System V/486, Release 4)	Any Host
*Validated by Registration Verdix Corporation VADS UNIX System V/486, Rel.4, VAda-110-3232, Version 6.0 (BASE #901129W1.11095)	NCR 3000, 3320, 3335, 3345, 3445, 3447, 3450, & 3550 (under NCR UNIX System V, Release 4.0); AST Premium 486/33 (under UNIX System V/486, Release 4.0)	Any Host
*Validated by Registration Verdix Corporation VADS UNIX System V/386/486, VAda-110-3232, Versions 6.0, 6.1, & 6.2 (BASE #901129W1.11095)	Any computer that executes the Intel 80386 or 80486 instruction set (under NCR UNIX System V Release 4.0, UNIX System V/486 Release 4.0, 486 Sunsoft Interactive UNIX Release 4.0, 486 Interactive UNIX Release 3.01R3.2)	Same as Host
Verdix Corporation VADS Sequent Balance DYNIX V3.0, VAda-110-2323, Version 6.0 (#901129W1.11096)	Sequent Balance 8000 (under DYNIX Version 3.0)	Same as Host
Verdix Corporation VADS Sun4 => 68K, Sun OS 4.0, VAda-110-40125, Version 6.0 (#901129W1.11097)	Sun-4/260 (under SunOS 4.0) (bare machine)	Motorola MVME147 (68030)
*Validated by Registration Verdix Corporation VADS Sun4 => 68K, Sun OS 4.0, VAda-110-40125, Version 6.0 (BASE #901129W1.11097)	Sun-4/20, /65, /110 & /150; SPARCserver 330, 370, 390, 470 & 490; SPARCstation SLC, 1, 1+, 2, 330 & 370; and SPARCengine 1 VME (under SunOS 4.1)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator S8C; Matrix MS-CPU220, MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120, MZ8130; Sun Microsystems 3E Board Set; Motorola MVME110 (MC68000), MVME133 Series, MVME134, MVME135, MVME136 (MC68020), MVME147 Series & MVME141 (MC68030), MVME-165, MVME-167 (MC68040); Tadpole TP32V, TP33M (bare machines)
*Validated by Registration Verdix Corporation VADS Sun4 => 68K, Sun OS 4.1, VAda-110-40125, Version 6.0 (BASE #901129W1.11097)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families (under SunOS 4.1)	Cyclone CVME 44, 46, & 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37, & Golden Triangle Firepower; Heurikon HK68/V2E Series, /V2F Series, & /V30 Series; Integrated Solutions VME68K20, 68K30, 68225, & Liberator S8C; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120, MZ8130, & CPU330; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Sun Microsystems 3E board set; and Tadpole Technology TP32V & TP33M (bare machines)
Verdix Corporation VADS Sun-4 => Sun-3, Sun OS 4.0, VAda-110-4013, Version 6.0 (#901129W1.11098)	Sun-4/260 (under SunOS 4.0)	Sun-3/260 (under SunOS 4.0)
*Validated by Registration Verdix Corporation VADS Sun-4 => Sun-3, Sun OS 4.0, VAda-110-4013, Version 6.0 (BASE #901129W1.11098)	Sun-4/20, /65, /110, /150, /260 & /280; SPARCserver 330, 370, 390, 470 & 490; SPARCstation SLC, 1, 1+, 2, 330 & 370; and SPARCengine 1 VME (under SunOS 4.1)	Sun-3/50, /60, /80, /150, /160, /260, /280, /470 & /480 (under SunOS 4.1)
Verdix Corporation VADS AT&T 382/600G UNIX System V, Release 3.2.2, VAda-110-5151, Version 6.0 (#901129W1.11099)	AT&T 382/600G (under UNIX System V, Release 3.2.2)	Same as Host

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS HP-9000/300 => 68K, HP-UX 7.0, VAda-110-15125, Version 6.0 (#901129W1.11100)	HP 9000 Model 350 (under HP-UX 7.0)	Motorola MVME133A (68020) (bare machine)
*Validated by Registration Verdix Corporation VADS HP-9000/300 => 68K, HP-UX 7.0, VAda-110-15125, Version 6.0 (BASE #901129W1.11100)	HP 9000 Series 300 Models 310, 320, 330, 340, 350, 360 & 370 (under HP-UX 7.0)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series (MC68030), MVME133 Series, MVME134 & MVME135 (MC68020); Tadpole TP32V & TP33M (bare machines)
*Validated by Registration Verdix Corporation VADS HP-9000/300 => 68K, VAda-110-15125, Version 6.0 (BASE #901129W1.11100)	Hewlett-Packard HP 9000 Series 300 (under HP-UX 7.0 & 8.0)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; SBE VCOM-24; and Tadpole TP32V
Verdix Corporation VADS BCS/88K, AViion DGUX 4.3, VAda-110-8080, Version 6.1 (#901129W1.11101)	Data General AViiON Model 5120 (under DG/UX 4.3)	Same as Host
*Validated by Registration Verdix Corporation VADS BCS/88K, AViion DGUX 4.3, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)	DG AViiON Models 4000, 4000GHI, 4020, 4100, 4120, 5010, 5200, 5220, 5240, 5300, 5310, 5400, 5402, 5410, 5412, 6200 & 6220 (under DG/UX 4.3)	Any Host
*Validated by Registration Verdix Corporation VADS BCS/88K AViion DGUX 5.4, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)	Data General AViiON Models 4000, 4000GHI, 4020, 4100, 4120, 5010, 5200, 5220, 5240, 5300, 5310, 5400, 5402, 5410, 5412, 6200 & 6220; MODCOMP Real Star Family (under DG/UX 5.4)	Any Host
*Validated by Registration Verdix Corporation VADS BCS/88K, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)	MODCOMP Real Star Family (under REAL/IX C.0.2)	Any Host
*Validated by Registration Verdix Corporation VADS BCS/88K, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)	Motorola 8000 Delta Series (MC88000), all models (under Unix System V/88, R32V3)	Any Host
*Validated by Registration Verdix Corporation VADS BCS/88K, AViion DGUX 4.3, VAda-110-8080, Versions 6.1 & 6.2 (BASE #901129W1.11101)	Data General AViiON computer series (under DG/UX 4.3 & 5.4)	Any Host
Verdix Corporation VADS Sun4 => SPARC, Sun OS 4.1, VAda-110-40440, Version 6.0 (#901129W1.11102)	Sun-4/490 (under SunOS 4.1)	SPARCengine 1E (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 => SPARC, Sun OS 4.1, VAda-110-40440, Version 6.0 (BASE #901129W1.11102)	Sun-4/20, /65, /110, /150 & /260; SPARCserver 330, 370, 390, 470 & 490; and SPARCstation SLC, 1, 1+, 2, 330 & 370 (under SunOS 4.1)	SPARCengine 1E (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 => SPARC, Sun OS4.1, VAda-110-40440, Version 6.0 & 6.1 (BASE #901129W1.11102)	Sun Microsystem Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	SPARCengine 1E & Ironics IV-SPARC-33A. (bare machines)
Verdix Corporation VADS Sun-3 SunOS => 68k, VAda-110-13140, Version 6.0 (#910517W1.11149)	Sun 3/260 (under SunOS Release 4.0)	Motorola MVME165 (68040) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun-3 SunOS => 68k, VAda-110-13140, Version 6.0 (BASE #910517W1.11149)	Sun Microsystems Sun-3 computer family (under SunOS 4.1)	Motorola MVME 165 (MC68040) (bare machine)
Verdix Corporation VADS DEC-RISC => MIPS R3000, VAda-110-61620, Version 6.1 (#910517W1.11150)	DECstation 5000-200 (under ULTRIX V4.0)	Lockheed Sanders STAR MVP (R3000) (bare machine)
*Validated by Registration Verdix Corporation VADS DEC-RISC => MIPS R3000, VAda-110-61620, Version 6.1 (BASE #910517W1.11150)	DEC DECstation & DECsystem computer families (under ULTRIX 4.0)	Lockheed Sanders STAR MVP (R3000) (bare machine)
*Validated by Registration Verdix Corporation VADS DEC-RISC => MIPS R3000, VAda-110-61620, Version 6.1 & 6.2 (BASE #910517W1.11150)	DECstation & DECsystem (MIPS-based) computer families (under ULTRIX 3.1, 4.0, 4.1, 4.2, & 4.3)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050 Pocket Rocket; any MIPS R2000-based & R3000-based computers; Omnibyte VR3000; and Pulsar 3000 (bare machines)

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS VMS => MIPS R3000, VAda-110-03620, Version 6.1 (#910517W1.11151)	MicroVAX 3600 (under VMS V5.2)	Integrated Device Technology IDT7RS302 (bare machine)
*Validated by Registration Verdix Corporation VADS VMS => MIPS R3000, VAda-110-03620, Version 6.1 (BASE #910517W1.11151)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.3)	Integrated Device Technology IDT7RS302 (bare machine)
*Validated by Registration Verdix Corporation VADS VAX/VMS => MIPS R3000, VAda-110-03620, Versions 6.1 & 6.2 (BASE #910517W1.11151)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.0, 5.2, & 5.3)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050 Pocket Rocket; any MIPS R2000-based & R3000-based computers; Omnibyte VR3000; and Pusiar 3000 (bare machines)
Verdix Corporation VADS Sun-4 SunOS => 68k, VAda-110-40140, Version 6.0 (#910517W1.11152)	Sun 4/280 (under SunOS Release 4.0)	Motorola MVME165 (68040) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 SunOS => 68k, VAda-110-40140, Version 6.0 (BASE #910517W1.11152)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.1)	Motorola MVME165 (68040) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun-4 SunOS => 68040, VAda-110-40140, Versions 6.0 & 6.2 (BASE #910517W1.11152)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation omputer families (under SunOS 4.0, 4.1, & 4.2)	DY 4 Systems SVME-144; Force CPU-40 Series/Eagle I; Motorola MVME165, MVME167, MVME167A; PEP Modular Computer VM40; and Tadpole TP41V
Verdix Corporation VADS DEC-RISC => 88k, VAda-110-61680, Version 6.1 (#910517W1.11153)	DECstation 2100 (under ULTRIX V4.0)	Motorola MVME181 (bare machine)
*Validated by Registration Verdix Corporation VADS DEC-RISC => 88k, VAda-110-61680, Version 6.1 (BASE #910517W1.11153)	DEC DECstation & DECsystem computer families (under ULTRIX 4.0)	Motorola MVME181 (88000) (bare machine)
*Validated by Registration Verdix Corporation VADS DEC-RISC => 88k, VAda-110-61680, Versions 6.1 & 6.2 (BASE #910517W1.11153)	DECstation & DECsystem (MIPS-based) computer families (under ULTRIX 3.1, 4.0, 4.1, 4.2, & 4.3)	Hughes Realtime Embedded Ada Processor (REAP) (bare machine)
Verdix Corporation VADSworks Sun4 => 68k, VAda-115-40800, Version 2.0 (#910517W1.11154)	Sun 4/20 (under SunOS 4.1.1)	Motorola MVME147SA (bare machine, using vxWorks 5.0)
*Validated by Registration Verdix Corporation VADSworks Sun4 => 68k, VAda-115-40800, Version 2.0 (BASE #910517W1.11154)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.1)	Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 33, CPU 37, & Golden Triangle Firepower; General Micro Systems GMSV17 & GMSV37; Heurikon HK68/V20, /V2E, /V2F, /V2FA, /V30, /V30XE, /V3E, & /V3F; Ironics IV-3201a, 3204a, 3220, 3230; Matrix MS-CPU320; Mizar MZ7122 & MZ7124; Motorola MVME133 Series, MVME135, MVME135A, MVME141, MVME143, & MVME147; Radstone PME 68-25 & 68-31; SBE VLAN-e & VPU30; Sun Microsystems 3E; and Tadpole Technology TP32V-4MB (bare machines, using vxWorks 5.0)
Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Version 6.0 (#910517W1.11155)	Zenith Z-486/25E (under SCO UNIX i386 release 3.2)	Same as Host
*Validated by Registration Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Version 6.0 (BASE #910517W1.11155)	Zenith Z-486/33E (under SCO UNIX i386 release 3.2)	Same as Host
*Validated by Registration Verdix Corporation VADS 386/486 System V, Rel. 3.2, VAda-110-3232, Version 6.0 (BASE #910517W1.11155)	Any Computer System Comprising: cpu: any that executes the Intel 80386/i486 instruction set (under Any operating system compatible with Unix System V Release 3.2)	Same as Host
*Validated by Registration Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Version 6.0, 6.1, & 6.2 (BASE #910517W1.11155)	Any computer that executes the Intel 80386 or 80486 instruction set (under SCO UNIX Release 3.2 running SecureWare CMW+/386 v2)	Same as Host
Verdix Corporation VADS Sun-4 SunOS => AMD 29K, 6.0 VAda-110-40525, Version 6.0 (#910517W1.11156)	Sun 4/280 (under SunOS 4.0.3)	Ironics IV9001 board (AMD 29000) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 SunOS => AMD 29K, VAda-110-40525, Version 6.0 (BASE #910517W1.11156)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.1)	Ironics IV9001 board (AMD 29000) (bare machine)
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000 => 68K, VAda-110-71125, Versions 6.0, 6.1, & 6.2 (BASE #910517W1.11156)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver of compters (under SunOS 4.0, 4.1, & 4.2)	Ironics IV9001 board (AMD 29000) (bare machine)

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Verdix Corporation VADS Sun-4 SunOS => AMD 29K, VAda-110-40525, Versions 6.0, 6.1, & 6.2 (BASE #910517W1.11156)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver series of computers (under SunOS 4.0, 4.1, & 4.2)	Ironics IV9001 board (AMD 29000) (bare machine)
Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Version 6.1 (#910517W1.11157)	Intel 402 (under SCO UNIX 3.2v2.e)	Same as Host
*Validated by Registration Verdix Corporation VADS 386/486 System V, Rel. 3.2, VAda-110-3232, Version 6.1 (BASE #910517W1.11157)	Any Computer System Comprising: cpu: any that executes the Intel 80386/i486instruction set (under Any operating system compatible with Unix System V Release 3.2)	Same as Host
*Validated by Registration Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Versions 6.1, & 6.2 (BASE #910517W1.11157)	Any computer that executes the Intel 80386 or 80486 instruction set (under 486 SCO ODT v1.1.1 & v2 R3.1, NCR UNIX System V Release 4.0, and UNIX System V/486 Release 4.0)	Same as Host
*Validated by Registration Verdix Corporation VADS HP 9000/300, VAda-110-1515, Version 6.0 (BASE #910517W1.11157)	Hewlett-Packard HP 9000 Series 300 (under HP-UX 7.0)	Any Host
Verdix Corporation VADS MIPS, VAda-110-6262, Version 6.1 (#910920W1.11200)	MIPS RC3230 (under RISC/os 4.52)	Same as Host
*Validated by Registration Verdix Corporation VADS VAda-110-6262, Version 6.1 (BASE #910920W1.11200)	MIPS RC3xxx & RC4xxx series of computers (under RISC/OS 4.5)	Any Host
Verdix Corporation VADS VAX/VMS => 68040, VAda-110-03140, Version 6.0 (#910920W1.11201)	MicroVAX 3100 (under VMS 5.3)	Motorola MVME165 (68040) (bare machine)
*Validated by Registration Verdix Corporation VADS VAX/VMS => 68040, VAda-110-03140, Version 6.0 (BASE #910920W1.11201)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.3)	Motorola MVME165 (68040) (bare machine)
Verdix Corporation VADS IBM RS/6000 => MIPS R3000, VAda-110-71620, Version 6.1 (#910920W1.11202)	IBM RISC System/6000 Model 530 (under AIX 3.1)	IDT 7RS302 (R3000) (bare machine)
*Validated by Registration Verdix Corporation VADS IBM RS/6000 AIX 3.1, VAda-110-71620, Version 6.1 (BASE #910920W1.11202)	IBM RISC System/6000 Models 320, 520, 540, 730, & 930 (under AIX 3.1)	IDT 7RS302 (R3000) (bare machine)
*Validated by Registration Verdix Corporation VADS IBM RS/6000 => MIPS R3000, VAda-110-71620, Versions 6.1 & 6.2 (BASE #910920W1.11202)	IBM RISC/System 6000 Series of computers (under AIX 3.1 & 3.2)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050Pocket Rocket; any MIPS R2000-based & R3000-based computers; Omnibyte VR3000; and Pulsar 3000 (bare machines)
Verdix Corporation VADS Sun-4 => MIPS R3000, VAda-110-40620, Version 6.1 (#910920W1.11205)	SPARCserver 490 (under SunOS Release 4.1)	LSI LR33000 Pocket Rocket Evaluation board (R3000) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun-4 => MIPS R3000, VAda-110-40620, Version 6.1 (BASE #910920W1.11205)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	LSI LR33000 Pocket Rocket Evaluation board (R3000) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun-4 => MIPS R3000, VAda-110-40620, Version 6.1 & 6.2 (BASE #910920W1.11205)	Sun Microsystems Sun-4, SPARCstation, & SPARCstation, & SPARCserver series of computers (under SunOS 4.0, 4.1, & 4.2)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050Pocket Rocket; any MIPS R2000-based & R3000-based computer; Omnibyte VR3000; and Pulsar 3000 (bare machines)
Verdix Corporation VADS Sun-4 SunOS => MC68000/10, VAda-110-40128, Version 6.0 (#910920W1.11206)	Sun-4/280 (under SunOS Release 4.0.3)	Motorola MVME101 (68000) with MVME222-1 memory board (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 => MC68000/10, VAda-110-40128, Version 6.0 (BASE #910920W1.11206)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Motorola MVME101 (68000) with MVME222-1 memory board (bare machine)
*Validated by Registration Verdix Corporation VADS Sun-4 => MC68000/10, SunOS 4.1, VAda-110-40128, Version 6.0 (BASE #910920W1.11206)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families (under SunOS 4.1)	Motorola 68302, Philips-Signetics 68070, & Toshiba 68301 (bare machines)
*Validated by Registration Verdix Corporation VADS Sun-4 => MC68000/10, SunOS, VAda-110-40128, Versions 6.0, 6.1, & 6.2 (BASE #910920W1.11206)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Motorola MVME101, Motorola 68302, Philips-Signetics 68070, & Toshiba 68301 single-board computers (bare machines)

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS Sun-4 SunOS => CPU32, VAda-110-40150, Version 6.0 (#910920W1.11207)	Sun-4/280 (under SunOS Release 4.0.3)	Motorola CPU32 - M68332EVS Evaluation System (68332) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun-4 SunOS=> CPU32, VAda-110-40150, Version 6.0 (BASE #910920W1.11207)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Motorola CPU32 - M68332EVS Evaluation System (68332) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun-4 SunOS => CPU32, VAda-110-40150, Version 6.0 (BASE #910920W1.11207)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families (under SunOS 4.1)	Motorola CPU32-68331, -68333, & -68340 Evaluation Systems (bare machines)
*Validated by Registration Verdix Corporation VADS Sun-4 => CPU32, SunOS, VAda-110-40150, Versions 6.0 & 6.2 (BASE #910920W1.11207)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1., & 4.2)	Motorola CPU32-68331, -68332, -68333, & -68340 Evaluation Systems (bare machines)
Verdix Corporation VADS IBM PS/2, AIX 1.1, VAda-110-3535, Version 6.1 (#910920W1.11208)	IBM PS/2 Model 80 (under AIX 1.1)	Same as Host
Verdix Corporation VADS MIPS => MIPS R3000, VAda-110-62620, Version 6.1 (#910920W1.11209)	MIPS RC3230 (under RISC/os 4.52)	Lockheed Sanders STAR MVP (R3000) (bare machine)
*Validated by Registration Verdix Corporation VADS MIPS => MIPS R3000, VAda-110-62620, Versions 6.1 & 6.2 (BASE #910920W1.11209)	MIPS RC3230 (under RISC/OS 4.5)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050 Pocket Rocket; any MIPS R2000-based R3000-based computers Omnibyte VR3000; and Pulsar 3000 (bare machines)
Verdix Corporation VADS Sun-3 SunOS => 68020/30ARTX, VAda-110-13120, Version 6.0 (#910920W1.11210)	Sun-3/280 (under SunOS Release 4.0)	Motorola MVME147 (68030) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun3 SunOS => 68020/30ARTX, VAda-110-13120, Version 6.0 (BASE #910920W1.11210)	Sun Microsystems Sun-3 computer family (under SunOS 4.1)	Cyclone CVME 44, 46, & 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37, & Golden Triangle Firepower; Heurikon HK68/V2E Series, /V2F Series, & /V30 Series; Integrated Solutions VME68K20, 68K30, 68225, & Liberator S8C; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, MVME136, MVME141, & MVME147 Series; Sun Microsystems 3E board set; and Tadpole Technology TP32V & TP32M (bare machines)
Verdix Corporation VADS Sun4 SunOS => 68020/30ARTX, VAda-110-40120, Version 6.0 (#910920W1.11211)	SPARCstation 2 (under SunOS Release 4.1.1)	Motorola MVME147 (68030) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 SunOS => 68020/30ARTX, VAda-110-40120, Version 6.0 (BASE #910920W1.11211)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Motorola MVME147 (68030) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 SunOS => 68020/30ARTX, VAda-110-40120, Versions 6.0 & 6.2 (BASE #910920W1.11211)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; S8E VCOM-24; and Tadpole TP32V (bare machines)
Verdix Corporation VADS IBM RISC System/6000 AIX => 68020/30ARTX, VAda-110-71120, Version 6.0 (#910920W1.11212)	IBM RISC System/6000 Model 530 (under AIX 3.1)	Motorola MVME147 (68030) (bare machine)
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000 AIX => 68020/30ARTX, VAda-110-71120, Version 6.0 (BASE #910920W1.11212)	IBM RISC System/6000 Models 320, 520, 540, 730, & 930 (under AIX 3.1)	Motorola MVME147 (68030) (bare machine)
Verdix Corporation VADS SYSTEM V/860 RELEASE 4, VAda-110-9090, Version 6.1 (#910920W1.11213)	Okidata I860 Workstation (under UNIX SYSTEM V/860 RELEASE 4 v1.0)	Same as Host
Verdix Corporation VADS VMS => AMD29000, VAda-110-03525, Version 6.04 (#910920W1.11214)	MicroVAX 3600 (under VMS 5.2)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)
*Validated by Registration Verdix Corporation VADS VAX VMS => AMD 29K, VAda-110-03525, Version 6.04 (BASE #910920W1.11214)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.3)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)
Verdix Corporation VADS Sun-3 SunOS => AMD 29K, VAda-110-13525, Version 6.04 (#910920W1.11215)	Sun-3/180 (under SunOS 4.1.1)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Verdix Corporation VADS Sun-3 SunOS => AMD 29K, VAda-110-13525, Version 6.04 (BASE #910920W1.11215)	Sun Microsystems Sun-3 computer family (under SunOS 4.1)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)
Verdix Corporation VADS AT&T 3B2/600GR UNIX System V, Release 4.0, VAda-110-6363, Version 6.1 (#920513W1.11252)	AT&T 3B2/600GR (under UNIX System V, Release 4.0)	Same as Host
Verdix Corporation VADS IBM RISC System/6000 => IBM RISC System/6000, VAda-110-71710, Version 6.2 (#920513W1.11253)	IBM RISC System/6000 Model 530 (under AIX 3.2)	IBM RISC System/6000 Model 320 (bare machine)
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000, VAda-110-71710, Version 6.2 (BASE #920513W1.11253)	IBM RISC System/6000 series of computers (under AIX 3.1 & 3.2)	Any Host
Verdix Corporation VADS BCS => 88K, VAda-110-80680, Version 6.1 (#920513W1.11254)	Motorola 88000 Delta (under R32V3 920117)	Motorola MVME187 (88000) (bare machine)
Verdix Corporation VADSworks Sun4 => 68K, VAda-115-40800, Version 2.0 (#920513W1.11256)	Sun-4/20 (under SunOS, 4.1.1)	Motorola MVME167A (68040) (bare machine, using VxWorks 5.0)
*Validated by Registration Verdix Corporation VADSworks Sun4 => 68K, VAda-115-40800, Versions 2.0 & 3.0 (BASE #920513W1.11256)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer family (under SunOS 4.0, 4.1, & 4.2)	DY 4 Systems SVME-144; Force CPU-40 Series; Motorola MVME162, MVME165, MVME167, & MVME167A; PEP Modular Computer VM40; Radstone CPU-40; and Tadpole TP41V (bare machine, using vxWorks 5.0)
Verdix Corporation VADSworks Sun4 => SPARC, VAda-115-40850, Version 2.0 (#920513W1.11257)	Sun-4/20 (under SunOS, 4.1.1)	Sun SPARCengine 1e (bare machine, using VxWorks v5.0)
Verdix Corporation VADS Sun SPARC => 386, VAda-110-40315, Version 6.2 (#920513W1.11258)	Sun-4/260 (under SunOS, Version 4.1.2)	Intel iSBC 386/20p (bare machine)
*Validated by Registration Verdix Corporation VADS Sun SPARC => 386/486, VAda-110-40315, Version 6.2 under SunOS4.x (BASE #920513W1.11258)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1 & 4.2)	Any single-board computer that executes the Intel 80386 or i486 instruction set (bare machine)
*Validated by Registration Verdix Corporation VADS Sun SPARC => 386, VAda-110-40315, Version 6.2 (BASE #920513W1.11258)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.0, 4.1, & 4.2)	Intel iSBC 486/133 & 486/166 (bare machines)
Verdix Corporation VADSworks DEC-RISC=>MIPS R3000, VAda-115-61640, Version 2.0 (#921004W1.11277)	DECstation 5000/200 (under Ultrix V4.1)	Lockheed Sanders STAR MVP board (bare machine, using vxWorks 5.0)
*Validated by Registration Verdix Corporation VADSworks DEC-RISC=>MIPS R3000, VAda-115-61640, Version 2.0 (BASE #921004W1.11277)	DECstation & DECsystem (MIPS-based) computer families (under ULTRIX 4.1, 4.2, & 4.3)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050 Pocket Rocket; any MIPS R2000-based & R3000-based computers; Omnibyte VR3000; and Pulsar 3000 (bare machines, using VxWorks 5.0 & 5.1)
Verdix Corporation VADS IBM RISC System/6000, VAda-110-7171, Version 6.2 (#921004W1.11278)	IBM RISC System/6000 model 220 (under AIX 3.2)	Same as Host
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000 VAda-110-7171, Version 6.2 (BASE #921004W1.11278)	IBM RISC System/6000 models 230 & 570 (under AIX 3.2 & AIX BI/CMW)	Same as Host
Verdix Corporation VADS IBM RISC System/6000, VAda-110-7171, Version 6.2 (#921004W1.11279)	IBM RISC System/6000 model 530H (under AIX 3.2)	Same as Host
Verdix Corporation VADS System V/386/486, VAda-110-3232, Version 6.1 (#921004W1.11280)	ASL 486/33 (under UNIX System V, Release 3.2)	Same as Host
Verdix Corporation VADS System V/386/486, VAda-110-3232, Version 6.1 (#921004W1.11281)	AST Premium 486 (under UNIX System V, Release 4.0)	Same as Host
Verdix Corporation VADS System V/386/486, VAda-110-3232, Version 6.1 (#921004W1.11282)	NCR model 3450 (under NCR UNIX SVR4 MP-RAS Release 2)	Same as Host
Verdix Corporation VADS System V/386/486, VAda-110-3232, Version 6.1 (#921004W1.11283)	NCR model 3550 (under NCR UNIX SVR4 MP-RAS Release 2)	Same as Host

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11284)	RDI Britelite IPX Laptop (under Solaris 2.1)	Same as Host
Verdix Corporation VADS Sun-4 Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11285)	SPARCstation LX 4/30 (under Solaris 2.1)	Same as Host
*Validated by Registration Verdix Corporation SPARCompiler Ada Porting Kit, Version 2.0 (BASE #921004W1.11285)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under Solaris 2.1)	Any Host
*Validated by Registration Verdix Corporation SPARCworks Professional Ada, Version 2.0 (BASE #921004W1.11285)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under Solaris 2.1 & 2.2)	Any Host
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11286)	SPARCstation 10 model 30 (under Solaris 2.1)	Same as Host
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11287)	SPARCstation 10 model 41 (under Solaris 2.1)	Same as Host
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11288)	SPARCstation 10 model 42 (under Solaris 2.1)	Same as Host
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11289)	Sun SPARCserver 690 (under Solaris 2.1)	Same as Host
*Validated by Registration Verdix Corporation Sun Microsystems SPARCompiler Ada 2.1 (BASE #921004W1.11289)	Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.0, 2.1, 2.2, & 2.3)	Any Host
Verdix Corporation VADS MP Sun SPARC Solaris 2.1, VAda-110-4141, Version 6.2 (#921004W1.11290)	Sun SPARCserver 690 (under Solaris 2.1)	Same as Host
*Validated by Registration Verdix Corporation Sun Microsystems SPARCworks iMPact Ada 1.0 (BASE #921004W1.11290)	Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.0, 2.1, 2.2, & 2.3)	Any Host
*Validated by Registration Verdix Corporation VADS MP Sun SPARC, Solaris 2.0, VAda-110-4141, Version 6.2 (BASE #921004W1.11290)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.0 & 2.1)	Any Host
Verdix Corporation VADS Silicon Graphics Self, VAda-110-6464, Version 6.2 (#921004W1.11291)	Silicon Graphics IRIS 4D/440 (under IRIX 4.0.1)	Same as Host
Verdix Corporation VADS MP Silicon Graphics, VAda-110-6565, Version 6.2 (#921004W1.11292)	Silicon Graphics IRIS 4D/440 (under IRIX 4.0.1)	Same as Host
Verdix Corporation VADSself HP 9000 series 700 VAda-110-7575, Version 6.2 (#930226W1.11311)	HP 9000/720 (under HP-UX 8.0.7)	Same as Host
Verdix Corporation VADSworks Sun-4 => MIPS R3000 VAda-115-40640, Version 2.0 (#930226W1.11312)	Sun-4/20 (under SunOS Release 4.1.1)	Heurikon HKMIPS/3500 (R3000) board (bare machine, using vxWorks 5.0)
*Validated by Registration Verdix Corporation VADSworks Sun-4 => MIPS R3000 VAda-115-40640, Version 2.0 (BASE #930226W1.11312)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Heurikon HKMIPS/V3500; (bare machine, using vxWorks 5.0)
Verdix Corporation VADS Sun4 => MIPS R3000, VAda-110-42620, Version 6.2 (#930901W1.11323)	Sun SPARCstation 2 (under Solaris 2.2)	Lockheed Sanders STAR MVP (R3000) (bare machine)
Verdix Corporation VADS Sun4 => MIPS R4000, VAda-110-40630, Version 6.2 (#930901W1.11324)	Sun SPARCstation 2 (under SunOS 4.1.2)	Silicon Graphics Indigo XS4000 used as a MIPS R4000 board (bare machine)
Verdix Corporation VADS Sun4 => PARAGON, VAda-110-40782, Version 6.2 (#930901W1.11325)	Sun SPARCstation 2 (under SunOS 4.1.3)	Intel PARAGON Supercomputer (under OSF/1 Release 1.0.3 Server 1.1 PT10.7.6(T10.4))
Verdix Corporation VADS SYSTEM V/88 RELEASE, VAda-110-8080, Version 6.2 (#930901W1.11326)	Motorola Delta 8640 (under UNIX System V/88 Release 4.0)	Same as Host

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS SYSTEM V/88 RELEASE 4, VAda-110-8080, Version 6.2 (#930901W1.11327)	Data General AViiON Model 530 (under DG/UX Release 5.4.2)	Same as Host
Verdix Corporation VADS Windows NT/486, VAda-110-36315, Version 6.2 (#940110W1.11337)	Compudyne 486 (under Windows NT 3.1)	Same as Host
Wang Laboratories, Inc. Wang VS Ada Version 5.00.00 (#901129W1.11093)	Wang VS 8480 (under Wang VSOS 7.30.02)	Same as Host
*Validated by Registration Wang Laboratories, Inc. Wang VS Ada Version 5.00.00 (BASE #901129W1.11093)	Wang VS Models: 100 & 300; 5430, 5440, 5450 & 5460; 7010, 7110, 7120, 7150 & 7310; 8220, 8230, 8260, 8430, 8460, 8470 & 8480; and 10050, 10075 & 10100 (under all VS OS versions 7.21.xx & 7.30.xx)	Same as Host
York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (#901127N1.11073)	Intergraph InterPro 3050 Workstation (under CLIX R3.1)	Same as Host
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	Intergraph Mobile GIS/C2 (under CLIX Release 3.1)	Same as Host
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	InterPro 125, 225, 340, 360, 2020, 3070, 6040, 6240, 6080 & 6280 (under CLIX Release 3.1)	Any Host
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	InterView 220 & 3050 (under CLIX Release 3.1)	Any Host
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	InterAct 220, 2020, 3050, 6040, 6080, 6240 & 6280 (under CLIX Release 3.1)	Any Host
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	InterServe 200, 300, 2000, 3000, 4200, 5200, 6000, 6105 & 6505 (under CLIX Release 3.1)	Any Host
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	Intergraph Series 2400 & 6400--all models that use the C400 chip (under CLIX Release 3.1)	Any Host

2.7.4 PASCAL PROCESSORS

VENDOR	PROCESSOR ID *VSR # & LEVEL*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	OTHER ENVIRONMENTS *HW/OS*
Bull S.A.	Pascal SXL-3002 Version 01.01 *PCVS/0005/F*	DPX/2 250 *BOS, Version 2.1*	4/1/94	DPX/2 200 and 300 *BOS Version 2.1*
Digital Equipment Corporation	DEC Pascal for OpenVMS VAX Version 5.0 *NIST-93/1762* Level 0/1 (Switchable)	VAXstation 3100 Model 70 *OpenVMS VAX Version 5.5*	8/1/94	VAXft 3000 Models 110, 310, 410, 610, 612; VAX-11 /730, /750, /780, /785; MicroVAX II; 2000; 3100 Models 10, 10E, 20, 20E, 30, 40, 80, 90; 3200; 3300; 3400; 3500; 3600; 3800; 3900; VAXstation II; II/GPX; II/QVSS; 2000; 2000/GPX, 2000/MFB; 3100 Models 30, 38, 40, 48, 76; 3100/GPX Models 38, 48, 76; 3100/SPX Models 38, 48, 76; 3200; 3500; 3520; 3540; 4000-VLC; 4000 Models 60, 90; VAXserver 3100 Models 10, 10E, 20, 20E; 3200; 3300; 3400; 3500; 3600; 3800; 3900; 4000 Models 200, 300, 400, 500, 600; 6000 Models 210, 220, 310, 320, 410, 420, 510, 520; VAX 4000 Models 100, 200, 300, 500, 600; 6000 Models 210, 220, 230, 240, 310, 320, 330, 340, 360, 410, 420, 430, 440, 450, 460, 510, 520, 530, 540, 550, 560, 610, 620, 630, 640; 7000 Models 610, 620, 630, 640, 650, 660; 8200; 8250; 8300; 8350; 8530; 8550; 8600; 8650; 8700; 8800; 8810; 8820; 8830; 8840; 9000 Models 110, 110VP, 210, 210VP, 310, 310VP, 320, 320VP, 330, 330VP, 340, 340VP, 410, 410VP, 420, 420VP, 430, 430VP, 440, 440VP; 10000 Models 610, 620, 630, 640, 650, 660; VAXserver 8200, 8250, 8300, 8350, 8530, 8550, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840 *OpenVMS VAX, Version 5.5*
	DEC Pascal for DEC OSF/1 AXP Systems, Version 5.0 *NIST-93/1763* Level 0/1 (Switchable)	DEC 3000 Model 500 *DEC OSF/1 AXP Version 1.2*	8/1/94	DEC 10000, DEC 7000, DEC 4000, DEC 3000, DEC 2000, DEC 1000 *DEC OSF/1 AXP Version 1.2*
	DEC Pascal for OpenVMS AXP Version 5.0 *NIST-93/1764* Level 0/1 (Switchable)	DEC 3000 Model 500 *OpenVMS AXP Version 1.5*	8/1/94	DEC 10000, DEC 7000, DEC 4000, DEC 3000, DEC 2000, DEC 1000 *OpenVMS AXP Version 1.5*

PASCAL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID *VSR # & LEVEL*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	OTHER ENVIRONMENTS *HW/OS*
IBM Canada Ltd.	IBM AIX XL Pascal Compiler/6000 Version 1 Release 1 *NIST-94/1521* Level 0/1	IBM RISC System/6000 POWERstation/POWERserver 560 *IBM AIX for RISC System/6000, Version 3 Release 2*	4/1/95	IBM RISC System/6000 POWERstation/ POWERserver Models 25T, 25W, 58H, 220, 250, 320H, 34H, 340, 350, 360, 370, 520H, 530, 540, 550, 560, 560F, 590, 730 *AIX for RISC System/6000 Version 3 Release 2* IBM RISC System/6000 POWERserver Models 25S, 990, 930, 950, 970 *AIX for RISC System/6000 Version 3 Release 2*
	IBM AIX XL Pascal Compiler/6000 Version 2 Release 1 *NIST-94/1522* Level 0/1	IBM RISC System/6000 POWERstation/POWERserver 560 *IBM AIX for RISC System/6000, Version 3 Release 2*	4/1/95	IBM RISC System/6000 POWERstation/ POWERserver Models 25T, 25W, 58H, 220, 250, 320H, 34H, 340, 350, 360, 370, 520H, 530, 540, 550, 560, 560F, 590, 730 *AIX for RISC System/6000 Version 3 Release 2* IBM RISC System/6000 POWERserver Models 25S, 990, 930, 950, 970 *AIX for RISC System/6000 Version 3 Release 2*
Intergraph Corporation	Pascal-Clipper Version 1.8.4B *NIST-94/1102* Level 0/1	Clipper Model 2730 *CLIX Version 7.1.3*	12/1/94	Clipper C300 and C400 *CLIX Version 7.1.3*
Siemens Nixdorf Informations-systeme AG	Pascal-XT V2.2B *PCVS/0101/UK* Level I	7.582 TX (H90) *BS 2000 V11.0*	9/1/94	7.582 TX (H90) *BS 2000 Version 10.0*
	Pascal-XT V2.1C *PCVS/0102/UK* Level I	MX500 (80386) *SINIX-M V5.41*	9/1/94	SINIX-PC *SINIX-Z Version 5.41*
	Pascal-XT V2.1C *PCVS/0103/UK* Level 1	RM600 (MIPS R3000) *SINIX-P V5.41*	9/1/94	RM400 *SINIX-N Version 5.41*
SUNPRO	SPARCompiler Pascal Version 3.0.2 *NIST-93/2183* Level 0/1	SPARCstation 10 *Solaris Version 2.3*	2/1/95	

2.7.5 C PROCESSORS

VENDOR	PROCESSOR ID *VSR # & LEVEL*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	OTHER ENVIRONMENTS HW/*OS*
Digital Equipment Corporation	DEC OSF/1 for AXP C Version 2.0 *NIST-93/2144*	DEC 3000 Model 400 *DEC OSF/1 for AXP Version 2.0*	12/1/94	DEC 3000 400, 500; DEC 4000 610; DEC 7000 610; DEC 10000 610 *DEC OSF/1 for AXP Version 2.0*
	DEC C for RISC/Ultrix Version 1.2a Release 1 *NIST-93/2145*	DECstation 5000/200 *Ultix Version 4.4*	12/1/94	DECstation 2100, 3100; Personal DECstation 5000 Models 20/25 MX, HX, TX, PXG+, PXG Turbo+; DECstation 5000 Models 120/125/133 MX, CX, HX, PX, TX, PXG, PXG+, PXG Turbo, PXG Turbo+; Models 200 MX, CX, HX, PX, TX, PXG, PXG+, PXG Turbo, PXG Turbo+; Models 240 MX, HX, TX, PXG+, PXG Turbo+; DECsystem 3100; 5000 Models 25, 200, 240; 5100; 5400; 5500; 5810; 5820; 5830; 5840; 5900 *Ultrix Version 4.4*
	DEC C for OpenVMS VAX Version 1.3 *NIST-93/1765*	VAXstation 3100 Model 48 *OpenVMS VAX, Version 6.0*	8/1/94	VAXft 3000 Models 110, 310, 410, 610, 612; VAX-11 /730, /750, /780, /785; MicroVAX II; 2000; 3100 Models 10, 10E, 20, 20E, 30, 40, 80, 90; 3200; 3300; 3400; 3500; 3600; 3800; 3900; VAXstation II; II/GPX; II/QVSS; 2000; 2000/GPX, 2000/MFB; 3100 Models 30, 38, 40, 48, 76; 3100/GPX Models 38, 48, 76; 3100/SPX Models 38, 48, 76; 3200; 3500; 3520; 3540; 4000-VLC; 4000 Models 60, 90; VAXserver 3100 Models 10, 10E, 20, 20E; 3200; 3300; 3400; 3500; 3600; 3800; 3900; 4000 Models 200, 300, 400, 500, 600; 6000 Models 210, 220, 310, 320, 410, 420, 510, 520; VAX 4000 Models 100, 200, 300, 500, 600; 6000 Models 210, 220, 230, 240, 310, 320, 330, 340, 360, 410, 420, 430, 440, 450, 460, 510, 520, 530, 540, 550, 560, 610, 620, 630, 640; 7000 Models 610, 620, 630, 640, 650, 660; 8200; 8250; 8300; 8350; 8530; 8550; 8600; 8650; 8700; 8800; 8810; 8820; 8830; 8840; 9000 Models 110, 110VP, 210, 210VP, 310, 310VP, 320, 320VP, 330, 330VP, 340, 340VP, 410, 410VP, 420, 420VP, 430, 430VP, 440, 440VP; 10000 Models 610, 620, 630, 640, 650, 660; VAXserver 8200, 8250, 8300, 8350, 8530, 8550, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840 *OpenVMS VAX, Version 6.0*

C PROCESSORS, *Continued*

VENDOR	PROCESSOR ID *VSR # & LEVEL*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	OTHER ENVIRONMENTS *HW/OS*
	DEC C for OpenVMS AXP Version 4.0 *NIST-94/1405*	DECstation 3000 Model 400 *OpenVMS AXP Version 6.1*	4/1/95	DEC 2000 Model 300S AXP; DEC 3000 Models 300 AXP, 300L AXP, 300X AXP, 300LX AXP, 400 AXP, 400S AXP, 600 AXP, 600S AXP, 800 AXP, 800S AXP; Digital 2100 A600/600 MP; DEC 4000 Models 600 AXP, 700 AXP; DEC 7000 Models 600 AXP; DEC 10000 Model 600 AXP *OpenVMS AXP, Version 6.1*
Encore Computer Corporation	C Version 1.3.0 *NIST-93/2261*	Encore 91 *UMAX V, Version 3.0.9*	11/1/94	ENCORE INFINITY 90, R/T *UMAX V, Version 3.0.9* ENCORE 93 *UMAX V, Version 3.1.3*
Hewlett-Packard Company	HP C/HP-UX Version A.09.60 Release HP-UX 9.0 *NIST-94/1221*	HP9000 Model 720 *HP-UX Version 9.0*	1/1/95	HP9000 Models 8xx, 7xx, 6xx, FxO, GxO, HxO, IxO *HP-UX Version 9.0*
	HP C/iX Version A.05.02 Release MPE/iX 5.0 *NIST-94/1222*	HP3000 Model 967 *MPE/iX Version 5.0*	1/1/95	HP3000 Model 9xx *MPE/iX Version 5.0*
	HP C/HP-UX Version B.08.36 Release HP-UX B.09.00 *NIST-94/1223*	HP9000 Model 42S *HP-UX Version B.09.00*	1/1/95	HP9000 Models 3xx, 4xx *HP-UX Version B.09.00*
IBM Canada Ltd.	C/370 Compiler Version 2 Release 1 *NIST-93/1051*	ES/9000 *MVS/ESA SP Version 4 Release 2*	1/1/94 *(pending)*	3090, 308X, 43XX, 937X *MVS/ESA SP Version 4 Release 2*
	C/370 Compiler Version 2 Release 1 *NIST-93/1052*	ES/9000 *VM/ESA Version 1 Release 1.1*	1/1/94 *(pending)*	3090, 308X, 43XX, 937X *VM/ESA Version 1 Release 1.1*
	C/370 Compiler Version 2 Release 1 *NIST-93/1053*	ES/9000 *VM/SP Version 1 Release 6*	1/1/94 *(pending)*	3090, 308X, 43XX, 937X *VM/SP Version 1 Release 6*
	C/370 Compiler Version 2 Release 1 *NIST-93/1054*	ES/9000 *VM/XA SP Version 1 Release 2*	1/1/94 *(pending)*	3090, 308X, 43XX, 937X *VM/XA SP Version 1 Release 2*
	SAA AD/CYCLE C/400 Version 1 Release 1.1 *NIST-93/1055*	ES/9000 *MVS/ESA SP Version 4 Release 2*	1/1/94 *(pending)*	3909, 908X, 43XX, 937X *MVS/ESA SP Version 4 Release 2*

C PROCESSORS, *Continued*

VENDOR	PROCESSOR ID *VSR # & LEVEL*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	OTHER ENVIRONMENTS HW/*OS*
	C/C++TOOLS, Version 2 Release 0 *NIST-93/1461*	IBM PS/2 486 Model 70 *OS/2 Version 2 Release 0*	4/1/94	IBM PS/1 2133 386SX/25, 486SX /20, 486DX/20, 486DX/40; 2155 386SX/25, 486SX/20, 486DX/20, 486DX/33, 486DX/40; IBM PS/2 8540 386SX/20, 8543 386SX/20, 8555 386SX/16, 8556 386SX/20, 386SLC/20, 8557 386SX/20, 386SLC/20, 8565 386SX/16, 8570 386DX/16-25, 486DX/25, 8573 386DX/16-20, 8575 486DX/33, IBM PS/2 8580 386DX/20-25, 8590 486SX/25, 486DX/25-33, 486DX2/50-66, 8595 486SX/25, 486DX/25-33, 486DX2/50-66, 9556 486SLC2, 9557 486SLC2, 9576 486SX, 486DX2, 9577 486SX, 486DX2, 9585 486SX, 486DX2, 9595 486DX, 486DX2, 295 486DX; IBM PS/ThinkPad N45SL 386SL, N51SX 386SX, N51SLC 386SLC, CL57SX 386SX, 300 386SL, 700 486SLC, 700C 486SLC, IBM PS/ ValuePoint 325T, 425SX, 433DX, 466DX2 *OS/2 Version 3 Release 0*
	XL C Compiler Version 1.3 *NIST-93/1961*	IBM RISC System/6000 Model 320 *AIX for RISC System/6000 Version 3.2*	10/1/94	IBM RISC System/6000 POWERstation/ POWERserver 220, 230, 250, 25E, 320, 320H, 340, 340H, 350, 360, 36T, 370, 37T, 520, 520H, 530, 530H, 540, 550, 550L, 560, 580, 58H, 590; POWERserver 25S, 930, 950, 95E, 970, 97B, 97E, 97F, 970, 980, 98B, 98E, 98F, 990, 99E, 99F, POWERstation M20, M2A, 25T, 25W, 355, 365, 36T, 375, 37T *AIX for RISC System/6000 Version 3 Release 2*
	C Set + + for AIX/6000 Version 2.1 *NIST-93/1962*	IBM RISC System/6000 Model 320 *AIX for RISC System/6000 Version 3.2*	10/1/94	IBM RISC System/6000 POWERstation/ POWERserver 220, 230, 250, 25E, 320, 320H, 340, 340H, 350, 360, 36T, 370, 37T, 520, 520H, 530, 530H, 540, 550, 550L, 560, 580, 58H, 590; POWERserver 25S, 930, 950, 95E, 970, 97B, 97E, 97F, 970, 980, 98B, 98E, 98F, 990, 99E, 99F, POWERstation M20, M2A, 25T, 25W, 355, 365, 36T, 375, 37T *AIX for RISC System/6000 Version 3 Release 2*

C PROCESSORS, *Continued*

VENDOR	PROCESSOR ID *VSR # & LEVEL*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	OTHER ENVIRONMENTS *HW/OS*
	IBM ILE C/400 Version 2 Release 3 *NIST-93/1963*	AS/400 Model 9406/E90 *OS/400 Version 2 Release 3*	10/1/94	9402 System Models D02, E02, C04, D04, E04, C06, D06, E06, F02, F04, F06; 9404 System Models B10, C10, D10, E10, B20, C20, D20, E20, C25, D25, E25, F10, F20, F25; 9406 System Models B30, B35, B40, B45, B50, B60, B70, D35, E35, D45, E45, D50, E50, D60, E60, F80, F90, F95, D70, E70, D80, E80, E90, E95, F35, F45, F50, F60, F70 *OS/400 Version 2 Release 3*
Intel SSD	CC Compiler Version R4.5 *NIST-93/1782*	XP/5 *OSF/1AD Release R1.1*	11/1/94	
Intergraph Corporation	Clipper Advanced Optimizing C Version 1.57 *NIST-94/1103*	Clipper Model 2730 *CLIX Version 7.1*	12/1/94	Clipper C3000 and C4000 *CLIX Version 7.1*
	Clipper Advanced Optimizing C Version 2.0 *NIST-94/1105*	Clipper Model 2730 *CLIX Version 7.1*	12/1/94	Clipper C300 and C400 *CLIX Version 7.1*
Microsoft Corporation	Microsoft C/C++ Optimizing Compiler Version 8.00 Release Microsoft Visual C++ 1.0 *NIST-93/1881*	IBM PS/2 Model 70/486 DX *MS-DOS 6.0/Microsoft Windows 3.1*	9/1/94	IBM PS/2 486DX, IBM PS/2 486SX, IBM PS/2 386DX, IBM PS/2 386SX *MS-DOS 6.0/Microsoft Windows 3.1*
	Microsoft C/C++ Optimizing Compiler Version 8.00 *NIST-93/1882*	Compaq 486/33M DX *MS-DOS 6.0/Microsoft Windows 3.1*	9/1/94	Compaq 486DX, Compaq 486SX, Compaq 386DX, Compaq 386SX *MS-DOS 6.0/Microsoft Windows 3.1*
	Microsoft C/C++ Optimizing Compiler Version 8.00 *NIST-93/1883*	Zenith 486/33E DX *MS-DOS 6.0/Microsoft Windows 3.1*	9/1/94	Zenith 486DX, Zenith 486SX, Zenith 386DX, Zenith 386SX *MS-DOS 6.0/Microsoft Windows 3.1*
NCR Corporation	NCR C Development Toolkit Release 2 *NIST-94/1121*	NCR System 3000 Model 3550 *NCR UNIX SVR4 MP-RAS Release 2 Version SVR4*	1/1/95	NCR System 3000 Models 3335, 3340, 3345, 3350, 3360, 3410, 3430, 3445, 3447, 3450, 3455, 3470, 3475, 3520, 3525, 3555, 3570, 3575, 3600 *NCR UNIX SVR4 MP-RAS Rel. 2*
Pyramid Technology Corp.	DC/OSx ANSI C, Version 1.1 Release 92c06x *NIST-93/1341*	MISserver-S *DC/OSx Version 1.1 Release 92c06x*	5/1/94	MISserver-ES *DC/OSx Version 1.1 Release 92c06X*

C PROCESSORS, *Continued*

VENDOR	PROCESSOR ID *VSR # & LEVEL*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	OTHER ENVIRONMENTS *HW/OS*
SCO Canada, Inc.	SCO XPG4 Development System Supplement Version 1.0 *NIST-94/1661*	DELL 486 Model 450DE/2 DGX *SCO UNIX Version 3.2 Release 4.2*	4/1/95	
Sequent Computer Systems, Inc.	ptx/C Version 2 Release 1.0 *NIST-93/2003*	S2000/250 *DYNIX/ptx Version 2 Release 1.0*	2/1/95	S2000/450, S2000/750 *DYNIX/ptx Version 2 Release 1.0*
Silicon Graphics Computer Systems	ANSI C Version 3.11 *NIST-93/1161*	M/120 *RISC/OS Release 5.01*	4/1/94	M/800, M/1000, RS3260, RC3240, RC2030, RS2030, RC4230, RS4230, RC6280 *RISC/OS Release 5.01*
	C Release 4.0 *NIST-93/1162*	IRIS 4D/25 *IRIX Release 5.0*	4/1/94	Personal IRIS, IRIS, IRIS 4D/50, 4D/70, 4D/120, 4D/220, 4D/280 *IRIX Release 5.0*
SUNPRO	SPARCompiler C Version 3.0 *NIST-93/2184*	SPARCstation LX SPARCserver 1000 *Solaris Version 2.3*	2/1/95	
	ProCompiler C Version 2.0.1 *NIST-93/1902*	DELL Model 433DE *Solaris Version 2.1 Release X86*	8/1/94	
Tandem Computers Incorporated	C Version D20 Release D20 *NIST-93/2041*	NonStop VLX *NonStop Kernel Version D20 Release D20*	10/1/94	
Unisys	UCS C (UC) Version 4R1 Release SB5R1 *NIST-93/2221*	2200 Model 900 *1100 OS EXEC Version 44R1 Release SB5R1*	11/1/94	1100/90, 2200/400, 2200/600 *1100 OS ECEC/44R1*

2.7.6 MUMPS PROCESSORS

VENDOR	PROCESSOR ID *& VSR #*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	LEVEL	OTHER ENVIRONMENTS HW/*OS*

No entries at this time.

2.8 LANGUAGE PROCESSORS WITH REGISTERED REPORTS ONLY

VENDOR	PROCESSOR ID *& VSR #*	HARDWARE & *OPERATING SYSTEM*	EXPIRY DATE	SUBSET	OTHER ENVIRONMENTS HW/*OS*

No entries at this time

3. DATABASE LANGUAGE (SQL)

3.1 FIPS Database Language Standards

As specified by the FIPS, FIRMR and the associated Federal ADP and Telecommunications Standards Index, Federal agencies, when acquiring SQL processors, are responsible for assuring that processors are in accordance with the applicable FIPS PUB 127, Database Language SQL. On December 3, 1993, FIPS PUB 127-2 superseded FIPS PUB 127-1.

3.2 Organization of Database Language Processor Entries

Each entry in the VPL is a very limited extract from the Validation Summary Report (VSR) available from the Software Standards Validation Group at NIST. See 3.4 and 3.5 below.

Products validated for conformance to FIPS PUB 127-2 are listed first, followed by products validated for FIPS PUB 127-1. Products that demonstrated one or more nonconformities, as assessed by the SQL Validation System, are listed separately at the end. (These products are considered "provisionally" validated, pending correction of nonconformities.) The entries in the VPL for database language processors are presented as follows:

- The VENDOR ID column contains the name of the Vendor of the processor.

- The PROCESSOR ID column contains the name of the processor, its version number, the VSR number, and the Expiry date of the Validation Certificate or the Registered VSR. The term "Pre-release" means that the vendor has designated the SQL processor as "not commercially available" at the time of validation. The product is listed to assist users in planning for future procurements.

- The INTERFACES & COMPILERS column contains the names of associated interactive SQL or programming language interfaces, and identification of the programming language compilers that interface with the SQL processor. A listing in the COMPILERS column is not an indication that the compiler has been validated for the applicable programming language standard. See the preceding "Programming Languages" Section for a list of validated compilers.

- The HARDWARE & OPERATING SYSTEM column presents the hardware and operating system environment used during the validation.

- The entries in the OTHER HW/SW ENVIRONMENTS column include other hardware and operating system environments in which the processor operates, and the programming language compilers that interface with the SQL processor. The listings of the compilers and operating systems may contain a range of versions that are supported. Rebadged or renamed software are also listed here. This column is restricted to binary-compatible hardware environments.

- The NONCONFORMITIES column lists the number and type of nonconformities for each programming language interface tested. "Schema" nonconformities are deficiencies in support for standard schema definition language constructs. "FIPS Flagger" in this column indicates that the mandatory FIPS Flagger requirement of FIPS 127 was not implemented. Refer to the VSR for details. The number of nonconformities is only one limited measure of the quality of an SQL interface. It is more important to analyze the nature of each individual nonconformity and its impact on meeting user requirements.

3.3 Validation Requirements

Refer to Database Language SQL Validation Procedures. The requirements for validation of database language processors are the same as those for programming language processors, listed in section 2.3.1, with several exceptions. Expired VSRs are deleted from the VPL to motivate vendors to test new releases of their SQL processors and to demonstrate conformance to more comprehensive versions of the SQL Test Suite. Information about expired VSRs or vendor self-testing with the SQL Test Suite may be available from the vendor.

3.4 Certificate of Validation

A Certificate of Validation is issued for those SQL processors that have been tested and are considered to be in compliance with FIPS as specified by the FIPS, by the FIRMR, and the associated Federal ADP and Telecommunications Standards Index.

3.5 Registered Report

A Validation Summary Report (VSR) that indicates that the SQL processors did not meet the criteria for a Certificate of Validation may be registered by the Computer Systems Laboratory. A VSR is considered registered by CSL when it contains a signed notice that the VSR will be listed in the CSL Validated Products List (VPL).

3.6 Validation Procedures

SQL processors are tested in accordance with the procedures described in the NIST Database Language SQL Validation Procedures. To request a copy of the validation procedures and/or to request the validation of an SQL processor, contact:

National Institute of Standards and Technology
Computer Systems Laboratory
Software Standards Validation Group
Building 225, Room A266
Gaithersburg, Maryland 20899 (U.S.A.)
Telephone (301) 975-2490 (Voice)
(301) 975-3274 (Voice)
(301) 948-6213 (FAX)
e-mail: dashiell@speckle.ncsl.nist.gov (INTERNET)

3.7 SQL Validation System

To request a copy of the SQL Validation System and/or to submit questions regarding the SQL Validation System, contact:

National Institute of Standards and Technology
Computer Systems Laboratory
Database Languages Group
Building 225, Room A266
Gaithersburg, Maryland 20899 (U.S.A.)
Telephone (301) 975-3258 (Voice)
(301) 975-3263 (Voice)
(301) 948-6213 (FAX)
e-mail: sullivan@ecf.ncsl.nist.gov (INTERNET)

3.8 SQL PROCESSORS

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	FIPS 127-2 - ZERO NONCONFORMITIES [Entry FIPS 127-2 exceeds requirements for FIPS 127-1 with Integrity Enhancement Option]			
Digital Equipment Corporation	DEC Rdb for OpenVMS VAX Version 6.0 NIST-94/7111 03/31/95 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Embedded Ada Module Ada VAX Ada Version 2.3 Embedded C Module C VAX C Version 3.2 Embedded COBOL Module COBOL VAX COBOL Version 5.1 Embedded FORTRAN Module FORTRAN VAX FORTRAN Version 5.8 Embedded PASCAL Module PASCAL VAX Pascal Version 4.4 Interactive SQL (FIPS Default)	VAXstation 3500 OpenVMS VAX, Vers. 5.4-3	VAX 4000 Models 100,200,300,400,500,600; VAX 6000 Models 200,300,400,500,600; VAX 7000 Model 600; VAX 8200, 8250, 8300, 8350, 8500, 8530, 8550, 98 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840; VAX 9000 Models 110, 210, 300, 400; VAX 10000 Model 600; VAXft 3000 Models 110, 310, 410, 610, 612; VAX-11/730, VAX-11/750, VAX-11/780, VAX-11/785; MicroVAX's II, 2000, 3100 Models 10/10E, 20/20E, 30, 40, 80, 90; MicroVAX's 3200, 3300, 3400, 3500, 3600, 3800, 3900; VAXstation's II, 2000, 3100 Models 30, 38, 40, 48, 76; VAXstation's 3200, 3500, 3520, 3540, 4000 Models 60,90,VLC; VAXservers 3100, 3200, 3300, 3400, 3500, 3600, 3800, 3900, 4000 Models 200, 300, 400, 500, 600, 700; VAXserver 6000 Models 200, 300, 400, 500, 600 Series; VAXservers 8200, 8250, 8300, 8350, 8530, 8550, 8600, 8650, 8700, 8800, 8810, 8830, 8840 OpenVMS VAX, Vers. 5.4, 5.5, 6.0 VAX Ada V2.0 - 2.3 VAX C V3.0 - 3.2 VAX COBOL V4.2-4.4 VAX COBOL V5.0-5.1 VAX Fortran V5.0 - 5.9 VAX Pascal V4.0 - 4.4
	DEC Rdb for OpenVMS AXP Version 6.0 NIST-94/7112 03/31/95 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Embedded Ada Module Ada DEC Ada for OpenVMS AXP, Version 3.0 Embedded C Module C DEC C for OpenVMS AXP, Version 1.3 Embedded COBOL Module COBOL DEC COBOL for OpenVMS AXP, Version 1.1 Embedded FORTRAN	DEC 2000 Model 300 OpenVMS AXP, Ver. 1.5	DEC 2000 Model 300, DEC 3000 Models 300, 400 AXP Workstation, DEC 3000 Model 400 AXP Server, DEC 3000 Model 500 AXP Workstation, DEC 3000 Model 500 AXP Server, DEC 4000 Model 610 AXP System, DEC 7000 Model 610 AXP System, DEC 10000 Model 610 AXP System OpenVMS AXP Version 1.5

3.8 SQL PROCESSORS

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
		Module FORTRAN DEC FORTRAN for OpenVMS AXP, Version 6.1 Embedded PASCAL Module PASCAL DEC Pascal for OpenVMS AXP, Version 5.1 Interactive SQL (FIPS Default)		DEC Ada for OpenVMS AXP V.3.0 DEC C for OpenVMS AXP V. 1.3-1.4 DEC COBOL for OpenVMS AXP V. 1.1-2.0 DEC Fortran for OpenVMS AXP V. 6.1-6.2 DEC Pascal for OpenVMS AXP V. 5.0-5.1
Informix Software, Inc.	INFORMIX-OnLine Version AN6.00 Pre-release NIST-94/7041 1/1/95 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Embedded C INFORMIX-ESQL/C Version AN 6.00 Native C for SunOS 4.1.3 Embedded COBOL INFORMIX-ESQL/ COBOL Version AN 6.00 Micro Focus COBOL V3.0.54-Be Interactive SQL (FIPS Default) INFORMIX DB-Access Version AN 6.00	Sun SPARCstation 10 SunOS Version 4.1.3_DBE1.3	SPARCstation 2, 10, 10 model 30 41 42, SPARCserver 690, 690MP, 1000, 2000, SPARCcenter 2000 SunOs V. 4.1.3_DBE1.3
Oracle Corporation	ORACLE7, Release 7.1 (Beta) Pre-release NIST-93/7521 11/1/94 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Embedded C Pro*C, Version 1.6 Native C, bundled with SunOS Version 4.1.3	SUN SPARCstation 10 SunOS Version 4.1.3	
	ORACLE7, Release 7.1 (Beta) Pre-release NIST-93/7522 11/1/94 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Embedded C Pro*C, Version 2.0 Native C, bundled with SunOS Version 4.1.3	SUN SPARCstation 10 SunOS Version 4.1.3	
	ORACLE7, Release 7.1 (Beta) Pre-release NIST-93/7523 11/1/94 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Embedded Ada Pro*Ada, Version 1.6 Verdix Ada Development System (VADS) SUN Ada, Version 1.1	SUN SPARCstation 10 SunOS Version 4.1.3	
Sybase, Inc.	Sybase System 10 Pre-release 10.0.1 NIST-94/7061 1/1/95 Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	Schema Processor Interactive SQL (isql) Release 10.0.1 Embedded C Sybase System 10 Embedded SQL/C pre-release 10.0.1 gcc version 2.3.1	Client: Sun 4/690 SunOS Version 4.1.2 Server: Sun 4/690 SunOS Version 4.1.2	

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
FIPS 127-1 - ZERO NONCONFORMITIES				
Cincom Systems, Inc.	SUPRA Server, Version 3.2 Pre-release NIST-93/7481 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement FIPS Sizing Defaults FIPS Flagger	Embedded SQL C SUPRA C Precompiler Version 3.2 Pre-release C bundled with SunOS Release 4.1.1 Embedded SQL COBOL SUPRA COBOL Precompiler Version 3.2 Pre-release SUN COBOL Version 1.0 Interactive SQL SUPRA I/SQL Version 3.2 Pre-release	SUN SPARCstation 2 SunOS Release 4.1.1	
	SUPRA Server, Version 3.2 Pre-release NIST-93/7482 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement FIPS Sizing Defaults FIPS Flagger	Embedded SQL Ada SUPRA Ada Precompiler, Version 3.2 Pre-release SUN Ada Version 1.1	SUN SPARCstation 2 SunOS Release 4.1.1	
Digital Equipment Corporation	VAX Rdb/VMS Version 4.1 NIST-92/7351 10/01/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada VAX Ada Version 2.2 Embedded C Module C VAX C Version 3.2 Embedded COBOL Module COBOL VAX COBOL Version 4.4 Embedded FORTRAN Module FORTRAN VAX FORTRAN Version 5.7 Embedded PASCAL Module PASCAL VAX Pascal Version 4.2 Interactive SQL (FIPS Default)	VAXstation 3500 and VAX 8800 VAX/VMS Ver. 5.4-3	VAX, MicroVAX, and VAXstation VMS Versions 5.0 - 5.4-3 VAX Ada V2.0 - 2.2 VAX C V3.0 - 3.2 VAX COBOL V4.2 - 4.4 VAX Fortran V5.0 - 5.7 VAX Pascal V3.9 - 4.2
	VAX Rdb/VMS Version 4.1 NIST-92/7352 10/01/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada VAX Ada Version 2.1 Embedded C Module C VAX C Version 3.2 Embedded COBOL Module COBOL VAX COBOL Version 4.4 Embedded FORTRAN Module FORTRAN VAX FORTRAN Version 5.7 Embedded PASCAL Module PASCAL VAX Pascal Version 4.2	VAXstation 4000 Cluster VAX/VMS Ver. 5.5-2	VAX, MicroVAX, and VAXstation VMS Versions 5.0 - 5.5-2 VAX Ada V2.0 - 2.1 VAX C V3.0 - 3.2 VAX COBOL V4.2 - 4.4 VAX Fortran V5.0 - 5.7 VAX Pascal V3.9 - 4.2

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
		Interactive SQL (FIPS Default)		
	VAX Rdb/VMS Version 4.2 NIST-92/7353 10/01/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada VAX Ada Version 2.2 Embedded C Module C VAX C Version 3.2 Embedded COBOL Module COBOL VAX COBOL Version 4.4 Embedded FORTRAN Module FORTRAN VAX FORTRAN Version 5.7 Embedded PASCAL Module PASCAL VAX Pascal Version 4.2 Interactive SQL (FIPS Default)	VAXstation 3500 and VAX 8800 VAX/VMS Ver. 5.4-3	VAX, MicroVAX, and VAXstation VMS Versions 5.0 - 5.4-3 VAX Ada V2.0 - 2.2 VAX C V3.0 - 3.2 VAX COBOL V4.2 - 4.4 VAX Fortran V5.0 - 5.7 VAX Pascal V3.9 - 4.2
	VAX Rdb/VMS Version 4.2 NIST-92/7354 10/01/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada VAX Ada Version 2.1 Embedded C Module C VAX C Version 3.2 Embedded COBOL Module COBOL VAX COBOL Version 4.4 Embedded FORTRAN Module FORTRAN VAX FORTRAN Version 5.7 Embedded PASCAL Module PASCAL VAX Pascal Version 4.2 Interactive SQL (FIPS Default)	VAXstation 4000 Cluster VAX/VMS Ver. 5.5-2	VAX, MicroVAX, and VAXstation VMS Versions 5.0 - 5.5-2 VAX Ada V2.0 - 2.1 VAX C V3.0 - 3.2 VAX COBOL V4.2 - 4.4 VAX Fortran V5.0 - 5.7 VAX Pascal V3.9 - 4.2
IBM Corporation	Database 2 (DB2) Version 3 NIST-93/7441 8/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded C IBM C/370 Version 2 Release 1 Embedded COBOL IBM SAA AD/CYCLE COBOL/370 Version 1 Release 1 Embedded Fortran IBM VS FORTRAN Version 2 Release 5	IBM ES90009021-720 MVS/ESA SP Version 4 Release 1	
Informix Software Inc.	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7301 12/1/95 Features Tested: Level 2 ANSI SQL	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda Version 2.0 Embedded C INFORMIX-ESQL/C Version	RDI BriteLite IPX Laptop Solaris 2.1	Sun4c sparc Solaris 2.1

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	5.00 Sun ANSI C Version 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00		
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7302 12/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda Version 2.0 Embedded C INFORMIX-ESQL/C Version 5.00 Sun ANSI C Version 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Sun SPARCstation 10, Model 30 Solaris 2.1	Sun4m sparc Solaris 2.1
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7303 12/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda Version 2.0 Embedded C INFORMIX-ESQL/C Version 5.00 Sun ANSI C Version 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Sun SPARCstation 10, Model 41 Solaris 2.1	Sun4m sparc Solaris 2.1
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7304 12/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda Version 2.0 Embedded C INFORMIX-ESQL/C Version 5.00 Sun ANSI C Version 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Sun SPARCstation 10, Model 42 Solaris 2.1	Sun4m sparc Solaris 2.1
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7305 12/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda Version 2.0 Embedded C INFORMIX-ESQL/C Version 5.00 Sun ANSI C Version 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Sun SPARCstation 4/30 Solaris 2.1	Sun4m sparc Solaris 2.1

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7306 12/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 Verdix VADS System V/386/486 Version 6.1 Embedded C INFORMIX-ESQL/C Version 5.00 Interactive ANSI C Version 3.0 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Alpha Systems Lab PC Model ASL 486/33 Sun Interactive Unix, Version 3.0.1, Release 3.2	Intel 486 Sun Interactive Unix, Version 3.0.1, Release 3.2
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7307 12/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 Alsys Ada for HP9000 Series 800, Version A.05.35 Embedded C INFORMIX-ESQL/C Version 5.00 HP C Version A.08.17 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Hewlett-Packard 9000 Series 800 Model 867 HP BLS A.08.08	HP9000 Series 800, Series 700 HP BLS A.08.08-09
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7308 12/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 Alsys Ada for HP9000 Series 800, Version A.05.35 Embedded C INFORMIX-ESQL/C Version 5.00 HP C Version A.08.17 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Hewlett-Packard 9000 Series 800 Model 827 HP BLS A.08.08	HP9000 Series 800, Series 700 HP BLS A.08.08-09
	INFORMIX-OnLine/Secure Version 5.00 NIST-93/7309 12/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 Alsys Ada for HP9000 Series 800, Version A.05.35 Embedded C INFORMIX-ESQL/C Version 5.00 HP C Version A.08.17 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Hewlett-Packard 9000 Series 800 Model 807 HP BLS A.08.08	HP9000 Series 800, Series 700 HP BLS A.08.08-09

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	INFORMIX-OnLine Version 5.02 NIST-94/7042 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada INFORMIX-Ada/SAME Version 5.02 Sun Ada Version 1.10 Embedded C INFORMIX-ESQL/C Version 5.02 Native C for SunOS 4.1.3 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.02	Sun SPARCstation 10 SunOS Version 4.1.3_DBE1.3	SPARCstation 2, 10, 10 model 30 41 42, SPARCserver 690, 690MP, 1000, 2000, SPARCcenter 2000 SunOS V. 4.1.3 SunOs V. 4.1.3_DBE1.3
	INFORMIX-OnLine/Secure-C2 Version 5.00 NIST-94/7048 1/1/95 INFORMIX-OnLine/Secure-C2 Version DR6.00 NIST-94/7047 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded C INFORMIX-ESQL/C Version 5.00 SPARCompiler C Version 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access	Sun SPARCstation 10 Model 20 Solaris Version 2.3	SPARCstation 2, 10, 10 model 30 41 42, SPARCserver 690, 690MP, 1000, 2000, SPARCcenter 2000 Solaris Version 2.3
	INFORMIX-OnLine/Secure-C2 Version 5.00 NIST-94/7051 1/1/95 INFORMIX-OnLine/Secure-C2 Version DR6.00 NIST-94/7057 1/1/95 INFORMIX-OnLine/Secure-B1 Version 5.00 NIST-94/7055 1/1/95 INFORMIX-OnLine/Secure-B1 Version DR6.00 NIST-94/7059 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada INFORMIX-Ada/SAME Version 5.00 DEC Ada Version 3.1-5 Embedded C INFORMIX-ESQL/C Version 5.00 DEC OSF/1 AXP Compiler Driver Version 3.11 Interactive SQL (FIPS Default) INFORMIX DB-Access	DEC 3000 OSF/1 Version T2.0	DEC/1000, DEC/2000, DEC/3000, DEC/3000 Models 400 500, DEC 4000, DEC 4000 Model 610, DEC 7000, DEC 7000 Model 610, DEC/10000, DEC/1000 Model 610 OSF/1 Version T2.0

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	INFORMIX-OnLine Version 5.01 NIST-94/7052 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada INFORMIX-Ada/SAME Version 5.01 DEC Ada Version 3.1-5 Embedded C INFORMIX-ESQL/C Version 5.01 DEC OSF/1 AXP Compiler Driver Version 3.11 Interactive SQL (FIPS Default) INFORMIX DB-Access	DEC 3000 OSF/1 Version T2.0	DEC/1000, DEC/2000, DEC/3000, DEC/3000 Models 400 500, DEC 4000, DEC 4000 Model 610, DEC 7000, DEC 7000 Model 610, DEC/10000, DEC/1000 Model 610 OSF/1 Version T2.0
	INFORMIX-OnLine/Secure-C2 Version 5.00 NIST-94/7081 1/1/95 INFORMIX-OnLine/Secure-C2 Version DR6.00 NIST-94/7087 1/1/95 INFORMIX-OnLine/Secure-B1 Version 5.00 NIST-94/7085 1/1/95 INFORMIX-OnLine/Secure-B1 Version DR6.00 NIST-94/7089 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada INFORMIX-Ada/SAME Version 5.00 HP/Alsys Ada/700 Version A.05.35 Embedded C INFORMIX-ESQL/C Version 5.00 Hewlett Packard C Version A.08.71 Interactive SQL (FIPS Default) INFORMIX DB-Access	Hewlett Packard 9000/720 HP-UX Version A.08.09	HP9000 Series 635, 645, 705, 710, 715/33, 715/50, 720, 725/50, 730, 735, 750, 755, 807, 815, 817, 822, 825, 827, 832, 834, 835, 837, 842, 845, 847, 850, 852, 855, 857, 860, 865, 867, 870, 870/200, 870/300, 870/400, 877, 887, 890/1, 890/2, 890/3, 890/4, 897, F10, F20, F30, G30, G40, G50, H20, H30, H40, H50, I30, I40, I50 HP-UX Version A.08.09
	INFORMIX-OnLine/Secure-C2 Version 5.00 NIST-94/7091 1/1/95 INFORMIX-OnLine/Secure-C2 Version DR6.00 NIST-94/7098 1/1/95 INFORMIX-OnLine/Secure-B1 Version 5.00 NIST-94/7095 1/1/95 INFORMIX-OnLine/Secure-B1 Version DR6.00 NIST-94/7099 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Module Ada INFORMIX-Ada/SAME Version 5.00 Verdix VADS IBM RISC System/6000 AIX 3.2 Version 6.1 Embedded C INFORMIX-ESQL/C Version 5.00 IBM AIX XL C Compiler/6000 Version 1.02 Interactive SQL (FIPS Default) INFORMIX DB-Access	IBM POWERstation 320 AIXCMW Version 3.2	RISC System/6000 Powerstation/Powerserver 220, 250, 25T, 25W, 320H, 340, 350, 520H, 530, 530E, 540, 550, 560, 560F, 570, 580, 58H, 590, 730, RISC System/6000 Powerserver 25S, 930, 950, 970, 990 AIX Version 3.2 AIXCMW Version 3.2

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
Ingres, The ASK Group	ASK INGRES SQL, Release 6.5 Pre-release NIST-93/7501 10/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Verdix Ada, Version 6.0.3 Embedded C SUN C Version 1.0 Embedded FORTRAN SUN Fortran Version 1.4	SUN SparcStation2 SunOS Version 4.1.3	ESQL/Verdix Ada, Rel. 6.5 ESQL/C Rel. 6.5 ESQL/FORTRAN Rel. 6.5
	ASK INGRES SQL, Release 6.5 Pre-release NIST-93/7502 10/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada VAX Ada, Version 2.0-18 Embedded C VAX C, Version 3.1-051 Embedded FORTRAN VAX FORTRAN, Version 4.5-219	VAX 6000-410 VAX/VMS Version 5.5	ESQL/Ada, Rel 6.5 ESQL/C, Rel. 6.5 ESQL/FORTRAN, Rel. 6.5
	ASK INGRES SQL, Release 6.5 Pre-release NIST-93/7503 10/1/94 Features Tested: Level 2 ANSI Enhancement Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded C IBM XL C Compiler Version 1.2 Embedded FORTRAN IBM XL FORTRAN Compiler Version 2.2	IBM RISC System 6000, Model 530 IBM AIX for RISC System 6000 Version 3.2.3	ESQL/C Rel. 6.5 ESQL/FORTRAN Rel. 6.5
Oracle Corporation	ORACLE7, Release 7.0 NIST-93/7101 11/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 VADS IBM RISC System/6000, AIX 3.2, VAda 110-7171, Version 6 Embedded C Pro*C, Version 1.5 IBM XL C Compiler/6000, Version 1.2	IBM RISC System 6000 Model 530H IBM AIX for RISC System/6000, Version 3 Release 2	IBM RISC System 6000 Models 220, 320, 320H, 340, 350, 520, 520H, 540, 550, 560, 730, 930, 950, 970 AIX for RISC System/6000, Version 3 Release 2
	ORACLE7, Release 7.0 NIST-93/7102 11/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded C Pro*C, Version 1.5 NCR C Development Toolkit, Rel 2	NCR 3450 NCR System V Release 4 MP-RAS, Rel 2	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600 NCR System V Release 4 MP-RAS, Rel 2

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	ORACLE7, Release 7.0 NIST-93/7103 11/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded C Pro*C, Version 1.5 NCR C Development Toolkit, Rel 2	NCR 3550 NCR System V Release 4 MP-RAS, Rel 2	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600 NCR System V Release 4 MP-RAS, Rel 2
	ORACLE7, Release 7.0 NIST-93/7104 11/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Verdix Corp. VADS UNIX System V/386, Release 4, Version 6.1	NCR 3450 NCR System V Release 4 MP-RAS, Rel 2	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600 NCR System V Release 4 MP-RAS, Rel 2
	ORACLE7, Release 7.0 NIST-93/7105 11/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Verdix Corp. VADS UNIX System V/386, Release 4, Version 6.1	NCR 3550 NCR System V Release 4 MP-RAS, Rel 2	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600 NCR System V Release 4 MP-RAS, Rel 2
	Trusted ORACLE7, Release 7.0 NIST-93/7106 11/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Alsys Ada HP-B2425, Version A.05.35 Embedded C Pro*C, Version 1.5 HP C HP 92453-01, Version A.08.17	Hewlett-Packard 9000/807 HP-UX BLS, Version 8.08	HP 9000/7xx HP-UX BLS Release 8.09 HP 9000/8xx HP-UX BLS Release 8.08
	Trusted ORACLE7, Release 7.0 NIST-93/7107 11/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Alsys Ada HP-B2425, Version A.05.35 Embedded C Pro*C, Version 1.5 HP C HP 92453-01, Version A.08.17	Hewlett-Packard 9000/817 HP-UX BLS, Version 8.08	HP 9000/7xx HP-UX BLS Release 8.09 HP 9000/8xx HP-UX BLS Release 8.08
	Trusted ORACLE7, Release 7.0 NIST-93/7108 11/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Alsys Ada HP-B2425, Version A.05.35 Embedded C Pro*C, Version 1.5 HP C HP 92453-01, Version A.08.17	Hewlett-Packard 9000/847 HP-UX BLS, Version 8.08	HP 9000/7xx HP-UX BLS Release 8.09 HP 9000/8xx HP-UX BLS Release 8.08

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	Trusted ORACLE7, Release 7.0 NIST-93/7109 11/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 Alsys Ada HP-B2425, Version A.05.35 Embedded C Pro*C, Version 1.5 HP C HP 92453-01, Version A.08.17	Hewlett-Packard 9000/867 HP-UX BLS, Version 8.08	HP 9000/7xx HP-UX BLS Release 8.09 HP 9000/8xx HP-UX BLS Release 8.08
	Trusted ORACLE7, Release 7.0 NIST-93/710A 11/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded Ada Pro*Ada, Version 1.5 AlsyComp_034, Version 5.1 Embedded C Pro*C, Version 1.5 SecureWare CMW+ Version 2.2 Native C	Zenith Data Systems Z-Station 433 DEh SecureWare CMW+, Version 2.2	
	Oracle7, Release 7.0 NIST-94/7021 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded C Pro*C, Version 1.5 DEC OSF/1 AXP Compiler Driver 3.11 Embedded COBOL Pro*COBOL, Version 1.5 Micro Focus COBOL V3.1 for DEC OSF/1 AXP Embedded FORTRAN Pro*Fortran, Version 1.5 DEC Fortran Version T3.4	DEC 3000 DEC OSF/1 (T2.0-2)	DEC 2000, DEC 4000, DEC 6000, DEC 7000 DEC OSF/1 (T2.0-2)
Praxis International Inc.	Model 204 Advantage/SQL, Version 1 Release 1 NIST-94/7001 1/1/95 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded COBOL COBOL II Version 1.3.2	IBM 9221-170 MVS/ESA Release 4.2.2	
	Model 204 Advantage/SQL, Version 1 Release 1 NIST-94/7002 1/1/95 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded COBOL COBOL II Version 1.3.2	IBM 4381-T92 VM/XA Release 2.1	
Progress Software Corporation	Progress ESQL, Version 7 SDK NIST-93/7421 11/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded C Native C, bundled with SunOS Version 4.1.2	SUN SPARCstation ELC SunOS Version 4.1.2	

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	Progress ESQL Version 7 SDK NIST-93/7422 11/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded C Microsoft C for UNIX Version 6	BBC 486 SCO UNIX System V/386 Version 3.2	
	Progress ESQL Version 7 SDK NIST-93/7423 11/1/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded C Microsoft C/C++ Version 7	BBC 486 MS-DOS Version 5.0	
Sybase, Inc.	Sybase System 10/Beta Version Pre-release NIST-93/7061 9/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhncement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Version 10 Embedded C System 10 Beta Version cc bundled with HP-UX 9.0 Operating System	HP 9000/I 40 HP-UX 9.0	HP 9000/H 30 HP-UX 9.0
	Sybase System 10 Version 10.0 NIST-93/7062 10/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Version 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 Metaware High C Release 2.3 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 Microfocus COBOL Version 3.0 Other Software Sybase SQL Server System 10 Version 10.0	Client: NCR 3550 NCR OS Version 2.00.02 Server: NCR 3550 NCR OS Version 2.00.02	NCR 3000 Series NCR SVR 4 2.x

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	Sybase System 10 Version 10.0 NIST-93/7063 10/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 Sparc Compiler C Ver 2.0 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 Microfocus COBOL Compiler 3.1 Other Software Sybase SQL Server System 10 Version 10.0	Client: Sun 4/65 Sun Solaris Version 2.2 Server: Sun 4/65 Sun Solaris Version 2.2	all Sun4, Sparcstation 10, Sparcserver 600 series Sun Solaris 2.2
	Sybase System 10 Version 10.0 NIST-93/7064 10/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 IBM AIX XLC Version 1.2 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 Microfocus COBOL Compiler 3.1 Other Software Sybase SQL Server System 10 Version 10.0	Client: IBM RS/6000 Model 520 IBM AIX Version 3.2 Server: IBM RS/6000 Model 520 IBM AIX Version 3.2	IBM RS6000 IBM AIX Version 3.2 & 3.2.4
	Sybase System 10 Version 10.0 NIST-93/7065 10/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 HP Native C, HP C A.09.30 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 HP COBOL Version 3.0 Other Software Sybase SQL Server System 10 Version 10.0	Client: HP 9000/827 HP-UX A.09.00 Server: HP 9000/827 HP-UX A.09.00	HP 700 Series, HP 800 Series HP-UX A.09.00
	Sybase System 10 Version 10.0 NIST-93/7066 10/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 GCC Version 2.3.1 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 Microfocus COBOL Compiler Version 3.0 Other Software Sybase SQL Server System 10 Version 10.0	Client: Sun Sparcserver 690 SunOS 4.1.3 Server: Sun Sparcserver 690 SunOS 4.1.3	all Sun4, Sparcstation 10, Sparcserver 600 series SunOS 4.1.3

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	Sybase System 10 Version 10.0 NIST-93/7067 10/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 Vax C Version 3.1 Embedded COBOL Sybase ESQL/COBOL System 10 Version 10.0 Vax COBOL Version 5.1 Other Software Sybase SQL Server System 10 Version 10.0	Client: DEC VAX 6000-450 Vax/VMS 5.4-1 A Server: DEC VAX 6000-450 Vax/VMS 5.4-1 A	all DEC Vax running OS level Vax/VMS 5.4
	Sybase System 10 Version 10.0 NIST-93/7068 10/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhncement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C Sybase ESQL/C System 10 Version 10.0 DEC OSF/AXP C 3.11 Other Software Sybase SQL Server System 10 Version 10.0	Client: DEC 3000 Model 500 OSF/1 Version 1.2 Server: DEC 3000 Model 500 OSF/1 Version 1.2	all DEC AXP running OS level below Dec OSF/1 Version 1.2
Unisys Corporation	RDMS 2200, Release Level 6R2 (SB5R2), Pre-release NIST-93/7461 12/1/94 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded C UCS C (UC) Version SB5R2 3.11 Embedded COBOL UCS COBOL (UCOB) Version SB5R2 Module Fortran UCS Fortran (UFTN) Version SB5R2	2200/444 System OS 2200 Version SB5R2 (EXEC 44R2) [OS 1100 is renamed OS 2200]	1100/90, 2200/500, 2200/600, 2200/900 OS 2200 Version SB5R2 (EXEC 44R2)
White Cross Systems Ltd.	WHITE CROSS 9000 Release 1.0.0 NIST-93/7251 12/31/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults	Embedded C WHITE CROSS 9000 Client Utilities Release 1.0.0 MICROSOFT C/C++ Optimizing Compiler Version 7.00 Communications FTP PC/TCP Version 2.05 (over Ethernet)	Client: Custom-built 80486-based PC MICROSOFT MS-DOS Version 5.00 Server: WHITE CROSS 9000 Model WCS/9010	
	WHITE CROSS 9000 Release 1.0.0 NIST-93/7252 12/31/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults	Embedded C WHITE CROSS 9000 Client Utilities Release 1.0.0 NeXTSTEP Objective C Release 3.0 Communications TCP/IP software bundled with OS (over Ethernet)	Client: NeXTstation NeXTSTEP Release 3.0 Server: WHITE CROSS 9000 Model WCS/9010	

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS
	WHITE CROSS 9000 Release 1.0.0 NIST-93/7253 12/31/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults	Embedded C WHITE CROSS 9000 Client Utilities Release 1.0.0 C Optimizing Compiler Version 5.10 Communications TCP/IP software bundled with OS (over Ethernet)	Client: Custom-built 80486-based PC SCO UNIX SYSTEM V/386 Development System Release 3.2 Server: WHITE CROSS 9000 Model WCS/9010	
	WHITE CROSS 9000 Release 1.0.0 NIST-93/7254 12/31/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults	Embedded C WHITE CROSS 9000 Client Utilities Release 1.0.0 SPARCompiler C Ver 2.0.1 Communications TCP/IP software bundled with OS (over Ethernet)	Client: SPARCstation IPX SunOS Release 4.1.2 Server: WHITE CROSS 9000 Model WCS/9010	

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS	NONCON-FORMITIES
FIPS 127-2 - ONE OR MORE NONCONFORMITIES					
[Entry FIPS 127-2 exceeds requirements for FIPS 127-1 with Integrity Enhancement Option]					
No entries for this quarter.					
FIPS 127-1 - ONE OR MORE NONCONFORMITIES					
Informix Software, Inc.	INFORMIX-OnLine Version 5.02 NIST-94/7043 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded COBOL INFORMIX-ESQL/COBOL Version 5.02 Micro Focus COBOL for UNIX V3.0.54-Be Embedded Fortran INFORMIX-ESQL/FORTRAN Version 5.02 SPARCompiler Fortran Version 2.0.1	Sun SPARCstation 10 SunOS Version 4.1.3_DBE1.3	SPARCstation 2, 10, 10 model 30 41 42, SPARCserver 690, 690MP, 1000, 2000, SPARCcenter 2000 SunOS Version 4.1.3 SunOs Version 4.1.3_DBE1.3	4 COBOL 1 Fortran
	INFORMIX-OnLine/Secure-C2 Version 5.00 NIST-94/7082 1/1/95 INFORMIX-OnLine/Secure-C2 Version DR6.00 NIST-94/7088 1/1/95 INFORMIX-OnLine/Secure-B1 Version 5.00 NIST-94/7086 1/1/95 INFORMIX-OnLine/Secure-B1 Version DR6.00 NIST-94/7080 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded COBOL INFORMIX-ESQL/COBOL Version 5.00 ACUCOBOL-85 Version 2.1.2 Embedded Fortran INFORMIX-ESQL/FORTRAN Version 5.00 HP Fortran/9000s700 Version A.08.07	Hewlett Packard 9000/720 HP-UX Version A.08.09	HP9000 Series 635, 645, 705, 710, 715/33, 715/50, 720, 725/50, 730, 735, 750, 755, 807, 815, 817, 822, 825, 827, 832, 834, 835, 837, 842, 845, 847, 850, 852, 855, 857, 860, 865, 867, 870, 870/200, 870/300, 870/400, 877, 887, 890/1, 890/2, 890/3, 890/4, 897, F10, F20, F30, G30, G40, G50, H20, H30, H40, H50, I30, I40, I50 HP-UX Version A.08.09	4 COBOL 1 Fortran

SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID VSR# & EXP DATE	INTERFACES & COMPILERS	HARDWARE & OPERATING SYS.	OTHER HW/SW ENVIRONMENTS	NONCON- FORMITIES
	INFORMIX-OnLine/Secure-C2 Version 5.00 NIST-94/7092 1/1/95 INFORMIX-OnLine/Secure-C2 Version DR6.00 NIST-94/7097 1/1/95 INFORMIX-OnLine/Secure-B1 Version 5.00 NIST-94/7096 1/1/95 INFORMIX-OnLine/Secure-B1 Version DR6.00 NIST-94/7090 1/1/95 Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded COBOL INFORMIX-ESQL/COBOL Version 5.00 MicroFocus COBOL for UNIX, Version 3.1.31 Embedded Fortran INFORMIX-ESQL/FORTRAN Version 5.00 IBM AIX XL Fortran Compiler/6000 Version 2.03.0	IBM POWERstation 320 AIXCMW Version 3.2	RISC System/6000 Powerstation/ Powerserver 220, 250, 25T, 25W, 320H, 340, 350, 520H, 530, 530E, 540, 550, 560, 560F, 570, 580, 58H, 590, 730, RISC System/6000 Powerserver 25S, 930, 950, 970, 990 AIX Version 3.2 AIXCMW Version 3.2	4 COBOL 1 Fortran
Software AG	ADABAS SQL Server, Version 1.1 NIST-93/7201 12/31/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded C ADABAS Version 1.2 HP C Version A.08.17	HP 9000/817 HP/UX A.08.02		10 C
	ADABAS SQL Server, Version 1.1 NIST-93/7202 12/31/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded COBOL ADABAS Version 1.2 HP Micro Focus COBOL/2, Version 1.1 Rev. 002	HP 9000/817 HP/UX A.08.02		10 COBOL
	ADABAS SQL Server, Version 1.1 NIST-93/7203 12/31/94 Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded COBOL ADABAS Version 5.3 COBOL II, Version 3.2	Hitachi HDS/EX90 MVS/ESA Version 4.2.2		10 COBOL

4. GRAPHICS CONFORMANCE TESTING

4.1 FIPS GKS Standard

The Graphical Kernel System (GKS) is a two-dimensional graphics tool box which provides for the display and manipulation of pictures and graphical input from the operator. The purpose of GKS is to promote portability of graphics applications for use on a variety of graphics workstations. It provides a functional interface between an application program and a configuration of graphical devices. The interface is at such a level of abstraction that hardware peculiarities are shielded from the application program.

FIPS PUB 120-1, GKS, is the first Federal Information Processing Standard Publication (FIPS PUB) registered for computer graphics systems. In accordance with FIPS PUB 120-1, two-dimensional graphics toolbox packages acquired for Federal use after November 3, 1986 should implement FIPS GKS. Conformance testing of GKS implementations protects Federal investment by ensuring adherence to the graphics standard. FIPS PUB 120-1 requires that GKS implementations offered to Federal agencies be tested using the NIST Test Suite to ensure that a particular implementation meets the specifications of the FIPS. The GKS Validation Test Suite (Fortran) is available from:

Ms. Susan Sherrick
National Institute of Standards and Technology
Building 225, Room A266
Gaithersburg, MD 20899
(301) 975-3268

4.1.1 Organization of GKS Entries

The entries in the VPL for GKS implementations are presented as follows:

- The VENDOR ID column contains the name of the Vendor of the implementation.
- The GKS NAME column contains the name of the implementation, its version number, the VSR number, and the Expiry date of the certificate of validation.
- The HARDWARE & OP. SYSTEM column presents the hardware and operating system environment used during the validation.
- The GRAPHICS DEVICES column includes the graphics devices that were validated.
- The GKS LEVEL column indicates the level of GKS that was validated.
- The entries in the OTHER HW/OS column include other hardware and operating system environments in which the processor operates.
- The NONCONFORMITIES column indicates whether or not the GKS implementation conforms to the applicable FIPS in one or more cases as evidenced by the validation. The VSR should be reviewed for details of the nonconformities.

4.2 FIPS PHIGS Standard

PHIGS stands for Programmer's Hierarchical Interactive Graphics System. PHIGS is a system for interactive 3-dimensional (3D) graphics applications that provides programmers with a set of features enabling them to manipulate and display complex 3D objects. It is called hierarchical because the complex objects can be built up from simpler objects. PHIGS also provides a rich set of facilities for real-time interaction with the user. While it borrows many concepts from the Graphical Kernel System (GKS) standard, it also introduces many new features, such as a "graphics data base" (the centralized structure store), and support for modeling and viewing.

In accordance with FIPS PUB 153, (PHIGS), 3D graphics packages acquired for Federal use should implement FIPS PHIGS. Conformance testing of PHIGS implementations protects Federal investment by ensuring adherence to the graphics standard. FIPS PUB 153 requires that PHIGS implementations offered to Federal agencies be tested using the NIST PVT (PHIGS Validation Tests) test suite. The test suite ensures that a particular implementation meets the specifications set forth in the FIPS. The PHIGS PVT test suite is available from:

Project Leader, PHIGS Validation Tests
National Institute of Standards and Technology
Computer Systems Laboratory
Bldg. 225, Room A-266
Gaithersburg, MD 20899
phone: (301) 975-3265
e-mail: phigs@speckle.ncsl.nist.gov

4.2.1 Organization of PHIGS Entries

The entries in the VPL for PHIGS implementations are as follows:

- The VENDOR column contains the name of the vendor of the implementation.
- The PHIGS name column contains the name of the implementation, its version number, the Validation Summary Report (VSR) number, and the expiry date of the certification of validation.
- The HARDWARE & OP.SYSTEM column presents the hardware and operating system environment used during the validation.
- The GRAPHICS DEVICES column includes the graphics devices that were validated.
- The entries in the REGISTERED ENVIRONMENTS HW/OS column includes registered hardware and operating systems for the implementation tested. The vendor of the implementation has certified that the identified processor, when operating under the environments included in this column, produces the same test results exhibited during the validation. Test results and other information from these environments may be required as evidence for entries to be included in this column.
- The NONCONFORMITIES column indicates whether or not the PHIGS implementation conforms to the FIPS in one or more cases as evidenced by the validation. The VSR should be reviewed for more details of the nonconformities.

4.3 FIPS CGM Standards

The FIPS 128-1, Computer Graphics Metafile (CGM) is a data interchange standard for the storage and retrieval of picture information in a device independent manner. The purpose of the CGM is to facilitate the transfer of graphical information among different computer systems, devices and/or applications.

The FIPS 128-1 requires the use of a CGM application profile. In particular, the Military Specification MIL-D-28003A, commonly known as the CALS CGM profile, is required for Federal government applications when the representation of graphical information in digital form is to be used in technical illustrations and publications, or when the use of a general-purpose, graphical interchange mechanism is required.

NIST offers two CGM Test Services: metafile testing and generator testing. The purpose of the Test Services is to determine the degree to which the metafile or CGM generator conforms to the FIPS 128-1 and the CALS profile. Presently, the Test Service addresses only CGM Version 1.

4.3.1 CGM Test Labs and Test Suite

CGM Validation Testing is available from the National Institute of Standards and Technology through its Computer Systems Laboratory (NIST/CSL).

National Institute of Standards and Technology
CGM Test Service
Building 225, Room A266
Gaithersburg, MD 20899
(301) 975-3265

The CGM Validation Test Software is based on CTS/Metacheck, version 2.10 and is available for purchase from

CGM Technology Software
1527 Route 12, Box 648
Gales Ferry, CT 06335
(203) 464-2623

4.3.2 Certificate of Validation

For metafile testings, a certificate of validation is issued for those CGM files that have been tested and are in compliance with the FIPS 128-1 and MIL-D-28003A. Conformance of a metafile does NOT necessarily imply conformance of the CGM generator, CGM interpreter, or other CGMs created on the same hardware and software platform.

For generator testing, a certificate of validation is issued for a CGM generator that has been tested and is in compliance with the FIPS 128-1 and MIL-D-28003A.

4.3.3 Validated Metafiles

The metafiles presented in Section 4.6 have been tested for conformity with FIPS PUB 128 or MIL-D-28003. Each entry in the VPL is a very limited extract from the Validation Summary Report (VSR) available from NIST/CSL.

4.4 Raster Graphics Standards

FIPS PUB 150 adopts EIA-538 which defines the facsimile coding schemes and their control functions for Group 4 facsimile apparatus, i.e., ITU-T (formerly CCITT) Recommendation T.6. It defines a standard compression algorithm (T.6 - Group 4) suitable for the storage, retrieval, and interchange of raster graphics images.

Military Specification MIL-R-28002 specifies the structure and encoding of raster data files to be delivered to the government. It specifies the use of the standard compression algorithm defined in FIPS PUB 150. It also specifies the use of standard file headers which are defined in MIL-STD-1840. MIL-STD-1840 standardizes the format and structure of digital technical data files for the purpose of interchange between organizations or systems.

4.4.1 Certificate of Validation

The Raster Graphics Validation Test Service tests an implementation's capablility of both receiving and generating raster graphics data conforming to the specifications in FIPS PUB 150 and MIL-R-28002.

A certificate of validation is issued for an implementation that passes the validation test and conforms to FIPS PUB 150 and MIL-R-28002.

4.4.2 Information Pack

Upon request, a Raster Graphics Validation Test Information Pack is available from:

National Institute of Standards and Technology (NIST)
Computer Systems Laboratory
Raster Graphics Validation Test Service
Technology Building, Room A266
Gaithersburg, MD 20899
Telephone (301) 975-3265

4.5 GKS IMPLEMENTATIONS

VENDOR	GKS NAME EXPIRY & VSR #	HARDWARE & OP. SYSTEM	GRAPHICS DEVICES	GKS LEVEL	REGISTERED ENVIRONMENTS	NONCON- FORMITIES
Advanced Technology Center	GRAFPAK-GKS Release 4.0 12/1/94 NIST/NCC-92/967	NCR 3450 Unix System V Release 4	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)	Level 2c		No
	GRAFPAK-GKS Release 4.0 12/1/94 NIST/NCC-92/968	NCR 3550 Unix System V Release 4	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)	Level 2c		No
	GRAFPAK-GKS Release 4.0 12/1/94 NIST/NCC-92/969	IBM RS6000 Model 220 AIX 3.2	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)	Level 2c		No
	GRAFPAK-GKS Release 4.0 12/1/94 NIST/NCC-92/970	IBM RS6000 Model 530H AIX 3.2	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)	Level 2c		No
	GRAFPAK-GKS Release 4.0 12/1/94 NIST/NCC-92/971	HP-9000/817 HP-UX 8.08	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)	Level 2c		No
	GRAFPAK-GKS Release 4.0 12/1/94 NIST/NCC-92/972	HP-9000/827 HP-UX 8.02	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)	Level 2c		No
	GRAFPAK-GKS Release 4.0 12/1/94 NIST/NCC-92/974	Sun Sparcstation 1 Solaris 2.1	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer)	Level 2c		No

4.6 COMPUTER GRAPHICS METAFILES

CLIENT	VSR # & DATE	# CGM Submitted /Conforming	CGM/SIZE/ DATE	GENERATOR	PLATFORM (As Reported by Vendor)
Interleaf, Inc El Segundo, CA	NIST-M-92/003-001 9/2/92	1/1	asg.cgm 8880 8/31/92	Interleaf Inc MDL/G	Interleaf 5 v5.3, HP9000/700, HP UX v8.07
IBM Corporation Federal Sector Division Oswego, NY	NIST-M-92/005-002 10/28/92	5/5	gcgm_l220.cgm 5280 10/27/92	GRAFPAK-CGM 1.1.2	IBM RS6000 Model 220, AIX 3.2
			gcgm_l530.cgm 5280 10/27/92	GRAFPAK-CGM 1.1.2	IBM RS6000 Model 530, AIX 3.2
			gcgm_n345.cgm 5280 10/27/92	GRAFPAK-CGM 1.1.2	NCR 3450, NCR UNIX SVR4
			gcgm_n355.cgm 5280 10/27/92	GRAFPAK-CGM 1.1.2	NCR 3550, NCR UNIX SVR4
			gks_l530.cgm 23680 10/27/92	GRAFPAK-GKS 4.0	IBM RS6000 Model 530, AIX 3.2
ESRI Boulder CO	NIST-M-93/006-003 1/26/93	5/5	sun.cgm 181680 1/19/93	ARC/INFO	SUN SparcStation, Sun OS 4.1.3
			ibm.cgm 181680 1/19/93	ARC/INFO	IBM RS6000, AIX 3.2
			dg.cgm 181680 1/19/93	ARC/INFO	Data General AViiON, DG/UX 5.4.1
			dec.cgm 181680 1/19/93	ARC/INFO	DecStation 5000, ULTRIX 4.2a
			sgi.cgm 181680 1/19/93	ARC/INFO	Silicon Graphics Indigo, IRIX 4.0.2
EDS Herndon, VA	NIST-M-93/007-004 1/29/93	3/3	demo5.cgm 13280 1/28/93	GRAFPAK-GKS 4.0	SPARCStation 10 Model 30, Solaris 2.1
			demo7.cgm 5360 1/28/93	GRAFPAK-GKS 4.0	SPARCStation 10 Model 30, Solaris 2.1
			demo8.cgm 3840 1/28/93	GRAFPAK-GKS 4.0	SPARCStation 10 Model 30, Solaris 2.1

4.7 PHIGS APPLICATIONS

VENDOR	PHIGS NAME	HARDWARE & OP. SYSTEM	GRAPHICS DEVICES	REGISTERED ENVIRONMENTS	NONCON-FORMITIES

No entries at this time.

5. U.S. GOSIP TESTING PROGRAM REGISTER DATABASE SYSTEM (GRD)

5.1 Description

The United States Government Open Systems Interconnection Profile (GOSIP) Testing Program was defined to assist Federal Agencies in assuring conformance to the GOSIP Standard. Testing for conformance to the Open Systems Interconnection (OSI) standards and for interoperability with other OSI implementations is available.

NISTIR 4594, "GOSIP Conformance and Interoperation Testing and Registration" establishes the framework for the establishment of registers for Test Suites, Test Systems (Means of Testing), Conformance Testing Laboratories, and Interoperability Testing Services.

5.2 U.S. GOSIP Register Database (GRD)

The U.S. GOSIP Register Database (GRD) is an online database facility developed by NIST. It provides up-to-date reference information for the following list of registers:

1. U.S. GOSIP Abstract Test Suites (ATS).
2. Assessed Means of Testing (MOT).
3. NVLAP Accredited Test Laboratories.
4. Conformance Tested GOSIP Products.
5. Interoperability Test Suites (ITS) for OSI Products.
6. Reference Entities for Means of Testing Assessment(s).
7. Interworking GOSIP Products.
8. Interoperability Test and Registration Services.

5.3 How To Access the GOSIP Register Database (GRD)

The GOSIP register files available for downloading are now located a different host. These files are available via anonymous ftp over the internet from:

Host Name: huachuca-jitcosi
IP Address: 138.27.7.2

Files are available in both ASCII (.ask) and WordPerfect 5.1 (.w51) formats. Just login with "anonymous" and use your internet address for the password. For .w51 files, binary transfer is required.

For any questions, problems or comments dealing with the GRD or the U.S. GOSIP Testing Program please contact:

Ken Thomas
Joint Interoperability Test Center - TCBB
Fort Huachuca, AZ 85613-7020
(602) 538-5170
e-mail: C3A-TCB@huachuca-EMH2.army.mil

5.4 GOSIP REGISTERS

5.4.1 REGISTER OF CONFORMANCE TESTING LABORATORIES

Conformance testing laboratories for the U.S. GOSIP Testing Program are listed here. All registered laboratories are deemed qualified to conduct conformance testing for U.S. GOSIP, for the test method identified.

Lab Code: 0354

Lab: Control Data Corporation, OSI Accredited Test Center
4201 North Lexington Avenue
Arden Hills, MN 55126-6198

Contact: Ronald D Swan
Tel: (612) 482-6257
Fax: (612) 482-3616

Scope of Registration:
X.400-1984 MHS: P2/P1/RTS/(Session), CCITT X.400-1988 MHS: P2/P1/RTSE/ACSE/Presentation(Session), TP4, TP2/TP0, CLNP, X.25:PLP/HDLC LAP-B

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-JUL-94

Lab Code: 0355

Lab: Bull HN Conformance Test Center
13430 N Black Canyon Hwy, P.0. Box 8000
Phoenix, AZ 85029

Contact: Oscar V Hefner
Tel: (602) 862-6001
Fax: (602) 862-6051

Scope of Registration:
FTAM/ACSE/Presentation(Session),X.400-1984MHS:P2/P1/RTS/(Session),CCITTX.400-1988 MHS:P2/P1/RTSE/ACSE/Presentation(Session),TP4,TP2/TP0,CLNP,X.25:PLP/HDLC

Type of Lab: LAP-B
Confrmnce

Registration Type: FULL

Registered Until: 01-JUL-94

Lab Code: 0357

Lab: National Computing Centre Limited
Oxford Road
Manchester M17ED
United Kingdom

Contact: A. E. J. Pink
Tel: +44 61 228 633
Fax: +44 61 236 4715

Scope of Registration:
FTAM/ACSE/Presentation(Session), X.400-1984 MHS: P2/P1/RTS/(Session), CCITT X.400-1988 MHS: P2/P1/RTSE/ACSE/Presentation(Session), Session, TP4, TP2/TP0, CLNP

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-JUL-94

Lab Code: 0361

Lab: IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Contact: Robert M Amy
Tel: (919) 254-4141
Fax: (919) 254-5410

Scope of Registration: X.25:PLP/HDLC LAP-B

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-JUL-94

Lab Code: 0362

Lab: Digital Equipment Corporation, OSI Conformance Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Contact: Richard A Duhamel
Tel: (508) 486-5021
Fax: (508) 486-7417

Scope of Registration:
FTAM/ACSE/Presentation(Session), X.400-1984 MHS: P2/P1/RTS/(Session), TP4, TP2/TP0, CLNP, X.25:PLP/HDLC LAP-B

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-JUL-94

Lab Code: 0363

Lab: Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Contact: Andrea Reitzel
Tel: (703) 205-2809
Fax: (703) 846-8590

Scope of Registration:
FTAM/ACSE/Presentation(Session), X.400-1984 MHS:P2/P1/RTS/(Session), TP4, TP2/TP0, CLNP, X.25:PLP/HDLC LAP-B

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-JUL-94

Lab Code: 0364

Lab: CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Contact: Kevin P Murray
Tel: (703) 821-1858
Fax: (703) 821-9859

Scope of Registration:
FTAM/ACSE/Presentation/(Session), X.400-1984 MHS: P2/P1/RTS/(Session), TP4, TP2/TP0, CLNP, X.25: PLP/HDLC LAP-B

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-JUL-94

Lab Code: 0365

Lab: Hewlett-Packard Company, OSI Conformance Test Center
19420 Homestead Road, MS 43UJ
Cupertino, CA 95014-9810

Contact: Murali Subbarao
Tel: (408) 447-2822
Fax: (408) 447-2697

Scope of Registration:
FTAM/ACSE/Presentation(Session), X.400-1984 MHS: P2/P1/RTS(Session), Session, TP4, TP2/TP0, CLNP

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-JUL-94

Lab Code: 0367

Lab: UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Contact: Andrew Kalish
Tel: (215) 993-7044
Fax: (215) 993-7425

Scope of Registration:
FTAM/ACSE/Presentation(Session), X.400-1984 MHS: P2/P1/RTS/(Session), TP4, TP2/TP0, CLNP, X.25:PLP/HDLC LAP-B

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-JUL-94

Lab Code: 0370

Lab: Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois France

Contact: Gerard Vanderschooten
Tel: +33 1 30 80 68 11
Fax: +33 1 3080 7879

Scope of Registration: X.25:PLP/HDLC LAP-B

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-OCT-94

Lab Code: 0371

Lab: Alcatel TITN Test Center
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M Schmitz
Tel: (510) 484-5764
Fax: (510) 484-4078

Scope of Registration:
FTAM/ACSE/Presentation, X.400-1984 MHS: P2/P1/RTS, Session, TP4, TP2/TP0, CLNP

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-OCT-94

Lab Code: 0385

Lab: Dept of Defense, Joint Interoperability Test Center
ATTN: TCDBA, Building 57305
Ft. Huachuca, AZ 85613-7020

Contact: Kenneth Thomas
Tel: (602) 538-5170
Fax: (602) 538-4375

Scope of Registration:
FTAM/ACSE/Presentation(Session) X.400-1984 MHS: P2/P1/RTS/(Session), Session, TP4, TP2/TP0, CLNP, 8802.2/8802.3, X.25:PLP/HDLC LAP-B

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-APR-94

Lab Code: 0391

Lab: Data General Corporation, OSI Conformance Test Center
4400 Computer Drive, MS/D216
Westborough, MA 01580

Contact: Charles Stakus
Tel: (508) 870-6392
Fax: (508) 898-4694

Scope of Registration:
REGISTRATION EXPIRED AS OF 01-OCT-93: FTAM/ACSE/Presentation(Session), X.400-1984 MHS: P2/P1/RTS/(Session), Session, TP4, TP0, CLNP

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-OCT-93

Lab Code: 0392

Lab: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy

Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281
Fax: 39 6 5966-2467

Scope of Registration:
FTAM/ACSE/Presentation(Session), X.400-1984 MHS: P2/P1/RTS/(Session), Session, TP4, TP2/TP0, CLNP, CCITT X.25: PLP/HDLC LAP B

Type of Lab: Confrmnce

Registration Type: FULL

Registered Until: 01-OCT-94

5.4.2 REGISTER OF APPROVED US GOSIP MOT VALIDATION LABORATORIES

Lab Code: 0385

Lab: Dept of Defense, Joint Interoperability Test Center
ATTN: TCDBA, Building 57305
Ft. Huachuca, AZ 85613-7020

Contact: Kenneth Thomas
Tel: (602) 538-5170 Fax: (602) 538-4375
email: ThomasK@cc.ims.disa.mil

Type of Lab: MOT Calibration

Register Type: (Full or Provisional): Full

Expires: 01-MAR-96

Scope: FTAM/ACSE/Presentation (Session), Session, TP4, TP2, TP0, CLNP, 8802-28802-3. X.25 PLP/HDLC, LAP-B, MHS

Comments:

RNE Accrediation Number: 77.90/01

Laboratory Name: ACERLI
5 Voie Verte
92260 Fontenay-aux-Roses
France

Contact: J.P. Baconnet Tel: +33 1 46 38 35 08
Fax: +33 1 46 38 82 05

Type of Lab: MOT Calibration

Register type: Full

Expires: 01-MAR-96

Scope of Registration: FTAM, MMS, 8804-4

5.4.3 GOSIP Register Database: Conformance Tested Products

Product Code/Type: P-001 WAN Product ID: 174

Supplier: ALCATEL Data Networks, Inc.
12502 Sunrise Valley Drive
Reston, VA 22096
Contact: K. Trumble
Tel: (703) 689-6287 Fax:
Email:
GOSIP Product Name: TP4900/LPM Network Release 6
Version/Release: Release 6
Release Date: 08-JUN-93
Additional Info:
Registration:
Date: 19-JUL-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: 0156
HW: TP4900/LPM
OS: Network Release 6
Connectivity: V.35
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #3
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 175

Supplier: ALCATEL Data Networks, Inc.
12502 Sunrise Valley Drive
Reston, VA 22096

Contact: K. Trumble
Tel: (703) 689-6287 Fax:
Email:
GOSIP Product Name: TP4900/TCP/CF Network Release 6
Version/Release: Release 6
Release Date: 08-JUN-93
Additional Info:
Registration:
Date: 19-JUL-93 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms: 0157
HW: TP4900/TCP/CF
OS: Network Release 6
Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 173

Supplier: ALCATEL Data Networks, Inc.
12502 Sunrise Valley Drive
Reston, VA 22096
Contact: K. Trumble
Tel: (703) 689-6287 Fax:
Email:
GOSIP Product Name: TP8000 Network Release 6
Version/Release: Release 6
Release Date: 08-JUN-93
Additional Info:
Registration:
Date: 19-JUL-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: HW: TP8000
OS: Network Release 6
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 1

Supplier: AT & T Computer Systems
307 Middletown - Lincroft Road
Lincroft, NJ 07738

Contact: Reginald Lewis
Tel: (908) 898-6005 Fax: (908) 898-3717
GOSIP Product Name: A.T. & T. X.25 Network Interface Product
Version/Release: Release 2.0
Release Date: 01-JAN-91
Additional Info:

Registration:
Date: 09-APR-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
AT & T 6386 StarServer S (or StarServer E),
UNIX System V, Release 4.0;
GPSC-AT, or GPSC-AT/E Synchronous Card
Connectivity: RS-232C, V.35, X.21bis
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-001 WAN Product ID: 93

Supplier: Bull Information Systems Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Bill George
Tel: (602) 862-6008 Fax: (602) 862-6105

GOSIP Product Name: DATANET DCP 7500
Version/Release: DNS Ver 4 U1
Release Date: 01-JAN-92
Additional Info:

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: DCP 7500
O/S DNS Ver 4 Update 1
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-001 WAN Product ID: 91

Supplier: Bull Information Systems Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Bill George
Tel: (602) 862-6008 Fax: (602) 862-6105
GOSIP Product Name: DPX/2 B.O.S. (Stack B)
Version/Release: Ver B.O.S. 2
Release Date: 01-OCT-92
Additional Info:

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: DPX/2 200 with MTB board, O/S B.O.S. 2

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-001 WAN Product ID: 92

Supplier: Bull Information Systems Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Bill George
Tel: (602) 862-6008 Fax: (602) 862-6105
GOSIP Product Name: DPX/2 B.O.S. (Stack B)
Version/Release: Ver B.O.S. 2
Release Date: 01-OCT-92
Additional Info:

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: DPX/2 200 with ECP Board, O/S B.O.S. 2
Connectivity: RS-232C
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-001 WAN Product ID: 176

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: William Miskovetz
Tel: (415) 688-4682 Fax: (415) 688-4575

GOSIP Product Name: AGS+/3 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: HW: AGS+/3
OS: gs3-k 9.1(30)

Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 177

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: William Miskovetz
Tel: (415) 688-4682 Fax: (415) 688-4575

GOSIP Product Name: AGS+/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:
Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms: HW: AGS+/4
OS: gs3-k 9.1(30)
Connectivity: V.35

Underlying Stack: None
Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 178

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: William Miskovetz
Tel: (415) 688-4682 Fax: (415) 688-4575

GOSIP Product Name: CGS/3 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: HW: CGS/3
OS: gs3-k 9.1(30)

Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 179

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: William Miskovetz
Tel: (415) 688-4682 Fax: (415) 688-4575
GOSIP Product Name: CGS/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms: HW: CGS/4
OS: gs3-k 9.1(30)
Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 221

Supplier: Cisco Systems
1525 O'Brien Drive P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: William Miskovetz
Tel: (415) 688-4682 Fax: (415) 688-4575

GOSIP Product Name: CISCO 4000 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 14-MAR-94
Additional Info: None

Registration:
Date: 24-FEB-94 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: CISCO 4000
CISCO O/S 9.21

Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-1 & ATS:2-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 180

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: William Miskovetz
Tel: (415) 688-4682 Fax: (415) 688-4575

GOSIP Product Name: IGS/R X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms: HW: IGS/R
OS: igs-kr 9.1(30)
Connectivity: V.35
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 181

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435

Contact: William Miskovetz
Tel: (415) 688-4682 Fax: (415) 688-4575

GOSIP Product Name: MGS/3 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: HW: MGS/3
OS: gs3-k 9.1(30)
Connectivity; RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 182

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: William Miskovetz
Tel: (415) 688-4682 Fax: (415) 688-4575
GOSIP Product Name: MGS/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 02-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms: HW: MGS/4
OS: gs3-k 9.1(30)
Connectivity: RS-232C

Underlying Stack: None.

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-2 AND ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 31

Supplier: Control Data Corporation
4201 North Lexington Avenue
Arden Hills, MN 55126-6198

Contact: Ronald D Swan
Tel: (612) 482-6527 Fax: (612) 465-4996

GOSIP Product Name: CDCNET
Version/Release: Ver 1.6.1 L780A
Release Date: 01-MAR-92
Additional Info:

Registration:
Date: 30-JAN-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: CDCNET Device Interface

Connectivity: RS-232C, X.21

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0354
Control Data Corporation, OSI Accredited Test Center
4201 North Lexington Avenue
Arden Hills, MN 55126-6198

Product Code/Type: P-001 WAN Product ID: 40

Supplier: Data General Corporation
4400 Computer Drive, MS/D216
Westborough, MA 01580
Contact: Charles Stakus
Tel: (508) 870-6392 Fax: (508) 898-4694
GOSIP Product Name: X.25 for AViiON Systems
Version/Release: Rel 2.20
Release Date: 01-FEB-92
Additional Info:

Registration:
Date: 18-FEB-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: AViiON 5000/6000 Series
DG/UX System for AViiON Systems Rev. 5.4.1

Connectivity: RS-232C
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-001 WAN Product ID: 204

Supplier: Data General Corporation
4400 Computer Drive
Westboro, MA 01580

Contact: Peter Conway
Tel: (508) 898-5000 Fax: (508) 898-4212

GOSIP Product Name: X.25 for AViiON Systems
Version/Release: Version 2.40
Release Date: 01-OCT-93
Additional Info: Vendor claims support of 1988 X.25.
Registration:
Date: 29-NOV-93 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms:
HW: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000
OS: DG/UX System for AViiON Computers, Revision 5.4R2.10
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS 2-2 and ATS 2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 161

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289
Contact: Richard A Duhamel
Tel: (508) 486-5021 Fax: (508) 486-7417
GOSIP Product Name: DEC Wide Area Device Drivers for ULTRIX (Data Link Layer)
Version/Release: Ver 2.0
Release Date: 01-MAR-92
Additional Info: None
Registration:
Date: 19-MAR-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: MicroVAX/VAXstation 3000 Series
DEC ULTRIX Ver 4.2
Connectivity: X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance
Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Product Code/Type: P-001 WAN Product ID: 140

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289
Contact: Richard A Duhamel
Tel: (508) 486-5021 Fax: (508) 486-7417
GOSIP Product Name: DEC X.25 for ULTRIX
Version/Release: Ver 1.0
Release Date: 01-MAR-93
Additional Info: None

Registration:
Date: 19-MAR-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: MicroVAX/VAXstation 3000 Series
DEC ULTRIX Ver 4.2

Connectivity: X.25 LAP-B/X.21bis

Underlying Stack: DEC Wide Area Device Drivers for ULTRIX V 2.0 01-MAR-92

Protocols and Profiles: X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance
Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Product Code/Type: P-001 WAN Product ID: 100

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289
Contact: Richard A Duhamel
Tel: (508) 486-5021 Fax: (508) 486-7417
GOSIP Product Name: VAX Packetnet System Interface for DECnet-VAX (TM)
Version/Release: Ver 5.4 Extensions
Release Date: 01-SEP-91
Additional Info: None
Registration:
Date: 26-JAN-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
MicroVAX 3800 with DSV11-SA Card
VMS Ver 5.4
Connectivity: X.25 LAP-B/X.21bis

Underlying Stack: VAX Wide Area Network Device Drivers for DECnet- VAX(TM) Ver 5.4 Extensions
Protocols and Profiles: X.25 PLP [ISO 8208:1990] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance
Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Product Code/Type: P-001 WAN Product ID: 147

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289
Contact: Richard A Duhamel
Tel: (508) 486-5021 Fax: (508) 486-7417
GOSIP Product Name: VAX Wide Area Networks Device Driver for DECnet-VAX (TM) (Data Link Layer)
Version/Release: Ver 5.4 Extensions
Release Date: 01-SEP-91
Additional Info:

Registration:
Date: 26-JAN-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: 0112
MicroVAX 3800 with DSV11-SA Card
VMS Ver 5.4

Connectivity: X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance
Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Product Code/Type: P-001 WAN Product ID: 172

Supplier: Digital Equipment Corporation
Imperial Way
Reading, Berks RG20TE
United Kingdom
Contact: Ken Chamberlain
Tel: Fax:
GOSIP Product Name: DEC Network Integration Server Software (DECNIS)
Version/Release: Ver 2.1
Release Date: 30-APR-93
Additional Info:
Registration:
Date: 29-JUL-93 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms: DECNIS 500, DECNIS 600
OS: DECNIS V2.1 with embedded OS
Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-1 AND ATS:2-2
Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance
Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Product Code/Type: P-001 WAN Product ID: 208

Supplier: Eicon Technology Corporation
2196 - 32nd Avenue (Lachine)
Montreal, Quebec H8T 3H7
Canada
Contact: Guy Cote
Tel: (514) 631-2592 Fax: (514) 631-3092
GOSIP Product Name: OSI LAN Gateway #315-379-1 plus GOSIP Upgrade Diskette
Version/Release: Release V3R1
Release Date: 24-SEP-93
Additional Info: Product tested using V.24 to RS-232C adaptor box (not sold with product). Vendor claims software operates across entire line of Interface cards.
Registration:
Date: 17-DEC-93 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms:
HW: Eicon HSI/PC 1MB #310-052 Synchronous Comm Card/Dell 486 PC
OS: Embedded In product on Comm Card, DOS 5.0 running on PC
Connectivity: None
Underlying Stack: None
Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 and ATS:2-1
Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 47

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499
Contact: Augie Gonzales
Tel: (305) 587-2900 Fax: (305) 797-5807
GOSIP Product Name: Encore Infinity 90 Series GPIO I with EnComm X.25 and PAD
Version/Release: Rev 3.0
Release Date: 01-JUL-92
Additional Info:
Registration:
Date: 24-JUN-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
ENCORE Infinity 90 Series GPIO with VME Serial Synchronous Controller (VSSC) Model 8523-443 UMAX 3.0.7
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 222

Supplier: HEWLETT-PACKARD Company
5 Avenue Raymond Chanas-Eybens
38053 Grenoble Cedex 09
France
Contact: Jean-Franceis Coudeyre
Tel: +33.76.62.56.58 Fax:
GOSIP Product Name: X.25 Link for HP 9000 Series 800 (36960A)
Version/Release: X.25 F/W Rev. 8.27
Release Date: 01-NOV-93
Additional Info: Vendor claims that this product is capable of operating on all Classes of HP 9000 Series 800

Registration:
Date: 23-FEB-94 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: H/W: HP9000 Series 800
O/S: HP/UX 9.04
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-1 & ATS:2-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 18

Supplier: Harris Adacom Corporation
16001 Dallas Parkway
Dallas, TX 75248
Contact: Gregory Prynn
Tel: (214) 386-2000 Fax: (214) 386-2524
GOSIP Product Name: Challenger ES/174-10
Version/Release: Rel 2.1
Release Date: 07-OCT-91
Additional Info:

Registration:
Date: 30-OCT-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: Challenger ES/174-10 V 2.1

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 17

Supplier: Harris Adacom Corporation
16001 Dallas Parkway
Dallas, TX 75248
Contact: Gregory Prynn
Tel: (214) 386-2000 Fax: (214) 386-2524
GOSIP Product Name: Challenger ES/174-20
Version/Release: Rel 2.1
Release Date: 07-OCT-91
Additional Info:

Registration:
Date: 17-OCT-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: Challenger ES/174-20 Rel 2.1 DTE/DCE Environment

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 19

Supplier: Harris Adacom Corporation
16001 Dallas Parkway
Dallas, TX 75248
Contact: Gregory Prynn
Tel: (214) 386-2000 Fax: (214) 386-2524
GOSIP Product Name: Challenger ES/174-60
Version/Release: Rel 2.1
Release Date: 07-OCT-91
Additional Info:

Registration:
Date: 30-OCT-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: Challenger ES/174-60 V 2.1

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 45

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM 6611 Network Processor Model 140
Version/Release: Ver 1.0
Release Date: 26-JUN-92
Additional Info:

Registration:
Date: 25-MAR-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: IBM 6611 Network Processor Based on IBM AIX Ver 3.2 for RISC Sys/6000
IBM Multiprotocol Network Program
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None
Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 46

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM 6611 Network Processor Model 170
Version/Release: Ver 1.0
Release Date: 26-JUN-92
Additional Info:

Registration:
Date: 25-MAR-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: IBM 6611 Network Processor Based on IBM AIX Ver 3.2 for RISC Sys/6000
IBM Multiprotocol Network Program
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 16

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM AS/400 X.25 Communication Support Program
Version/Release: Ver 2 Rel 1
Release Date: 24-MAY-91
Additional Info:

Registration:
Date: 25-SEP-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: Processor IBM 9406
OS/400 Ver 2 Rel 1
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 15

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195

Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410

GOSIP Product Name: IBM AS/400 X.25 Communication Support Program
Version/Release: Ver 2 Rel 1
Release Date: 24-MAY-91
Additional Info:
Registration:
Date: 25-SEP-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: Processor IBM 9402, 9404
OS/400 Ver 2 Rel 1
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None
Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2
Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 5

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info:
Registration:
Date: 10-JUL-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: Communications Controllers IBM 3745
MVS/XA
Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Ver 3
Connectivity: V.24 or RS-232C, V.35, X.21bis
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 14

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info:
Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: Communications Controllers IBM 3720
VM/SP
Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3
Connectivity: V.24 or RS-232C, V.35, X.21bis
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2
Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 8

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info: None

Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: Communications Controllers IBM 3720
MVS/ESA
Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3
Connectivity: V.24 or RS-232C, V.35, X.21bis
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 10

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info: None

Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
Communications Controllers IBM 3720 VM/XA
Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None
Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2
Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 2

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info:
Registration:
Date: 10-JUL-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: Communications Controllers IBM 3745 MVS/SP
Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Ver 3

Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 9

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info:
Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
Communications Controllers IBM 3745 MVS/ESA
Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3

Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None
Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2
Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 7

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info:

Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: Communications
Controllers IBM 3745 VM/SP
Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3
Connectivity: 0002
V.24 or RS-232C, V.35, X.21bis
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 6

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195

Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product:
Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info:
Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
Communications Controllers IBM 3745 VM/XA
Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3
Connectivity: V.24 or RS-232C, V.35, X.21bis
Underlying Stack: None
Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2
Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 11

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product:
Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info: None

Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: Communications
Controllers IBM 3720 MVS/XA
Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3
Connectivity: V.24 or RS-232C, V.35, X.21bis
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 12

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709-2195
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM X.25 NCP Packet Switching Interface
Version/Release: Ver 3 Rel 4
Release Date: 28-JUN-91
Additional Info:
Registration:
Date: 10-JUL-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: Communications Controllers IBM 3720
MVS/SP
Network Control Program (NCP) V5R4
System Support Program (SSP) V3R6
Virtual Telecommunications Access Method (VTAM) Version 3
Connectivity: V.24 or RS-232C, V.35, X.21bis
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2
Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 183

Supplier: International Business Machines Corporation
3605 Highway 52 North
Rochester, MN 55901-7829

Contact: Glenn Van Benschoten
Tel: (507)253-5723 Fax:

GOSIP Product Name: AS/400 X.25 Communication Support
Version/Release: Version 2 Release 3
Release Date: 05-NOV-93
Additional Info:

Registration:
Date: 03-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: HW: IBM 9402, 9404, 9406
OS: OS/400 Version 2 Release 3
Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {ISO 8208}
X.25 LAP-B [ISO 7776:1986] {ISO 7776}
ATS Used: ATS:2-2 and ATS:2-1

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 43

Supplier: International Business Machines Corporation
11400 Burnet Road
Austin, TX 78758-3493
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM AIX FOR RISC SYSTEM/6000, X.25 WAN SPT, FOR IBM 7015, All Models
Version/Release: Ver 3.2
Release Date: 28-FEB-92
Additional Info:

Registration:
Date: 25-MAR-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: RISC System/6000 Products Operating System IBM AIX Version 3.2 For RISC System/6000
Connectivity: V.24 or RS-232C, V.35, X.21bis
Underlying Stack: None

Protocols and Profiles:
X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2
Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 41

Supplier: International Business Machines Corporation
11400 Burnet Road
Austin, TX 78758-3493
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM AIX for RISC System/6000, X.25 WAN Spt, for IBM 7012, All Models
Version/Release: Ver 3.2
Release Date: 28-FEB-92
Additional Info:

Registration:
Date: 25-MAR-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: RISC System/6000 Products Operating System IBM AIX Version 3.2 For RISC System/6000
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 44

Supplier: International Business Machines Corporation
11400 Burnet Road
Austin, TX 78758-3493
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM AIX for RISC System/6000, X.25 WAN Spt, for IBM 7016, All Models
Version/Release: Ver 3.2
Release Date: 28-FEB-92
Additional Info:

Registration:
Date: 25-MAR-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: RISC System/6000 Products
Operating System IBM AIX Version 3.2 For RISC System/6000
Connectivity: V.24 or RS-232C, V.35, X.21bis
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2
Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 39

Supplier: International Business Machines Corporation
11400 Burnet Road
Austin, TX 78758-3493
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM AIX for RISC System/6000, X.25 WAN Support, IBM 7011, All Models
Version/Release: Ver 3.2
Release Date: 28-FEB-92
Additional Info:

Registration:
Date: 25-MAR-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: RISC System/6000 Products
Operating System IBM AIX Version 3.2 For RISC System/6000
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 42

Supplier: International Business Machines Corporation
11400 Burnet Road
Austin, TX 78758-3493
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM AIX for RISC System/6000, X.25 WAN Support, for IBM 7013, All Models
Version/Release: Ver 3.2
Release Date: 28-FEB-92
Additional Info:
Registration:
Date: 25-MAR-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: RISC System/6000 Products Operating System IBM AIX Version 3.2 For RISC System/6000
Connectivity: V.24 or RS-232C, V.35, X.21bis

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 102

Supplier: International Business Machines Corporation
3605 Highway 52 North
Rochester, MN 55901-7829

Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410

GOSIP Product Name: IBM AS/400 X.25
Version/Release: Ver 2 Rel 2
Release Date: 25-SEP-92
Additional Info:

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: AS/400 Model IBM 9404 OS/400 Ver 2 Rel 2
Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 1219
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 103

Supplier: International Business Machines Corporation
3605 Highway 52 North
Rochester, MN 55901-7829
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM AS/400 X.25 Communication Support
Version/Release: Ver 2 Rel 2
Release Date: 26-JUN-92
Additional Info:
Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: AS/400 Model IBM 9402, 9406
OS/400 Ver 2 Rel 2

Connectivity: RS-232C, V.35

Underlying Stack: None
Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 125

Supplier: International Business Machines Corporation
3605 Highway 52 North
Rochester, MN 55901-7829
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: IBM AS/400 X.25 Communications Support
Version/Release: Ver 2, Rel 1.1
Release Date: 26-JUN-92
Additional Info:

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: IBM AS/400 Models 9402, 9404, 9406
OS/400 Ver 2 Rel 1.1
Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corporation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 104

Supplier: International Business Machines Corporation
3605 Highway 52 North
Rochester, MN 55901-7829
Contact: John P Streck
Tel: (919) 254-4360 Fax: (919) 254-5410
GOSIP Product Name: X.25 Network Control Program Packet Switching Interface
Version/Release: Ver 3 Rel 5
Release Date: 25-SEP-92
Additional Info:
Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: IBM 3745 Communication Controller
Network Control Program Ver 6
Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 162

Supplier: International Business Machines Corporation
P.O. Box 12195
Research Triangle Park, NC 27709
Contact: Miriam Green
Tel: (919) 254-6323 Fax:
GOSIP Product Name: X.25 Network Control Program Packet Switching Interface
Version/Release: Version 3 Release 6
Release Date: 30-APR-93
Additional Info:
Registration:
Date: 28-MAY-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: IBM 3745
Network Control Program Ver 6 Rel 2

Connectivity: V.24 or RS-232C (X.21bis), V.35
X.21 switched and non-switched
ISDN via X.21 (IBM 7820 Terminal Adaptor)
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {ISO 8208}
X.25 LAP-B [ISO 7776:1986] {ISO 7776}
ATS Used: ATS:2-1 and ATS:2-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 22

Supplier: MEMOREX TELEX Corporation - Federal Systems
205 Van Buren Steet, Suite #180
Herndon, VA 22070
Contact: Kevin Good
Tel: (703) 318-5600 Fax: (703) 318-7575
GOSIP Product Name: 1174-10R
Version/Release: Ver B1.3
Release Date: 17-OCT-91
Additional Info:

Registration:
Date: 30-OCT-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: 1174-10R Ver B1.3

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 20

Supplier: MEMOREX TELEX Corporation - Federal Systems
205 Van Buren Steet, Suite #180
Herndon, VA 22070
Contact: Kevin Good
Tel: (703) 318-5600 Fax: (703) 318-7575
GOSIP Product Name: 1174-60R
Version/Release: Ver B1.3
Release Date: 17-OCT-91
Additional Info:

Registration:
Date: 30-OCT-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: 1174-60R Ver B1.3

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 21

Supplier: MEMOREX TELEX Corporation - Federal Systems
205 Van Buren Steet, Suite #180
Herndon, VA 22070
Contact: Kevin Good
Tel: (703) 318-5600 Fax: (703) 318-7575
GOSIP Product Name: 1174-90R
Version/Release: Ver B1.3
Release Date: 17-OCT-91
Additional Info:

Registration:
Date: 30-OCT-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: 1174-90R Ver B1.3

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 29

Supplier: McData Corporation
310 Interlocken Parkway
Broomfield, CO 80021-3464

Contact: Steve Cartwright
Tel: (303) 460-9200 Fax:

GOSIP Product Name: LinkMaster 7100 Model 10
Version/Release: Rel 3.0
Release Date: 11-NOV-91
Additional Info:

Registration:
Date: 29-JAN-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: LinkMaster 7100 Model 10
Connectivity: RS-232C, V.35, X.21

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 27

Supplier: McData Corporation
310 Interlocken Parkway
Broomfield, CO 80021-3464
Contact: Steve Cartwright
Tel: (303) 460-9200 Fax:
GOSIP Product Name: LinkMaster 7100 Model 20R
Version/Release: Rel 3.0
Release Date: 11-NOV-91
Additional Info:

Registration:
Date: 17-DEC-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: LinkMaster 7100 Model 20R
Connectivity: RS-232C, V.35, X.21

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 30

Supplier: McData Corporation
310 Interlocken Parkway
Broomfield, CO 80021-3464
Contact: Steve Cartwright
Tel: (303) 460-9200 Fax:

GOSIP Product Name: LinkMaster 7100 Model 60
Version/Release: Rel 3.0
Release Date: 11-NOV-91
Additional Info:

Registration:
Date: 29-JAN-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: LinkMaster 7100 Model 60

Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 28

Supplier: McData Corporation
310 Interlocken Parkway
Broomfield, CO 80021-3464
Contact: Steve Cartwright
Tel: (303) 460-9200 Fax:

GOSIP Product Name: LinkMaster 7100 Model 90
Version/Release: Rel 3.0
Release Date: 11-NOV-91
Additional Info:

Registration:
Date: 29-JAN-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: LinkMaster 7100 Model 90
Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 189

Supplier: NCR
9900 Old Grove Road
San Diego, CA 92131
Contact: Wendy Morrison
Tel: (619) 693-5665 Fax: (619) 693-5705
GOSIP Product Name: NCR MUOE HDLC
Version/Release: Release 1.04
Release Date: 01-AUG-92
Additional Info: Requires NCR System 3000, X.25 Network Services product for full X.25 capability.

Registration:
Date: 09-SEP-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
HW: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600
OS: NCR UNIX SVR4, (MP-RAS), Rel 2
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 LAP-B [ISO 7776:1986] {ISO 7776}

ATS Used: ATS:1-1

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-001 WAN Product ID: 62

Supplier: NCR
9900 Old Grove Road
San Diego, CA 92131
Contact: Wendy Morrison
Tel: (619) 693-5665 Fax: (619) 693-5705
GOSIP Product Name: NCR System 3000, X.25 Network Services
Version/Release: Release 1.04
Release Date: 01-AUG-92
Additional Info: Packet Layer Protocol Only.
Registration:
Date: 09-SEP-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
HW: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600
OS: NCR UNIX SVR4, (MP-RAS), Rel 2

Connectivity: X.25 LAP-B/RS-232C

Underlying Stack: NCR MUOE HDLC, Release 1.04

Protocols and Profiles: X.25 PLP [ISO 8208:1990] {ISO 8208}
ATS Used: ATS:1-2

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-001 WAN Product ID: 216

Supplier: NCR
2700 Snelling Avenue North
Roseville, MN 55113-1784
Contact: David Loomis
Tel: 612-638-7663 Fax:
GOSIP Product Name: X.25
Version/Release: Version 2 Release 2
Release Date: 01-DEC-93
Additional Info:

Registration:
Date: 20-JAN-94 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms:
HW: 5600 Communications Processor Family (5630, 5645, 5655, 5665, 5675) OS: COS2/56, CB1 R2E

Connectivity: RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-1 and ATS:2-2

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 70
Fairfax, VA 22031

Product Code/Type: P-001 WAN Product ID: 64

Supplier: NETRIX Corporation
13595 Dulles Technology Drive
Herndon, VA 22071
Contact: Ted Ritter
Tel: (703) 742-6000 Fax: (703) 742-4048
GOSIP Product Name: NETRIX #1-ISS GOSIP X.25, GOSIP X.25 INTERFACE MODULE
Version/Release: Ver 1.0 Rel 1
Release Date: 01-SEP-92
Additional Info:
Registration:
Date: 06-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: Netrix #1-ISS Series 1.0, Netrix Operating System Rel 2.7

Connectivity: RS-232C
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 143

Supplier: NETRIX Corporation
13595 Dulles Technology Drive
Herndon, VA 22071
Contact: Ted Ritter
Tel: (703) 742-6000 Fax: (703) 742-4048
GOSIP Product Name: NETRIX #1-ISS GOSIP X.25, GOSIP X.25 INTERFACE MODULE
Version/Release: Ver 1.0 Rel 1
Release Date: 01-SEP-92
Additional Info:

Registration:
Date: 31-MAR-93 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: Netrix #1-ISS Series 1000
Netrix OS Rel 1.1
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 165

Supplier: NETRIX Corporation
13595 Dulles Technology Drive
Herndon, VA 22071
Contact: Ted Ritter
Tel: (703) 742-6000 Fax: (703) 742-4048
GOSIP Product Name: Netrix BRX GOSIP X.25 Interface Module 1.0
Version/Release: Version 1.0
Release Date: 01-JUN-93
Additional Info:

Registration:
Date: 24-JUN-93 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms: H/W BRX Branch Router/Concentrator O/S BRX O/S Rel 3.3
Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 and ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 164

Supplier: NETRIX Corporation
13595 Dulles Technology Drive
Herndon, VA 22071
Contact: Ted Ritter
Tel: (703) 742-6000 Fax: (703) 742-4048
GOSIP Product Name: Netrix S100 GOSIP X.25 Interface Module 1.0
Version/Release: Version 1.0
Release Date: 01-JUN-93
Additional Info:

Registration:
Date: 24-JUN-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: HW: Netrix Series 100
OS: S100 O/S Rel 2.1
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-2 and ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 168

Supplier: Northern Telecom ATTN: NORTEL Federal Systems
2010 Corporate Ridge, Suite 800
McLean, VA 22102
Contact: Torre Albritton
Tel: (703) 712-8764 Fax: (703) 712-8982

GOSIP Product Name: Magellan DPN-100
Version/Release: G30S002
Release Date: 01-JAN-93
Additional Info:

Registration:
Date: 08-JUL-93 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms: HW: Magellan DPN-100
OS: Magellan DPN-100 G30
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {ISO 8208}
X.25 LAP-B [ISO 7776:1986] {ISO 7776}
ATS Used: ATS:2-2 and ATS:2-1

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-001 WAN Product ID: 152

Supplier: SUN MicroSystems, Inc. International Centre for Network Computing
32 Rue du Vieux Chene
F-38240 Meylan France
Contact: Tom Hull
Tel: +33 76 41 42 18 Fax: +33 76 41 42 41
GOSIP Product Name: SUNLink X.25 8.0 Rev B
Version/Release: 8.0 Rev B
Release Date: 01-JUN-93
Additional Info:

Registration:
Date: 06-MAY-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: HW: SPARCstation 10 Model 41
OS: Solaris 2.1
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-1 and ATS:2-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 65

Supplier: SUN MicroSystems, Inc. International Centre for Network Computing
32 Rue du Vieux Chene
F-38240 Meylan France
Contact: Tom Hull
Tel: +33 76 41 42 18 Fax: +33 76 41 42 41
GOSIP Product Name: SUNNet X.25
Version/Release: Ver 7.0.1 Rel 1
Release Date: 01-OCT-92
Additional Info:

Registration:
Date: 07-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: SUN 4/75
SUNNet O/S 4.1.2 (Solaris 1.0.1)
Connectivity: RS-232C
Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 151

Supplier: Sync Research, Incorporated
7 Studebaker
Irvine, CA 92718

Contact: Sal Mungo
Tel: (714) 588-2070 Fax: (714) 588-2080

GOSIP Product Name: Network Access Concentrator (NAC) 4000
Version/Release: Ver 8.150
Release Date: 31-MAY-93
Additional Info:

Registration:
Date: 29-APR-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms:
Network Access Concentrator (NAC) 4000 Proprietary
Connectivity: V.24, RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-1 and ATS:2-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 153

Supplier: Sync Research, Incorporated
7 Studebaker
Irvine, CA 92718
Contact: Sal Mungo
Tel: (714) 588-2070 Fax: (714) 588-2080
GOSIP Product Name: SNA Network Access Converter (SNAC) 6000
Version/Release: Ver 10.010
Release Date: 30-SEP-93
Additional Info:
Registration:
Date: 06-MAY-93 Basis: DERIVED
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms:
Network Access Concentrator (NAC) 4000 SNAC 6000 Proprietary
Connectivity: V.24, RS-232C, V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-1 and ATS:2-2

Conformance Lab: NVLAP# 0361
IBM Corportation - Networking Systems Protocol Center
200 Silicon Drive, P.O. Box 12195
Research Triangle Park, NC 27709-2195

Product Code/Type: P-001 WAN Product ID: 185

Supplier: Telematics International
1201 Cypress Creek Road
Fort Lauderdale, FL 33309
Contact: Terry Rihel
Tel: (818) 880-4900 Fax: (818) 880-4726
GOSIP Product Name: ACP50 X25 Version 10.04
Version/Release: Version 10.04
Release Date: 30-JUL-93
Additional Info:

Registration:
Date: 05-AUG-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms: HW: ACP50
OS: N/A

Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-1 and ATS:2-2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 131

Supplier: UNISYS Corporation
8008 West Park Drive
McLean, VA 22102
Contact: Dale Pluta
Tel: (703) 556-5682 Fax: (703) 556-5172

GOSIP Product Name: CP2000 X.25 Protocol
Version/Release: Ver 30.00.192
Release Date: 30-SEP-92
Additional Info:

Registration:
Date: 01-FEB-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
CP2000 with LMH Card, O/S CP2000 Operating Software V 3.0
Connectivity: RS-232C

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-001 WAN Product ID: 69

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz
Tel: (703) 556-5665 Fax: (703) 556-5172

GOSIP Product Name: X.25 PSCS
Version/Release: 51RA & PCRs UP TO 1929 INCLUSIVE
Release Date: 01-OCT-92
Additional Info:

Registration:
Date: 19-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: DCP-15, DCP/OS 5R2A, TELCON 9R1A
Connectivity: RS-232C, V.35

Underlying Stack: None.

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-001 WAN Product ID: 201

Supplier: Wellfleet Communications, Inc.
8 Federal Street
Billerica, MA 01821
Contact: Kathy Huber
Tel: (508) 436-3791 Fax: (508) 670-5747
GOSIP Product Name: Access Feeder Node (AFN) S/W Version 5.81
Version/Release: Version 5.81
Release Date: 24-SEP-93
Additional Info: The AFN System is a stand alone self-contained router.
Registration:
Date: 13-OCT-93 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms:
H/W: Access Feeder Node (AFN)
O/S: Embedded in Registered Product
Connectivity: V.35

Underlying Stack: None
Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 and ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-001 WAN Product ID: 200

Supplier: Wellfleet Communications, Inc.
8 Federal Street
Billerica, MA 01821
Contact: Kathy Huber
Tel: (508) 436-3791 Fax: (508) 670-5747
GOSIP Product Name: Link Node (LN) S/W Version 5.81
Version/Release: Version 5.81
Release Date: 24-SEP-93
Additional Info: The LN System is a stand-alone self contained router.
Registration:
Date: 13-OCT-93 Basis: BASE
Type: FULL, GOSIP Version 2

Hardware/Operating System Platforms:
H/W: Link Node (LN) w/ ACE 20 Processor & Dual Sync Dual Ethernet(DSDE) I/O Card
O/S: Embedded in GOSIP product
Connectivity: V.35

Underlying Stack: None

Protocols and Profiles: X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990] {CCITT 1984}
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}
ATS Used: ATS:2-2 and ATS:2-1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-002 LAN Product ID: 37

Supplier: 3Com Corporation
5600 Bayfront Plaza, PO Box 58145
Santa Clara, CA 95052-8145
Contact: Howard Chan
Tel: (408) 764-5827 Fax:

GOSIP Product Name: Etherlink 16, 3C507
Version/Release: Rev A
Release Date: 01-AUG-90
Additional Info:

Registration:
Date: 14-FEB-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: PC AT 80386, MS DOS 3.3

Connectivity: PLS{802.3}/10Base5

Underlying Stack: Information not available

Protocols and Profiles: MAC [ISO 8802-3:1989]

ATS Used: ATS:1-3

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-002 LAN Product ID: 3

Supplier: Bull Information Systems Incorporated
Technology Park
Billerica, MA 01821-4199
Contact: Kenneth B Finkenauer
Tel: (508) 294-2909 Fax:
GOSIP Product Name: Local Area Controller Subsystem (LACS)
Version/Release:
Release Date:
Additional Info:

Registration:
Date: 01-APR-91 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: DPS6000/HVS6 Release 2

Connectivity: 10Base5

Underlying Stack: None

Protocols and Profiles: LLC1{802.2}/MAC & PLS{802.3}
LLC1 [ISO 8802-2:1989]
MAC [ISO 8802-3:1989]
PLS [ISO 8802-3:1989]

ATS Used: ATS:1-3 and ATS:1-6

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-002 LAN Product ID: 79

Supplier: Control Data Corporation
4201 North Lexington Avenue
Arden Hills, MN 55126-6198
Contact: Ronald D Swan
Tel: (612) 482-6257 Fax: (612) 482-3616
GOSIP Product Name: CDCNET Ethernet Serial Channel Interface
Version/Release: LLC/MAC 1.7.1, PLS 1.6.1
Release Date: 01-OCT-92
Additional Info:
Registration:
Date: 15-OCT-92 Basis: BASE
Type: PROV, GOSIP Version 1
Hardware/Operating System Platforms:
Device Interface Model #GH120B, Equipment B,
Product #2608-6 (Stand-alone Machine) O/S None
Connectivity: 10Base5

Underlying Stack: None

Protocols and Profiles: LLC1{802.2}/MAC & PLS{802.3}
LLC1 [ISO 8802-2:1989]
MAC [ISO 8802-3:1989]
PLS [ISO 8802-3:1989]
ATS Used: ATS:1-3 and ATS:1-6

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-003 ES-IS Product ID: 206

Supplier: 3Com Corporation
5400 Bayfront Plaza
Santa Clara, CA 95052-8145
Contact: Mike Ratzlaff
Tel: (408) 764-6000 Fax: (408) 764-5002
GOSIP Product Name: NETBuilder II Extended WAN
3C6242A-GOSIP
Version/Release: Version 6.2
Release Date: 07-SEP-93
Additional Info:

Registration:
Date: 15-DEC-93 Basis: BASE
Type: PROV, GOSIP Version 2
Hardware/Operating System Platforms:
HW:NETBuilder II with 2 Ethernet Modules OS:SW/NB
II-XW Version 6.2
Connectivity: Port 1: LLCI{802.2}/MAC{802.3}/10BaseT
Port 2: LLC1{802.2}/MAC{802.3}/10BaseT

Underlying Stack: Embedded in product using the NETBuilder II
Ethernet Module
Protocols and Profiles:
CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO
9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 167

Supplier: 3Com Corporation
5400 Bayfront Plaza
Santa Clara, CA 95052-8145
Contact: Mike Ratzlaff
Tel: (408) 764-6000 Fax: (408) 764-5002
GOSIP Product Name: NETBuilder II Extended WAN
3C6242A-GOSIP
Version/Release: Version 6.1.5
Release Date: 04-JUN-93
Additional Info:
Registration:
Date: 23-JUN-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms:
NETBuilder II (4 or 8 port chassis) with 2 Ethernet Modules
SW/NB II-WX, V6.1.5
Connectivity: Port1: LLC1{802.2}/MAC{802.3}/10Base2
PORT2: LLC1{802.2}/MAC{802.3}/10Base5
Underlying Stack: NETBuilder II Ethernet Module (Embedded in Product)
Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0371
Alcatel TITN Test Center
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Product Code/Type: P-003 ES-IS Product ID: 192

Supplier: Cabletron Systems, Inc.
35 Industrial Way, P.O. Box 5005
Rochester, NH 03867-5005
Contact: Ronald Fotino
Tel: (603) 337-1769 Fax: (603) 337-1697
GOSIP Product Name: CRM-L
Version/Release: Version 9.1 (3.5)
Release Date: 01-MAR-93
Additional Info: The product is a stand-alone system with the O/S and I/O functions embedded in the product.

Registration:
Date: 24-SEP-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: (1) HW: CRM-L
(1) OS: CRM-L Version 9.1 (3.5)
(2) HW: Cisco IGS Router
(2) OS: CRM-L Version 9.1 (3.5)
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10Base5
Port 2: LLC1{802.2}/MAC{802.3}/10Base5
Underlying Stack: Embedded In Product

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0371
Alcatel TITN Test Center
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Product Code/Type: P-003 ES-IS Product ID: 197

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: Alex Tweedley
Tel: (415) 688-8114 Fax: (415) 688-4575

GOSIP Product Name: AGS+/3 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:
Registration:
Date: 15-OCT-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: HW: AGS+/3
OS: gs3-k 9.1(30)
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35
Underlying Stack: WAN: AGS+/3 X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 196

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: Alex Tweedley
Tel: (415) 688-8114 Fax: (415) 688-4575
GOSIP Product Name: AGS+/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 15-OCT-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: HW: AGS+/4
OS: gs3-k 9.1(30)
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: WAN: AGS+/4 X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 127

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: Alex Tweedley
Tel: (415) 688-8114 Fax: (415) 688-4575
GOSIP Product Name: CGS/3 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:
Registration:
Date: 15-OCT-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: HW: CGS/3
OS: gs3-k 9.1(30)

Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35
Underlying Stack: WAN: CGS/3 X.25 Version 2.0. LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 198

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: Alex Tweedley
Tel: (415) 688-8114 Fax: (415) 688-4575
GOSIP Product Name: CGS/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 15-OCT-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: HW: CGS/4
OS: gs3-k 9.1(30)

Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: WAN: CGS/4 X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 199

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: Alex Tweedley
Tel: (415) 688-8114 Fax: (415) 688-4575
GOSIP Product Name: IGS/R X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 15-OCT-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: HW: IGS/R
OS: igs-kr 9.1(30)
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: WAN: IGS/R X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)
Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 105

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: Alex Tweedley
Tel: (415) 688-8114 Fax: (415) 688-4575
GOSIP Product Name: MGS/3 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info:

Registration:
Date: 15-OCT-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: HW: MGS/3
OS: gs3-k 9.1(30)
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/RS-232C

Underlying Stack: WAN: MGS/3 X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 190

Supplier: Cisco Systems
1525 O'Brien Drive, P.O. Box 3075
Menlo Park, CA 94026-1435
Contact: Alex Tweedley
Tel: (415) 688-8114 Fax: (415) 688-4575
GOSIP Product Name: MGS/4 X.25 Version 2.0
Version/Release: Version 2.0
Release Date: 13-JUL-93
Additional Info: The MGS/4 runs link and packet X.25 plus CLNP on the same board/CPU with the OS.
Registration:
Date: 17-SEP-93 Basis: BASE
Type: PROV, GOSIP Version 2
Hardware/Operating System Platforms: HW: MGS/4
OS: gs3-k 9.1(30)
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/RS-232C

Underlying Stack: WAN: MGS/4 X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 148

Supplier: Cisco Systems, Incorporated
1525 O'Brien Drive
Menlo Park, CA 94025
Contact: Ms Susan Scheer
Tel: (415) 688-8131 Fax: (415) 688-7666
GOSIP Product Name: Cisco Systems Router
Version/Release: Ver 9 Rel 1
Release Date: 01-NOV-92
Additional Info:

Registration:
Date: 20-APR-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms:
MGS, CGS, AGS+, IGS, cisco3000, cisco4000, cisco7000 Cisco Systems Router (Stand-alone System)
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10Base5
Port 2: LLC1{802.2}/MAC{802.3}/10Base5
Underlying Stack: Embedded In Cisco Router Product Using CSC-2E2T Interface Hardware

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0371
Alcatel TITN Test Center
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Product Code/Type: P-003 ES-IS Product ID: 218

Supplier: Data General Corporation
4400 Computer Drive
Westboro, MA 01580
Contact: Peter Conway
Tel: (508) 898-7176 Fax: (508) 898-4212
GOSIP Product Name: OSI/Platform for AViiON Systems
Version/Release: Version 3.30
Release Date: 01-OCT-93
Additional Info: Model AV8500 tested. Vendor claims support for other H/W models listed.
Registration:
Date: 04-FEB-94 Basis: BASE
Type: PROV, GOSIP Version 2
Hardware/Operating System Platforms:
HW: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000
OS: DG/UX System for AViiON Computers, Revision 5.4R2.10
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: LLC1{802.2}/MAC{802.3}/10BaseT
Underlying Stack: LLC and MAC contained in DG/UX 5.4R2.10, embedded in product.
Protocols and Profiles: CLNP{IS} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 184

Supplier: Digital Equipment Corporation
Imperial Way
Reading, Berks RG20TE United Kingdom
Contact: Ken Chamberlain
Tel: Fax:
GOSIP Product Name: DEC Network Integration Server Software (DECNIS)
Version/Release: Version 2.1
Release Date: 30-APR-93
Additional Info:
Registration:
Date: 05-AUG-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: HW: DECNIS 500, DECNIS 600 OS: DECNIS V.21 with embedded OS
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10Base5
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: LAN: DEC Network Integration Server S/W, DNSAE-AA, BNEA4D-02, and H4005. WAN: DEC Network Integration Server S/W and DNSAB-AA
Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1
Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Product Code/Type: P-003 ES-IS Product ID: 210

Supplier: Proteon, Inc.
9 Technology Drive
Westborough, MA 01581-1799
Contact: Bob Reason
Tel: (508) 898-2800 Fax: (508) 366-8901
GOSIP Product Name: CNX500 OSI-ISO CLNP/ESIS/ISIS
Version/Release: Version 13.0C
Release Date: 01-NOV-93
Additional Info: Currently, IS-IS is not within the scope of the GOSIP program; therefore, the IS-IS portion of this product cannot claim GOSIP compliance.
Registration:
Date: 28-DEC-93 Basis: BASE
Type: PROV, GOSIP Version 2
Hardware/Operating System Platforms:
HW: CNX500, CNX400, CNX600, DNX300
OS: Embedded in product
Connectivity: Port 1: LLCl{802.2}/MAC{802.3}/10BaseT
Port 2: LLC1{802.2}/MAC{802.3}/10BaseT
Underlying Stack: Embedded in product.

Protocols and Profiles:
CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 70

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz
Tel: (703) 556-5665 Fax: (703) 556-5172
GOSIP Product Name: DCP OSITS
Version/Release: 2R1A + 192-194,197,199,202,203,205,207
Release Date: 08-APR-92
Additional Info:

Registration:
Date: 16-OCT-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
DCP-15 through DCP-55 Front End Processors
DCP/OS Ver 5R2A and TELCON Ver 9R1A

Connectivity: Port 1: LLC1{802.2}/MAC{802.3}
Port 2: X.25 PLP/X.25 LAP-B
Underlying Stack: LAN Platform 2R2A, DCP 802.3 Lan Line Module, Feature #F5137-00. WAN: PSCS (Ver 51RA & PCRs), DCP-15.
Protocols and Profiles: CLNP{IS} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7.1

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-003 ES-IS Product ID: 202

Supplier: Wellfleet Communications, Inc.
8 Federal Street
Billerica, MA 01821
Contact: Kathy Huber
Tel: (508) 436-3791 Fax: (508) 670-5747
GOSIP Product Name: Access Feeder Node (AFN) S/W Ver 5.81
Version/Release: Version 5.81
Release Date: 24-SEP-93
Additional Info: The AFN is a sealed-standalone router with the CLNP, OS, and underlying stack contained within the product.
Registration:
Date: 04-NOV-93 Basis: BASE
Type: PROV, GOSIP Version 2
Hardware/Operating System Platforms: H/W: Access Feeder Node (AFN)
O/S: Embedded in Registered Product
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35
Underlying Stack: WAN: Embedded in Product (Access Feeder Node (AFN) S/W Version 5.81) LAN=> S/W: Embedded in Product; I/O Module: Lance AMD(MAC)
Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 203

Supplier: Wellfleet Communications, Inc.
8 Federal Street
Billerica, MA 01821
Contact: Kathy Huber
Tel: (508) 436-3791 Fax: (508) 670-5747
GOSIP Product Name: Link Node (LN) S/W Version 5.81
Version/Release: Version 5.81
Release Date: 24-SEP-93
Additional Info: The LN is a standalone router with the CLNP, OS, and underlying stack contained within the product.
Registration:
Date: 04-NOV-93 Basis: BASE
Type: PROV, GOSIP Version 2
Hardware/Operating System Platforms: H/W: Link Node (LN) w/ ACE 20 Processor
O/S: Embedded in Registered Product
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10BaseT
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: LAN=> SW: Embedded In Product; I/O Module: DSDE (Dual Sync Dual Ethernet) WAN=> Embedded in the Product (Link Node (LN) S/W Version 5.81)

Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-003 ES-IS Product ID: 186

Supplier: Wellfleet Communications, Inc.
8 Federal Street
Billerica, MA 01821
Contact: Dan Mulvey
Tel: (703) 739-6710 Fax: (703) 739-1394
GOSIP Product Name: Wellfleet Communications Router
Version/Release: Version 5.81
Release Date: 24-SEP-93
Additional Info:
Registration:
Date: 24-AUG-93 Basis: BASE
Type: PROV, GOSIP Version 2
Hardware/Operating System Platforms:
HW: Concentrator Node (CN) w/ACE020 proc;
HW: Concentrator Node (CN) w/ACE030 proc;
HW: Link Node (LN) w/ ACE020 processor;
HW: Link Node (LN) w/ ACE030 processor;
HW: Feeder Node (FN) w/ ACE020 processor;
OS: Embedded in product
Connectivity: Port 1: LLC1{802.2}/MAC{802.3}/10Base5
Port 2: LLC1{802.2}/MAC{802.3}/10Base5
Underlying Stack: SW: Embedded in Product; I/O Modules: DE (Dual Port Ethernet), DSDE (Dual Ethernet/Dual Port Sync), and/or QENET (Quad Port Ethernet)
Protocols and Profiles: CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}
ATS Used: ATS:2-7.1
Conformance Lab: NVLAP# 0371
Alcatel TITN Test Center
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 219

Supplier: Bull Information Systems Incorporated
Technology Park
Billerica, MA 01821-4199
Contact: Kenneth B Finkenauer
Tel: (508) 294-2909 Fax:
GOSIP Product Name: GCOS6/HVS
Version/Release: Release 2.0 Update 3
Release Date: 23-MAR-92
Additional Info:
Registration:
Date: 04-FEB-94 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
H/W: DPS6000 w/LACS Controller
O/S: HVS6 Release 2 Update 3
Connectivity: LLC1{802.2}/MAC{802.3}/LACS Controller
Underlying Stack: IOS 8802.2/8802.3 on Bull HN LACS Controller for HVS6 Systems
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-9 and ATS:1-7

Conformance Lab: NVLAP# 0355
Bull HN Conformance Test Center
13430 N Black Canyon Hwy, P.O. Box 8000
Phoenix, AZ 85029

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 98

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Oscar V Hefner
Tel: (602) 862-6001 Fax: (602) 862-6051
GOSIP Product Name: DATANET DCP 7500
Version/Release: DNS Ver 4 Update 1
Release Date: 01-JAN-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: DCP 7500
O/S DNS Ver 4 Update 1
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: Datanet DCP 7500 ISO 8802-2/3 (LAN)

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 169

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Oscar V Hefner
Tel: (602) 862-6001 Fax: (602) 862-6051
GOSIP Product Name: DATANET DCP 7500
Version/Release: DNS Ver 4 Update 1
Release Date: 01-JAN-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: DCP 7500
O/S DNS Ver 4 Update 1
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Datanet DCP 7500 X.25 Packet Layer; Datanet DCP 7500 X.25 Frame Layer.

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 99

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Oscar V Hefner
Tel: (602) 862-6001 Fax: (602) 862-6051

GOSIP Product Name: DATANET DCP 7500
Version/Release: DNS Ver 4 Update 1
Release Date: 01-JAN-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: DCP 7500
O/S DNS Ver 4 Update 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Datanet DCP 7500 X.25 Packet Layer; Datanet DCP 7500 X.25 Frame Layer
Protocols and Profiles: Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 101

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Oscar V Hefner
Tel: (602) 862-6001 Fax: (602) 862-6051

GOSIP Product Name: DPX/2 B.O.S (Stack B)
Version/Release: 2
Release Date: 01-OCT-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: DPX/2 200, O/S B.O.S. 2

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: DPX/2 X.25 Packet Layer; DPX/2 X.25 Frame Layer

Protocols and Profiles: Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 94

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Oscar V Hefner
Tel: (602) 862-6001 Fax: (602) 862-6051

GOSIP Product Name: DPX/2 B.O.S. (Stack B)
Version/Release: Ver 2
Release Date: 01-OCT-91
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: DPX/2 200, O/S B.O.S. 2

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: DPX/2 X.25 Packet Layer; DPX/2 X.25 Frame Layer
Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 97

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Oscar V Hefner
Tel: (602) 862-6001 Fax: (602) 862-6051

GOSIP Product Name: DPX/2 B.O.S. (Stack B)
Version/Release: Ver/Rel 2
Release Date: 01-OCT-91
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: DPX/2 200, O/S B.O.S. 2

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: DPX/2, BOS 2, ISO 8802-2/3 (LAN)

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 96

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Oscar V Hefner
Tel: (602) 862-6001 Fax: (602) 862-6051
GOSIP Product Name: DPX/2 B.O.S. (Stack B)
Version/Release: Ver 2
Release Date: 01-OCT-91
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
DPX/2 200, O/S B.O.S. 2
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: DPX/2 X.25 Packet Layer; DPX/2 X.25 Frame Layer
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 95

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Oscar V Hefner
Tel: (602) 862-6001 Fax: (602) 862-6051

GOSIP Product Name: Datanet (DCP 7500)
Version/Release: DNS Ver 4 Update 1
Release Date: 01-JAN-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: DCP 7500
O/S DNS Ver 4 Update 1
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: DATANET DCP 7500 X.25 Packet Layer
DATANET DCP 7500 X.25 Frame Layer

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 170

Supplier: Control Data Corporation
4201 North Lexington Avenue
Arden Hills, MN 55126-6198
Contact: Ronald D Swan
Tel: (612) 482-6257 Fax: (612) 482-3616
GOSIP Product Name: CDCNET
Version/Release: 1.7.1/BCU #803AA
Release Date: 01-MAR-92
Additional Info: None
Registration:
Date: 09-FEB-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
CYBER 930 Host and Mainframe Device Interface (MDI), Mainframe Device Interface (TDI), or Integrated Communications Adapter (ICA)
CYBER O/S, NOS/Ver 1.7.7, ICA is stand-alone (Self Contained)
Connectivity: LLC1{802.2}/MAC{802.3}
Underlying Stack: CDCNET Ethernet Serial Channel Interface
Product 46 (P-2 LAN) (Registered October 15, 1992)
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS: 1-7 AND ATS:1-9
Conformance Lab: NVLAP# 0354
Control Data Corporation, OSI Accredited Test Center
4201 North Lexington Avenue
Arden Hills, MN 55126-6198

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 88

Supplier: Control Data Corporation
4201 North Lexington Avenue
Arden Hills, MN 55126-6198

Contact: Ronald D Swan
Tel: (612) 482-6257 Fax: (612) 482-3616

GOSIP Product Name: CDCNET
Version/Release: Ver 1.6.1 / B720
Release Date: 01-MAR-92
Additional Info: None

Registration:
Date: 09-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
CDCNET Device Interface DY-227-B, O/S NONE

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: CDCNET, Ver 1.6.1, X.25

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]
ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0354
Control Data Corporation, OSI Accredited Test Center
4201 North Lexington Avenue
Arden Hills, MN 55126-6198

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 38

Supplier: Control Data Corporation
4201 North Lexington Avenue
Arden Hills, MN 55126-6198
Contact: J. F Carey
Tel: (612) 482-2567 Fax: (612) 482-2791
GOSIP Product Name: Control Data EP/IX Access & Directory
Version/Release: Ver 1.4.2
Release Date: 27-NOV-91
Additional Info: None
Registration:
Date: 25-FEB-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: Control Data 4000
Control Data EP/IX Version 1.4.2
Connectivity: PLS{802.3}/10Base5

Underlying Stack:

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0354
Control Data Corporation, OSI Accredited Test Center
4201 North Lexington Avenue
Arden Hills, MN 55126-6198

Product Code/Type: P-004 TRANSPORT and CLNP ProductID: 76

Supplier: Data General Corporation
4400 Computer Drive, MS/D216
Westborough, MA 01580
Contact: Charles Stakus
Tel: (508) 870-6392 Fax: (508) 898-4694
GOSIP Product Name: OSI/Platform for AViiON Systems
Version/Release: Ver 3.0
Release Date: 01-JUN-92
Additional Info:

Registration:
Date: 23-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: AViiON 5000/6000 Series
DG/UX System for AViiON Systems Rev. 5.4.1

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0371
Alcatel TITN Test Center
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 77

Supplier: Data General Corporation
4400 Computer Drive, MS/D216
Westborough, MA 01580
Contact: Charles Stakus
Tel: (508) 870-6392 Fax: (508) 898-4694
GOSIP Product Name: OSI/Platform for AViiON Systems
Version/Release: Ver 3.0
Release Date: 01-JUN-92
Additional Info:

Registration:
Date: 23-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: AViiON 5000/6000 Series
DG/UX System for AViiON Systems Rev. 5.4.1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0371
Alcatel TITN Test Center
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 89

Supplier: Data General Corporation
4400 Computer Drive, MS/D216
Westborough, MA 01580
Contact: Charles Stakus
Tel: (508) 870-6392 Fax: (508) 898-4694
GOSIP Product Name: OSI/Platform for AViiON Systems
Version/Release: Ver 3.0
Release Date: 01-JUN-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: AViiON 5000/6000 Series
DG/UX System for AViiON Systems Rev. 5.4.1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: X.25 for AViiON Systems, Ver. 2.20

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0391
Data General Corporation, OSI Conformance Test Center
4400 Computer Drive, MS/D216
Westborough, MA 01580

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 193

Supplier: Data General Corporation
4400 Computer Drive
Westboro, MA 01580
Contact: Peter Conway
Tel: (508) 898-7176 Fax: (508) 898-4212
GOSIP Product Name: OSI/Platform for AViiON Systems
Version/Release: Version 3.30
Release Date: 01-OCT-93
Additional Info: Product tested on Model AV8500 platform. Vendor claims support for other H/W platforms as listed.
Registration:
Date: 30-SEP-93 Basis: BASE
Type: PROV, GOSIP Version 2
Hardware/Operating System Platforms: HW: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000
OS: DG/UX System for AViiON Computers, Revision 5.4R2.10
Connectivity: LLC1{802.2}/MAC{802.3}/10BaseT

Underlying Stack: LAN: LLC and MAC contained In DG/UX 5.4R2.10, embedded In product.
Protocols and Profiles: TP4-CLNS/CLNP{ES} & ES-IS{ES}
Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rtng Claimed}
ATS Used: ATS:2-7 and ATS:2-9.2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 207

Supplier: Data General Corporation
4400 Computer Drive
Westboro, MA 01580
Contact: Peter Conway
Tel: (508) 898-7176 Fax: (508) 898-4212
GOSIP Product Name: OSI/Platform for AViiON Systems
Version/Release: Version 3.30
Release Date: 01-OCT-93
Additional Info: Product tested over AViiON AV8500

Registration:
Date: 20-DEC-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms:
HW: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000
OS: DG/UX System for AViiON Computers, Revision 5.4R2.10
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: X.25 for AViiON Systems, Ver. 2.40, 01-OCT-93, GOSIP Ver. 2, Product ID 204
Protocols and Profiles: Transport Class 0 [ISO 8073:1988]
ATS Used: ATS:2-8

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 211

Supplier: Data General Corporation
4400 Computer Drive
Westboro, MA 01580
Contact: Peter Conway
Tel: (508) 898-7176 Fax: (508) 898-4212
GOSIP Product Name: OSI/Platform for AViiON Systems
Version/Release: Version 3.30
Release Date: 01-OCT-93
Additional Info: Model AV8500 tested. Vendor claims support for other H/W models listed.
Registration:
Date: 13-JAN-94 Basis: DERIVED
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: HW: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000
OS: DG/UX System for AViiON Computers, Revision 5.4R2.10
Connectivity: X.25 PLP/X.25 LAP-B/RS-232C
Underlying Stack: X.25 for AViiON Systems, Version 2.40, 01-OCT-93, GOSIP Version 2, Product ID: 204
Protocols and Profiles: TP4-CLNS/CLNP{ES} & ES-IS{ES}
Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rtng Claimed}
ATS Used: ATS:2-7 and ATS:2-9.2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 128

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289
Contact: Richard A Duhamel
Tel: (508) 486-5021 Fax: (508) 486-7417
GOSIP Product Name: DECnet-VAX (TM) Ver 5.4 EXTENSIONS
Version/Release: Ver 5.4
Release Date: 01-SEP-91
Additional Info: None

Registration:
Date: 26-JAN-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: MicroVAX 3800
VMS Ver 5.4
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: VAX Packet System Interface for DECnet(TM) 5.4 Extensions, September 1991
Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance
Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 129

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289
Contact: Richard A Duhamel
Tel: (508) 486-5021 Fax: (508) 486-7417
GOSIP Product Name: DECnet/OSI for OpenVMS VAX V5.5/VOTS, v3.0A
Version/Release: Ver 3.0A
Release Date: 11-SEP-92
Registration:
Date: 13-JAN-93 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
MicroVAX - II, 2000, 3100, 3300/3400, 3500, 3600, 3800, 3900
VAXstation - II, 2000, 3100, 3200, 3500, 3520, 3540, 4000
VAXserver - 3100,3300/3400, 3500,3600, 3602, 3800, 3900, 6000
VAX - 11/730, 11/750, 11/780, 11/785, 4000, 6000, 8200, 8250, 8300, 8350, 85xx, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840, 9000
Connectivity: LLC1{802.2}/MAC{802.3}
Underlying Stack: Digital DESQA CSMA/CD LAN Controller; DEC (MAU) 44005; DEC (AUI) BNE4D-02; DEC (LLC) OpenVMS for VAX, Ver 5.5-2
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 AND ATS:1-9
Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance
550 King Street, MS LKG2A-R05
Littleton MA 01460-1289

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 144

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289
Contact: Richard A Duhamel
Tel: (508) 486-5021 Fax: (508) 486-7417
GOSIP Product Name: DECnet/OSI for ULTRIX
Version/Release: Ver 5.1-ECO0193
Release Date: 02-JAN-93
Additional Info: None
Registration:
Date: 31-MAR-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
1- DECstations 2100, 3100s, 5000/20, 5000/25, 5000/120, 5000/125, 5000/200, and 500/240 w Integrated Ethernet Controller ULTRIX Worksystem Software, Ver 4.2A
2- DECsystems 5000/200, 5000/240, 5100, 5400, 5500, 5810, 5820, 5830, 5840, 5900 with Integrated Ethernet Controller
Connectivity: LLC1{802.2}/MAC{802.3}
Underlying Stack: DECNet/OSI for ULTRIX Ver 5.1-EC00193
Layered product for ULTRIX; Chipset integrated with the CPU
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9
Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance
Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 54

Supplier: Digital Equipment Corporation
Digital Park
Reading RG2 OTE United Kingdom
Contact: Bill Daley
Tel: Fax:
GOSIP Product Name: DECnet-VAX (TM) Extensions Ver 5.4A/VOTS Ver 3.0A
Version/Release: 5.4A
Release Date: 01-APR-92
Additional Info: None

Registration:
Date: 16-AUG-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
Digital VAX Computer with VMS C5.4A+ Operating System
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance
Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 57

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499
Contact: Augie Gonzales
Tel: (305) 587-2900 Fax: (305) 797-5807

GOSIP Product Name: EnComm ISO Transport Services
Version/Release: Ver 3.0.0
Release Date: 01-JUL-92
Additional Info: None

Registration:
Date: 31-AUG-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Encore EnComm X.25 and PAD Rev 3.0.0, 15-JUN-92
Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 56

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499
Contact: Augie Gonzales
Tel: (305) 587-2900 Fax: (305) 797-5807
GOSIP Product Name: EnComm ISO Transport Services
Version/Release: Ver 3.0.0
Release Date: 01-AUG-92
Additional Info: None

Registration:
Date: 31-AUG-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
Connectivity: CLNP{ES}/LLC1{802.2}/MAC{802.3}
CLNP{ES}/X.25 PLP/X.25 LAP-B

Underlying Stack: Encore/SynOptics LattisNet Mdl 3030 CLNP{ES}/LAN; Encore/SynOptics Departmental Hub CLNP{ES}/LAN; EnComm ISO CLNP{ES}/EnComm X.25 and PAD Revision 3.0
Protocols and Profiles:
Transport Class 4-CLNS [ISO 8073:1988 / Add2:1989]
ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 55

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499
Contact: Augie Gonzales
Tel: (305) 587-2900 Fax: (305) 797-5807
GOSIP Product Name: Encore EnComm ISO Transport Services
Version/Release: Ver 3.0.0
Release Date: 01-AUG-92
Additional Info:

Registration:
Date: Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: EnComm VME Ethernet Drvr 2.1 over Encore VME Ethernet Cntrllr (VSSC) #8513-047 SynOptics Enterprise/Dpt Hub Configuration
Protocols and Profiles: CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 58

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499
Contact: Augie Gonzales
Tel: (305) 587-2900 Fax: (305) 797-5807
GOSIP Product Name: Encore EnComm ISO Transport Services SynOptics LattisNet Mdl 3030 Concentrator
Version/Release: VER 3.0.0
Release Date: 01-AUG-92
Additional Info: None

Registration:
Date: 27-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
Connectivity: LLC1{802.2}/MAC{802.3}/10BaseT

Underlying Stack: EnComm VME Ethernet Drvr 2.1 over Encore VME Ethernet Cntrllr (VSSC) #8523-444 SynOptics LattisNet Model 3030 Concentrator, 3313 Ethernet MMM, and 3308 Host

Protocols and Profiles: CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 78

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499
Contact: Augie Gonzales
Tel: (305) 587-2900 Fax: (305) 797-5807
GOSIP Product Name: Encore EnComm ISO Transport Services over SynOptics Enterprise/Dpt Hub Configur.
Version/Release: Ver 3.0.0
Release Date: 01-AUG-92
Additional Info: Components of SynOptics Enterprise/ Department Hub Configuration listed in underlying stack.
Registration:
Date: 27-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
Connectivity: LLC1{802.2}/MAC{802.3}/10BaseT
Underlying Stack: EnComm VME Ethnt Drvr 2.1, Encore VME Ethnt Cntrl 8513-047, Hub (3000N, 3313A-04, 3314A-04, 504A, 3595A-01, 3308A, 2813-04, 3304-ST, 3301, 3323S, 3383-02, 508A)
Protocols and Profiles: CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7
Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 213

Supplier: Hewlett-Packard Company
19420 Homestead Road
Cupertino, CA 95014-9810
Contact: Murali Subbarao
Tel: (408) 447-2822 Fax: (408) 447-3660
GOSIP Product Name: HP OSI Transport Services/9000 (OTS/9000) Series 700
Version/Release: Version C.04.00 (PHNE_2955)
Release Date: 17-AUG-93
Additional Info: OTS/9000 is available on all machines in the HP 9000 Series 700 family. OTS runs on top of 10Base2, 10BaseT, or 10Base5 and utilizes the same driver for each.
Registration:
Date: 10-JAN-94 Basis: DERIVED
Type: PROV, GOSIP Version 2
Hardware/Operating System Platforms: HW: HP 9000 Series 700
OS: HP-UX Version A.09.00
Connectivity: LLC1{802.2}/MAC{802.3}/10Base2
LLC1{802.2} /MAC{802.3}/10BaseT
LLC1{802.2}/MAC{802.3}/10Base5
Underlying Stack: LAN/9000 Link HP 25567A for HP 9000 Series 700. Tested on HP 9000 Series 827S.
Protocols and Profiles: TP4-CLNS/CLNP{ES} & ES-IS{ES}
Transport Class 4-CLNS [ISO 8073:1988/Add2:1989] CLNP{ES} [ISO 8473:1988] & ES-IS{ES}[IS9542:1988]{Dyn Rtng Claimed}
ATS Used: ATS:2-9.2 and ATS:2-7
Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 212

Supplier: Hewlett-Packard Company
19420 Homestead Road
Cupertino, CA 95014-9810
Contact: Murali Subbarao
Tel: (408) 447-2822 Fax: (408) 447-3660
GOSIP Product Name: HP OSI Transport Services/9000 (OTS/9000) Series 800
Version/Release: Version C.04.00 (PHNE_2954)
Release Date: 17-AUG-93
Additional Info: OTS/9000 is available on all machines in the HP9000 Series 800 family. OTS runs on top of 10Base2, 10BaseT or 10Base5 and utilizes the same driver for each.
Registration:
Date: 10-JAN-94 Basis: BASE
Type: PROV, GOSIP Version 2
Hardware/Operating System Platforms: HW: HP9000 Series 800
OS: HP-UX Version A.09.00
Connectivity: LLC1{802.2}/MAC{802.3}/10Base2
LLC1{802.2}/MAC{802.3}/10BaseT
LLC1{802.2}/MAC{802.3}/10Base5
Underlying Stack: LAN/9000 LinkHP J2146A for HP9000 Series 8x7,890 & LAN/9000 LinkHP 36967A for HP9000 Series 8x2, and other series 800. Can be bundled on Series 8x7,and 890.
Protocols and Profiles: TP4-CLNS/CLNP{ES} & ES-IS{ES}
Transport Class 4-CLNS [ISO 8073:1988/Add2:1989] CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rtng Claimed}
ATS Used: ATS:2-9.2 and ATS:2-7
Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 4

Supplier: Hewlett-Packard Company
19420 Homestead Road
Cupertino, CA 95014-9810
Contact: Murali Subbarao
Tel: (408) 447-2822 Fax: (408) 447-3660
GOSIP Product Name: HP OSI Transport Services/9000, P/N 32070A
Version/Release: Ver C.02.00
Release Date: 10-JUN-91
Additional Info:
Registration:
Date: 28-MAY-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
HP 9000 Series 800/HP-UX Operating System, Version 8.0
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack:

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0365
Hewlett-Packard Company, OSI Conformance Test Center
19420 Homestead Road, MS 43UJ
Cupertino, CA 95014-9810

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 117

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy

Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467

GOSIP Product Name:IBM AIX OSI Messaging and Filing/6000
Version/Release: Ver 1, Level 180
Release Date: 01-DEC-90
Additional Info:

Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
IBM RISC System/6000 All Models (7011, 7012, 7013, 7015, 6016, OS AIX/6000

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: Software: IBM AIX/6000 Ver 3.1.5; Hardware: Ethernet Adapter 7013-2890

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 112

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467
GOSIP Product Name: OSI Communications Subsystem/400
Version/Release: Ver 2 Rel 1.1
Release Date: 01-MAR-92
Additional Info:

Registration:
Date: 18-DEC-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: AS/400 9404
OS/400 Ver 2 Rel 1.1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: IBM AS/400 X.25 Communications Support Program, Ver 2, Release 1.1

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0392
IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44 00143 Rome

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 209

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467
GOSIP Product Name: OSI Communications Subsystem/400
Version/Release: Version 2 Release 3
Release Date: 01-DEC-93
Additional Info: Derived from Base product ID: 112, which was grandfathered GOSIP V1 to V2

Registration:
Date: 20-DEC-93 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: HW: AS/400
OS: OS/400 Version 2 Release 3

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: AS/400 X.25 Communications Support, Version 2
Release 3, GOSIP Product ID: 183

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0392
IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44 00143 Rome

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 23

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467
GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info: None

Registration:
Date: 01-NOV-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: (1) HW: IBM Systems 370/390 (1) OS: IBM MVS/ESA Ver 3 Rel 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 26

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy

Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467

GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info:

Registration:
Date: 01-NOV-91 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: HW: IBM Systems 370/390
OS: IBM MVS/XA Ver 2 Rel 2

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 35

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467
GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info:

Registration:
Date: 12-FEB-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: (1) HW: IBM Systems 370/390 (1) OS: IBM MVS/ESA Ver 3 Rel 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Software: IBM OSI/Comm Subsystem V.1 R1.1 in IBM/ S/390[802.2]; Interconnect Controller Program V1.0 on IBM Interconnect Controller Program (802.3). Hardware: IB
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 33

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467

GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info: None

Registration:
Date: 12-FEB-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: (1) HW: IBM Systems 370/390 (1) OS: IBM MVS/ESA Ver 3 Rel 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-9 and ATS:1-7

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 116

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy

Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467

GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info: None

Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
IBM Enterprise System/390 All Models (S/390, 43xx, 30xx), IBM MVS/ESA, MVS/XA, IBM VM/SP, VM/ESA

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 24

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy

Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467

GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info:

Registration:
Date: 01-NOV-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: HW: IBM Systems 370/390
OS: IBM VM/ESA Ver 1 Rel 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Provided By IBM NCP Packet Switching Interface.

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 25

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467

GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info:

Registration:
Date: 01-NOV-91 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: HW: IBM Systems 370/390
OS: IBM VM/SP Rel 5

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 34

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467

GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info:

Registration:
Date: 12-FEB-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: HW: IBM Systems 370/390
OS: IBM MVS/XA Ver 2 Rel 2, VM/SP Rel 5, VM/ESA Ver 1 Rel 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-9 and ATS:1-7

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 36

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy

Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467

GOSIP Product Name: OSI/Communications Subsystem
Version/Release: Ver 1 Rel 1.1
Release Date: 01-DEC-90
Additional Info:

Registration:
Date: 12-FEB-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: HW: IBM Systems 370/390
OS: IBM MVS/XA Ver 2 Rel 2, VM/SP Rel 5, VM/ESA Ver 1 Rel 1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Provided by IBM NCP Packet Switching Interface.

Protocols and Profiles: Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0369

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 51

Supplier: NCR
9900 Old Grove Road
San Diego, CA 92131
Contact: Wendy Morrison
Tel: (619) 693-5665 Fax: (619) 693-5705
GOSIP Product Name: NCR UNIX OSI Network Services
Version/Release: Ver 2.00.02
Release Date: 17-APR-92
Additional Info: Same product also registered over X.25 (Product ID 82) and for TP0 over X.25 (Product ID 83)
Registration:
Date: 07-AUG-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
HW: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600 OS: NCR UNIX SVR4, (MP-RAS), Rel 2
Connectivity: LLC1{802.2}/MAC{802.3}
Underlying Stack: NCR System 3000, Integrated LAN Driver Ver 2.00 Western Digital WD8003
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax VA 22031

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 83

Supplier: NCR
9900 Old Grove Road
San Diego, CA 92131
Contact: Wendy Morrison
Tel: (619) 693-5665 Fax: (619) 693-5705
GOSIP Product Name: NCR UNIX OSI Network Services
Version/Release: Ver 2.01
Release Date: 08-SEP-92
Additional Info: Same product also registered for TP4 (Product ID 51 and Product ID 82)

Registration:
Date: 27-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
HW: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600 OS: NCR UNIX SVR4, (MP-RAS), Rel 2
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: NCR System 3000, X.25 Ntwrk Svcs [Packet Layer]; NCR MUOE HDLC V 1.04 [Link Layer]; NCR Multi-Protocol Communications Adapter/Firmware V 1.1A [Phys Layer]
Protocols and Profiles: Transport Class 0 [ISO 8073:1988]
ATS Used: ATS:1-8
Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 82

Supplier: NCR
9900 Old Grove Road
San Diego, CA 92131
Contact: Wendy Morrison
Tel: (619) 693-5665 Fax: (619) 693-5705
GOSIP Product Name: NCR UNIX OSI Network Services
Version/Release: Ver 2.01
Release Date: 08-SEP-92
Additional Info: Same product also registered over LAN (Product ID 51) and for TP0 over X.25 (Product ID 83)
Registration:
Date: 27-OCT-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
HW: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600 OS: NCR UNIX SVR4, (MP-RAS), Rel 2
Connectivity: X.25 PLP/X.25 LAP-B
Underlying Stack: NCR System 3000, X.25 Ntwrk Svcs [Packet Layer]; NCR MUOE HDLC Ver 1.04 [Link Layer]; NCR Multi-Protocol Communications Adapter/Firmware Ver 1.1A [Phys Layer]
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9
Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 49

Supplier: Novell Incorporated
2180 Fortune Drive
San Jose, CA 95131
Contact: Jan Provan
Tel: (408) 473-8422 Fax: (408) 433-9827
GOSIP Product Name: NetWare FTAM Transport Component
Version/Release: Ver 1.2 Rev B
Release Date: 20-APR-92
Additional Info: None

Registration:
Date: 24-JUN-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: AST Premium 386/33 with 8 MB RAM
NOVELL 3.11 Operating System over NOVELL NE2000 Ethernet card (802.3)
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: NOVELL 3.11 Operating System over NOVELL NE2000 Ethernet

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 50

Supplier: Novell Incorporated
2180 Fortune Drive
San Jose, CA 95131
Contact: Jan Provan
Tel: (408) 473-8422 Fax: (408) 433-9827
GOSIP Product Name: NetWare FTAM Transport Component
Version/Release: Ver 1.2 Rev B
Release Date: 20-APR-92
Additional Info: None
Registration:
Date: 24-JUN-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
AST Premium 386/33 with 8 MB RAM
NOVELL 3.11 Operating System over NOVELL NE2000 Ethernet card (802.3)
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: NOVELL Ver 3.11 Operating System Over LLC1{802.2}/ MAC{802.4} NE2000 and IBM 4MB Token Ring Card
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 111

Supplier: Retix
2401 Colorado Avenue
Santa Monica, CA 90404
Contact: Jeff Stone
Tel: (310) 828-3400 Fax: (310) 828-2255
GOSIP Product Name: LT-610
Version/Release: Ver 2.3.0
Release Date: 01-OCT-92
Additional Info:

Registration:
Date: 18-DEC-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
Vendor claims all Intel 386 and 486 based platforms using stated o/s. Test platform was Intel 486DX (Alpha Systems Laboratory, Incorporated ASL486/33 ASL433), O/S UNIX System V Release 3.2 (SUN Soft Interactive Ver 3.0)
Connectivity: LLC1{802.2}/MAC{802.3}
Underlying Stack: S/W: Retix LT-610, Ver 2.3.0; H/W: Western Digital Model WD8003.
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 132

Supplier: Retix
2401 Colorado Avenue
Santa Monica, CA 90404
Contact: Jeff Stone
Tel: (310) 828-3400 Fax: (310) 828-2255
GOSIP Product Name: LT-610
Version/Release: Ver 2.3.0
Release Date: 01-OCT-92
Additional Info: None

Registration:
Date: 05-FEB-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
Intel 386 (Tatung) O/S UNIX System V Rel 3.2 (SCO UNIX 4.0)

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: Retix LT-610, Ver 2.3.0; Western Digital Model WD8003

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 187

Supplier: SUN MicroSystems, Inc.
32 Chemin du Vieux Chene
Meylan F-38240 France
Contact: Tom Hull
Tel: +33 76 41 42 43 Fax: +33 76 41 42 41
GOSIP Product Name: SUNLink OSI
Version/Release: Version 8.0
Release Date: 08-AUG-93
Additional Info:

Registration:
Date: 26-AUG-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: HW: All SUN SPARC Hardware
OS: Solaris 2.1

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: Sunlink X.25 8.0

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:2-8

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 188

Supplier: SUN MicroSystems, Inc.
32 Chemin du Vieux Chene
Meylan F-38240 France
Contact: Tom Hull
Tel: +33 76 41 42 43 Fax: +33 76 41 42 41
GOSIP Product Name: Sunlink OSI
Version/Release: Version 8.0
Release Date: 08-AUG-93
Additional Info:

Registration:
Date: 09-SEP-93 Basis: BASE
Type: PROV, GOSIP Version 2
Hardware/Operating System Platforms: HW: SparcStation 10 Model 41
OS: Solaris 2.1

Connectivity: LLC1{802.2}/MAC{802.3}/10BaseT

Underlying Stack: Sunlink OSI 8.0 LLC Module, Implementing LLC1, the Solaris 2.1 Lance Ethernet driver and Am7990 combination-implementing ISO8802-3 Sun Motherboard LAN Interface
Protocols and Profiles: TP4-CLNS/CLNP{ES} & ES-IS{ES}
Transport Class 4-CLNS [ISO 8073:1988/Add2:1989] CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9492 {Dyn Rtng Claimed}
ATS Used: ATS:2-9.2 and ATS:2-7

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 66

Supplier: SUN MicroSystems, Inc. International Centre for Network Computing
32 Rue du Vieux Chene
F-38240 Meylan France
Contact: Tom Hull
Tel: +33 76 41 42 18 Fax: +33 76 41 42 41
GOSIP Product Name: SunNet OSI (Transport)
Version/Release: Ver 7.1
Release Date: 01-OCT-92
Additional Info:

Registration:
Date: 14-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: SUN MicroSystems SPARCstation 2-4/75
SUN O/S 4.1.2 (Solaris 1.0.1)
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: SUNNET OSI Ver 7.1 LLC1 (HW) Sun CPU board LAN Interface (802.3)
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989] CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 85

Supplier: SUN MicroSystems, Inc. International Centre for Network Computing
32 Rue du Vieux Chene
F-38240 Meylan France
Contact: Tom Hull
Tel: +33 76 41 42 18 Fax: +33 76 41 42 41
GOSIP Product Name: SunNet OSI (Transport)
Version/Release: Ver 7.1
Release Date: 01-OCT-92
Additional Info: None

Registration:
Date: 25-NOV-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: SUN MicroSystems SPARCstation 2-4/75
SUN O/S 4.1.2 (Solaris 1.0.1)
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: SunNet X.25 Ver 7.0.1

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989] CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 87

Supplier: SUN MicroSystems, Inc. International Centre for Network Computing
32 Rue du Vieux Chene
F-38240 Meylan France
Contact: Tom Hull
Tel: +33 76 41 42 18 Fax: +33 76 41 42 41
GOSIP Product Name: SunNet OSI (Transport)
Version/Release: Ver 7.1
Release Date: 01-OCT-92
Additional Info: None

Registration:
Date: 25-NOV-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: SUN MicroSystems SPARCstation 2-4/75
SUN O/S 4.1.2 (Solaris 1.0.1)

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: SunNet X.25 Ver 7.0.1

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road
Manchester M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 217

Supplier: SUN MicroSystems, Inc. International Centre for Network Computing
32 Rue du Vieux Chene
F-38240 Meylan France
Contact: Tom Hull
Tel: +33 76 41 42 18 Fax: +33 76 41 42 41
GOSIP Product Name: Sunlink OSI
Version/Release: Version 8.0
Release Date: 08-AUG-93
Additional Info: Vendor claims support for all SUN SPARC Hardware Platforms

Registration:
Date: 25-JAN-94 Basis: DERIVED
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: HW: SparcStation 10 Model 41
OS: Solaris 2.1
Connectivity: X.25 PLP/X.25 LAP-B/RS-232C

Underlying Stack: Sunlink X.25 8.0
Protocols and Profiles: TP4-CLNS/CLNP{ES} & ES-IS{ES}
Transport Class 4-CLNS [ISO 8073:1988/Add2:1989] CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rtng Claimed}
ATS Used: ATS:2-9 and ATS:2-7
Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road ManchesteR M17ED

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 108

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SUN SPARCstation 10 Model 30 w/SUNLink OSI 8.0
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info: None

Registration:
Date: 01-DEC-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: HW: SPARCstation 10 Model 30
OS: Solaris 2.1
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: AMD, Lance 7990 Ethernet Controller SUN Solaris 2.1 Ethernet Driver
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 142

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SUN SPARCstation 10 Model 41 w/SUNLink OSI 8.0
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info:

Registration:
Date: 01-DEC-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: HW: SPARCstation 10 Model 41
OS: Solaris 2.1
Connectivity: LLC1{802.2}/MAC{802.3}
Underlying Stack: AMD, Lance 7990 Ethernet Controller SUN Solaris 2.1 Ethernet Driver
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 106

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SUN SPARCstation 10 Model 42 w/SUNLink OSI 8.0
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info:
Registration:
Date: 01-DEC-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms: HW: SPARCstation 10 Model 42
OS: Solaris 2.1

Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: AMD, Lance 7990 Ethernet Controller. SUN Solaris 2.1 Ethernet Driver
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 107

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SUN SPARCstation 4/30 w/SUNLink OSI 8.0
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info:

Registration:
Date: 01-DEC-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: HW: SPARCstation 4/30
OS: Solaris 2.1
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: AMD, Lance 7990 Ethernet Controller. SUN Solaris 2.1 Ethernet Driver
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 109

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SUN, RDI BrightLite Model IPX Color Laptop Workstation w/ SUNLink OSI 8.0
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info: None
Registration:
Date: 01-DEC-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
RDI BrightLite IPX Color Laptop Workstation
Solaris 2.1
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: AMD, Lance 7990 Ethernet Controller. SUN Solaris 2.1 Ethernet Driver
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 133

Supplier: UNISYS Corporation
8008 West Park Drive
McLean, VA 22102
Contact: Dale Pluta
Tel: (703) 556-5682 Fax: (703) 556-5172
GOSIP Product Name: A-Series CP2000 OSI-IPC Software
Version/Release: Ver 30.00.199
Release Date: 11-DEC-92
Additional Info:

Registration:
Date: 05-FEB-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
Mainframe: A6 (TP4), FEP: CP2000 (CLNP)
O/S Mainframe: A-Series System Software, Ver 4.0
(TP4) FEP: CP2000 Operating Software, V3.0 (CLNP)
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: S/W: CP2000 O/S V3.0; H/W: CP2000 with LMH Card
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 137

Supplier: UNISYS Corporation
8008 West Park Drive
McLean, VA 22102
Contact: Dale Pluta
Tel: (703) 556-5682 Fax: (703) 556-5172
GOSIP Product Name: A-Series/CP2000 OSI-IPC Software
Version/Release: Ver 30.00.200
Release Date: 05-JAN-93
Additional Info:

Registration:
Date: 16-FEB-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: A-Series Processor
A-Series System Software, Version 4.0

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: CP2000 X.25, Ver 30.00.192, 30-SEP-92

Protocols and Profiles: Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 145

Supplier: UNISYS Corporation
8008 West Park Drive
McLean, VA 22102
Contact: Dale Pluta
Tel: (703) 556-5682 Fax: (703) 556-5172
GOSIP Product Name: A-Series/CP2000 OSI-IPC Software
Version/Release: Ver 30.00.199
Release Date: 11-DEC-92
Additional Info:

Registration:
Date: 16-FEB-93 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
H/W: Mainframe: A6 (TP4), FEP: CP2000 (CLNP)
O/S: Mainframe: A-Series System Software, Ver 4.0
(TP4), FEP: CP2000 Operating Software, Ver 3.0 (CLNP)
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: CP2000 X.25 Ver 30.00.192, 30-SEP-92

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 136

Supplier: UNISYS Corporation
8008 West Park Drive
McLean, VA 22102
Contact: Dale Pluta
Tel: (703) 556-5682 Fax: (703) 556-5172
GOSIP Product Name: A-Series/CP2000 OSI-IPC Software, Unisys Product 113/P4.3
Version/Release: Ver 30.00.200
Release Date: 05-JAN-93
Additional Info:

Registration:
Date: 26-FEB-93 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms: A-Series Processor
A-Series System Software, Version 4.0
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack: CP2000 X.25, Ver 30.00.192, 30-SEP-92

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 59

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz
Tel: (703) 556-5665 Fax: (703) 556-5172
GOSIP Product Name: CMS 1100/OSITS
Version: 7R2B+PCR15312/2R1A+PCRs192,193,194,197
Release Date: 01-MAR-92
Additional Info:

Registration:
Date: 01-SEP-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
2200 System and 1100/90 Processors, DCP-15 through DCP-55 Front End Processors. OS: OS1100 Exec on processor DCP/OS 5R2A, TELCON 9R1A on Front End Processors
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: LAN Platform 2R2A, DCP 802.3; LAN Line Module Feature #F5137-00
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 81

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz
Tel: (703) 556-5665 Fax: (703) 556-5172
GOSIP Product Name: CMS 1100/OSITS Ver 7R2B + PCR 15312, 192-194, 197, 199, 202, 203, 205, 207
Version/Release: Rel 2R1A
Release Date: 01-MAR-92
Additional Info:
Registration:
Date: 16-OCT-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2
Hardware/Operating System Platforms:
OS1100 Exec. Ver 43R2 running on 2200 systems and 1190/90 Processors DCP-15 through DCP-55 Front End Processors, O/S OS1100 Exec. on Processors DCP/OS 5R2A, Telcon 9R1A on Front End Processors
Connectivity: X.25 PLP/X.25 LAP-B
Underlying Stack: X.25 PSCS Ver 51RA plus PCRs 1891-1899, 1902, 1911, 1923, 1929.
Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}
ATS Used: ATS:1-7 AND ATS:1-9
Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 73

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz
Tel: (703) 556-5665 Fax: (703) 556-5172
GOSIP Product Name: DCP OSITS
Version/Release: 2R1A + 192-194,197,199,202,203,205,207
Release Date: 01-MAR-92
Additional Info:
Registration:
Date: 19-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
DCP-15 through DCP-55 Front End Processors
DCP/OS Ver 5R2A and TELCON Ver 9R1A
Connectivity: LLC1{802.2}/MAC{802.3}

Underlying Stack: LAN Platform 2R2A, DCP 802.3 LAN Line Module, Feature #F5137-00

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 72

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz
Tel: (703) 556-5665 Fax: (703) 556-5172
GOSIP Product Name: DCP OSITS
Version/Release: 2R1A + 192-194,197,199,202,203,205,207
Release Date: 01-MAR-92
Additional Info:

Registration:
Date: 19-OCT-92 Basis: BASE
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
DCP-15 through DCP-55 Front End Processors
DCP/OS Ver 5R2A and TELCON Ver 9R1A
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:

Protocols and Profiles: Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 71

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz
Tel: (703) 556-5665 Fax: (703) 556-5172
GOSIP Product Name: DCP OSITS
Version/Release: 2R1A,+192-194,197,199,202,203,205,207
Release Date: 01-MAR-92
Additional Info:

Registration:
Date: 19-OCT-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
DCP-15 through DCP-55 Front End Processors
DCP/OS Ver 5R2A and TELCON Ver 9R1A
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:

Protocols and Profiles: TP4-CLNS/CLNP{ES}
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-004 TRANSPORT and CLNP Product ID: 171

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz
Tel: (703) 556-5665 Fax: (703) 556-5172
GOSIP Product Name: DCP OSITS
Version/Release: 2R1A,+192-194,197,199,202,203,205,207
Release Date: 01-MAR-92
Additional Info: None

Registration:
Date: 19-OCT-92 Basis: DERIVED
Type: PROV, Grndfthrd, V1->V2

Hardware/Operating System Platforms:
DCP-15 through DCP-55 Front End Processors
DCP/OS Ver 5R2A and TELCON Ver 9R1A
Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:

Protocols and Profiles: Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-006 MHS Product ID: 154

Supplier: Control Data Systems, Incorporated
4201 North Lexington Avenue
Arden Hills, MN 55126-6198
Contact: B. Sekhon
Tel: (612) 482-3868 Fax: (612) 482-2791
GOSIP Product Name: MAIL*HUB MHS/4000
Version/Release: Ver 2.0.1
Release Date: 29-JAN-93
Additional Info: This product does not support MTA Relaying

Registration:
Date: 04-MAY-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: Control Data CD 4000 Series EP/IX 2.0.1

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: Control Data EP/IX Access and Directory V 1.4.2

Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]

ATS Used: ATS:1-13, ATS:1-14 and ATS:1-15

Conformance Lab: NVLAP# 0354
Control Data Corporation, OSI Accredited Test Center
4201 North Lexington Avenue
Arden Hills, MN 55126-6198

Product Code/Type: P-006 MHS Product ID: 223

Supplier: Data General Corporation
4400 Computer Drive
Westboro, MA 01580
Contact: Peter Conway
Tel: (508) 898-7176 Fax: (508) 898-4212
GOSIP Product Name: OpenMail for AViiON Systems
Version/Release: Version A.01.01eO, Rev. 1.00
Release Date: 01-OCT-93
Additional Info: Must use with X.400 for AViiON Systems,V 3.30,01- OCT-93(P1/RTS/SESSION) Product tested on Model AViiON AV8500 HW Platform, Vendor claims spt for HW as listed
Registration:
Date: 25-FEB-94 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms:
H/W: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV85000, AV9000 O/S: DG/UX System for AViiON Computers, Revision 5.4.R2.10
Connectivity: TP4-CLNS/CLNP/LAN
Underlying Stack: /Platform for AViiON Systems, Version 3.30, 01-OCT-93 and X.400 for AViiON Systems, Version 3.30, 01-OCT-93
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:2-13.4

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-006 MHS Product ID: 110

Supplier: Data General Corporation
4400 Computer Drive, MS/D216
Westborough, MA 01580
Contact: Charles Stakus
Tel: (508) 870-6392 Fax: (508) 898-4694
GOSIP Product Name: X.400 for AViiON Sys (X.400 for AViiON Sys/3.0) (OSI for AViiON)
Version/Release: Ver 3.10
Release Date: 01-AUG-92
Additional Info: None
Registration:
Date: 01-DEC-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
AViiON Series 5000, VSC Synchronous Comms Controller, O/S, DG/UX Rel. 5.4.1, AV/X.25 Rel. 2.2.0
Connectivity: TP0/WAN

Underlying Stack: OSI/Platform for AViiON System Ver 3.0 [TP0]. X.25 for AViiON System Ver 2.20
Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13 and ATS:1-14

Conformance Lab: NVLAP# 0391
Data General Corporation, OSI Conformance Test Center
4400 Computer Drive, MS/D216
Westborough, MA 01580

Product Code/Type: P-006 MHS Product ID: 224

Supplier: Data General Corporation
4400 Computer Drive
Westboro, MA 01580
Contact: Peter Conway
Tel: (508) 898-7176 Fax: (508) 898-4212
GOSIP Product Name: X.400 for AViiON Systems
Version/Release: Version 3.30
Release Date: 01-OCT-94
Additional Info: Product tested on Model AViiON AV8500 hardware platform. Vendor claims support for other hardware platforms as listed.
Registration:
Date: 25-FEB-94 Basis: BASE
Type: FULL, GOSIP Version 2
Hardware/Operating System Platforms: H/W: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV85000, AV9000 O/S: DG/UX System for AViiON Computers, Revision 5.4.R2.10
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: OSI/Platform for AViiON Systems, Version 3.30, 01-OCT-93
Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:2-13.3, ATS:2-13.2, and ATS:2-13.1

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-006 MHS Product ID: 139

Supplier: Digital Equipment Corporation
P.O. Box 121
Worton Grange, Reading, Berks RG2 OTE
United Kingdom
Contact: Richard A Duhamel
Tel: (508) 486-5021 Fax: (508) 486-7417
GOSIP Product Name: VAX Message Router X.400 Gateway
Version/Release: Ver 2.2G
Release Date: 18-DEC-92
Additional Info: None

Registration:
Date: 11-MAR-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: MicroVAX 3400
VAX/VMS Ver 5.4 & 5.5
Connectivity: TP0/WAN

Underlying Stack: DECNet-VAX (TM) Extensions Ver5.4A (TD1111)

Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-006 MHS Product ID: 138

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499
Contact: Augie Gonzales
Tel: (305) 587-2900 Fax: (305) 797-5807
GOSIP Product Name: EnComm X.400
Version/Release: Ver 2.0.1
Release Date: 01-JAN-93
Additional Info: None

Registration:
Date: 11-MAR-93 Basis: BASE
Type: PROV, GOSIP Version 1
Hardware/Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
Connectivity: TP0/WAN

Underlying Stack: EnComm ISO Transport Services, Rev 3.0.0 [TP0]. EnComm X.25 Rev 3.0 (x.25)

Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13, ATS:1-14 and ATS:1-15

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-006 MHS Product ID: 191

Supplier: Enterprise Solutions Limited
32603 Bowman Knoll Drive
Westlake Village, CA 91361
Contact: Barry Sandever
Tel: (818) 597-8943 Fax: (818) 595-9621
GOSIP Product Name: Enterprise Mail User Agent
Version/Release: Version 2.11
Release Date: 01-MAY-93
Additional Info: Must be used w NCR StarPRO Message Central 400, Ver 2.0, 01-MAR-93. This combination of products provides set of MHS: P2, P1, RTS, & embedded Session protocols
Registration:
Date: 17-SEP-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: HW: NCR System 3000 consisting of following hardware mods: 3320, 3340, 3345, 3447, 3450, 3550, and 3600 OS: NCR UNIX SVR4, (MP-RAS), Rel 2
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: NCR UNIX OSI Network Services, Version 2.00.02
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:2-13.4

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-006 MHS Product ID: 13

Supplier: Hewlett-Packard Company
19420 Homestead Road
Cupertino, CA 95014-9810
Contact: Murali Subbarao
Tel: (408) 447-2822 Fax: (408) 447-3660
GOSIP Product Name: HP X.400/9000 P/N HP32032A; (X.400 Interface) HP OpenMail, P/N B1600A
Version/Release: Ver C.02.00; Ver A.00.02.03
Release Date: 10-JUN-91
Additional Info: None
Registration:
Date: 19-AUG-91 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
HP 9000 Series 800/HP-UX Operating System, Ver 8.0

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: HP OSI Transport Services/9000 Series 800
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13, ATS:1-14 AND ATS:1-15

Conformance Lab: NVLAP# 0365
Hewlett-Packard Company, OSI Conformance Test Center
19420 Homestead Road, MS 43UJ
Cupertino, CA 95014-9810

Product Code/Type: P-006 MHS Product ID: 194

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467
GOSIP Product Name: Open Network Distribution Services
Version/Release: Version 1 Release 1
Release Date: 01-OCT-90
Additional Info: Must be used with OSI/Communications Subsystem, V1R1.1, 01-DEC-90, to provide the P1/RTS and Embedded Session protocols
Registration:
Date: 15-OCT-93 Basis: DERIVED
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
(1) HW: IBM Systems 370/390
(1) OS: IBM MVS/ESA Ver 3 Rel 1
Connectivity: TP0/WAN

Underlying Stack: OSI/Communications Subsystem, V1R1.1, 01-DEC-90, and IBM NCP Packet Switching Interface
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P1,RTS}
MHS Session [X.400:1984]
ATS Used: ATS:1-13 and ATS:1-14

Conformance Lab: NVLAP# 0392
IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome

Product Code/Type: P-006 MHS Product ID: 195

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467
GOSIP Product Name: X.400 DISOSS Connection
Version/Release: Version 1 Release 2
Release Date: 01-MAR-91
Additional Info: Must be used with Open Network Distribution Services, V1R1, 01-OCT-90, and OSI/Communications Subsystem, V1R1.1, 01-DEC-90
Registration:
Date: 13-OCT-93 Basis: BASE
Type: PROV, GOSIP Version 1
Hardware/Operating System Platforms:
(1) HW: IBM Systems 370/390
(1) OS: IBM MVS/ESA Ver 3 Rel 1
Connectivity: MHS {P1, RTS}/Session/TP0/WAN

Underlying Stack: Open Network Distribution Services, V1R1, 01-OCT-90, OSI/Communications Subsystem V1R1.1, 01-DEC-90, and IBM NCP Packet Switching Interface
Protocols and Profiles: MHS [X.400:1984] {P2}
ATS Used: ATS:1-15

Conformance Lab: NVLAP# 0392
IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome

Product Code/Type: P-006 MHS Product ID: 141

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467
GOSIP Product Name: X.400 PROFS Connection
Version/Release: V1R3
Release Date: 01-JUN-91
Additional Info: Must be used with Open Network Distribution Services, V1R1, 01-OCT-90, & OSI/Communications Subsystem, V1R1.1, 01-DEC-90
Registration:
Date: 19-MAR-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
HW: IBM Systems 370/390
OS: IBM VM/ESA Ver 1 Rel 1
Connectivity: TP0/WAN

Underlying Stack: OSI/Communications Subsystem Ver 1 Rel 1.1
IBM NCP Packet Switching Interface
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13, ATS:1-14 AND ATS:1-15

Conformance Lab: NVLAP# 0392
IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44 00143 Rome

Product Code/Type: P-006 MHS Product ID: 155

Supplier: International Business Machines Corporation
3605 Highway 52 North
Rochester, MN 55901
Contact: Michael Sullivan
Tel: (39-06)5187 2517 Fax: (39-06)51872467
GOSIP Product Name: IBM OSI Message Services/400
Version/Release: Ver 2 Rel 1.1
Release Date: 01-MAR-92
Additional Info: Must be used with OSI Communications Subsystem/400 Ver 2 Rel 1.1 01-MAR-92
Registration:
Date: 04-MAY-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: AS/400
IBM OS/400 Ver 2 Rel 1.1
Connectivity: TP0/WAN
Underlying Stack: TP0: IBM OSI Communication Subsystem/400 V2 R1.1 WAN: IBM AS/400 X.25 Communication Support Program V2 R1.1
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13, ATS:1-14 and ATS:1-15

Conformance Lab: NVLAP# 0392
IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome

Product Code/Type: P-006 MHS Product ID: 114

Supplier: NCR Network Products Division
9900 Old Grove Road
San Diego, CA 92131
Contact: Rolf Krause
Tel: (619) 693-5788 Fax: (619) 693-5705
GOSIP Product Name: NCR StarPRO Message Central 400
Version/Release: Ver 2.0
Release Date: 01-MAR-93
Additional Info: This Product also registered for TP4 over LAN (Product ID 115)
Registration:
Date: 29-DEC-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
HW: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600
OS: NCR UNIX SVR4, (MP-RAS), Rel 2
Connectivity: TP0/WAN

Underlying Stack: NCR UNIX OSI Network Services, Ver 2.01 (Product ID 83)
Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-006 MHS Product ID: 115

Supplier: NCR Network Products Division
9900 Old Grove Road
San Diego, CA 92131
Contact: Rolf Krause
Tel: (619) 693-5788 Fax: (619) 693-5705
GOSIP Product Name: NCR StarPRO Message Central 400
Version/Release: Ver 2.0
Release Date: 01-MAR-93
Additional Info: This Product also registered for TP0 over WAN (Product ID 114)
Registration:
Date: 29-DEC-92 Basis: DERIVED
Type: PROV, GOSIP Version 1
Hardware/Operating System Platforms:
HW: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600
OS: NCR UNIX SVR4, (MP-RAS), Rel 2
Connectivity: TP4-CLNS/CLNP/LAN
Underlying Stack: NCR UNIX OSI Network Services, Ver 2.00.02 (TP4/ CLNP, Product ID 51)
Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13 AND ATS:1-14
Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-006 MHS Product ID: 124

Supplier: Retix
2401 Colorado Avenue
Santa Monica, CA 90404
Contact: Jeff Stone
Tel: (310) 828-3400 Fax: (310) 828-2255
GOSIP Product Name: Retix User Agent Model MH-423, Retix OpenServer Model MH-4420
Version/Release: Ver 1.41
Release Date: 01-OCT-92
Additional Info: None
Registration:
Date: 06-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
Test platform was Alpha Systems Lab (Intel 486), with Western Digital 8003 for 802.3
O/S Sunsoft's Interactive UNIX (Ver 3.2), Vers 3.0 Vendor claims all Intel 80386 and 80486 based platforms using stated O/S
Connectivity: TP4-CLNS/CLNP/LAN
Underlying Stack: Retix LT-610, Ver 2.3.0 (TP4/CLNP/LAN)

Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]

ATS Used: ATS:1-13, ATS:1-14 AND ATS:1-15

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-006 MHS Product ID: 123

Supplier: Retix
2401 Colorado Avenue
Santa Monica, CA 90404
Contact: Jeff Stone
Tel: (310) 828-3400 Fax: (310) 828-2255
GOSIP Product Name: Retix User Agent Model MH-423, Retix OpenServer Model MH-4430
Version/Release: Ver 1.41
Release Date: 01-OCT-92
Additional Info: None
Registration:
Date: 06-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating Systems Platforms: Test platform was a Tatung (Intel 386), with a Western Digital 8003 for 802.3
O/S SCO Ver 4.0 (UNIX V Rel 3.2) Vendor claims all Intel 386 and 486 based platforms using stated O/S
Connectivity: TP4-CLNS/CLNP/LAN
Underlying Stack: Retix LT-610, Ver 2.3.0 (TP4/CLNP/LAN)

Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13, ATS:1-14 AND ATS:1-15

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-006 MHS Product ID: 84

Supplier: SUN MicroSystems, Inc. International Centre for Network Computing
32 Rue du Vieux Chene
F-38240 Meylan France
Contact: Tom Hull
Tel: +33 76 41 42 18 Fax: +33 76 41 42 41
GOSIP Product Name: SUNNET MHS
Version/Release: Ver 7.1
Release Date: 01-OCT-92
Additional Info: None

Registration:
Date: 25-NOV-92 Basis: DERIVED
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: SUN 4, Station 2-4/75
SUN O/S 4.0.3, 4.1, 4.1.1

Connectivity: TP0/WAN

Underlying Stack: SunNet X.25, Ver 7.0.1 Rel 1

Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]

ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-006 MHS Product ID: 67

Supplier: SUN MicroSystems, Inc. International Centre for Network Computing
32 Rue du Vieux Chene
F-38240 Meylan France
Contact: Tom Hull
Tel: +33 76 41 42 18 Fax: +33 76 41 42 41
GOSIP Product Name: SUNNET MHS Gateway
Version/Release: Ver 7.1
Release Date: 01-OCT-92
Additional Info: None

Registration:
Date: 14-OCT-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: SUN 4, Station 2-4/75
SUN O/S 4.0.3, 4.1, 4.1.1
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunNet OSI Ver 7.1 Rel 1

Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13 and ATS:1-14

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-006 MHS Product ID: 118

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SunLink OSI
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info: None

Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
SUN, SPARCstation 10 model 30 - MAC H/W - AMD, Lance 7990 Ethernet Controller - MAC S/W - SUN, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunLink OSI 8.0 (TP4/CLNP)

Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-006 MHS Product ID: 119

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SunLink OSI
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info: None
Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: SUN, SPARCstation 10 Model 42 - MAC H/W - AMD, Lance 7990 Ethernet Controller - MAC S/W - SUN, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunLink OSI 8.0 (TP4/CLNP)

Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-006 MHS Product ID: 120

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SunLink OSI
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info: None

Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: SUN, SPARCstation 10 Model 41 - MAC H/W - AMD, Lance 7990 Ethernet Controller - MAC S/W - SUN, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunLink OSI 8.0 (TP4/CLNP)

Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]

ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-006 MHS Product ID: 121

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SunLink OSI
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info: None
Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: SUN, SPARCstation 4/30 - MAC H/W - AMD, Lance 7990 Ethernet Controller - MAC S/W - SUN, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunLink OSI 8.0 (TP4/CLNP)

Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-006 MHS Product ID: 122

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SunLink OSI
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info: None

Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: RDI BRIGHTLITE Model IPX Color Laptop Workstation - MAC H/W - AMD, Lance 7990 Ethernet Controller - MAC S/W - SUN, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SunLink OSI 8.0 (TP4/CLNP)

Protocols and Profiles: MHS Relay/(Session)
MHS Relay [X.400:1984] {P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13 AND ATS:1-14

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-006 MHS Product ID: 149

Supplier: UNISYS Corporation
8008 West Park Drive
McLean, VA 22102
Contact: Dale Pluta
Tel: (703) 556-5682 Fax: (703) 556-5172
GOSIP Product Name: A-Series OSI-MHS
Version/Release: 2.0.048
Release Date: 17-DEC-92
Additional Info: Used in conjunction with A-Series/CP2000 OSI-IPC Software, Version 30.00.199, 11-Dec-92.
Registration:
Date: 04-MAY-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: A-Series/CP2000
- A-Series System Software Ver 4.0
- CP2000 Operating Software Ver 3.0
Connectivity: TP4-CLNS/CLNP/LAN
Underlying Stack: A-Series/CP2000 OSI-IPC (TP4-CLNS/CLNP). CP2000 Operating Software (LAN)
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13, ATS:1-14, ATS:1-15

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-006 MHS Product ID: 163

Supplier: UNISYS Corporation
8008 West Park Drive
McLean, VA 22102
Contact: Dale Pluta
Tel: (703) 556-5682 Fax: (703) 556-5172
GOSIP Product Name: A-Series OSI-MHS
Version/Release: Ver 2.0.048
Release Date: 17-DEC-92
Additional Info: In conjunction with A-Series CP/2000 OSI-IPC Software Ver 30.00.200, Rel 05-JAN-93
Registration:
Date: 18-JUN-93 Basis: DERIVED
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: A-Series/CP2000
- A-Series System Software Ver 4.0
- CP2000 Operating Software Ver 3.0
Connectivity: TP4-CONS/WAN
TP0/WAN

Underlying Stack: A-Series/CP2000 OSI-IPC Software/CP2000 X.25; A-Series/CP2000 OSI-IPC Unisys Product 113/P4.3
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13, ATS:1-14 and ATS:1-15

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-006 WAN Product ID: 74

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz
Tel: (703) 556-5665 Fax: (703) 556-5172
GOSIP Product Name: DDP-PPC & OS 1100 OSI-MHS
Version/Release: Ver DDP-PPC 5RIA + PCR 987
Release Date: 30-MAR-92
Additional Info: None
Registration:
Date: 16-OCT-92 Basis: DERIVED
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: Model 1100/90 or any 2200 System using OS1100 EXEC Ver 43R2 and DCP-15 through DCP-55 using DCP/OS Ver 5R2A and TELCON V 9R1A
Connectivity: TP4-CLNS/CLNP/WAN, TP4-CONS/WAN or TP0/WAN
Underlying Stack: A-Series/CP2000 OSI-IPC V 30.00.199 (TP4/CLNP). [ISO 8208] X.25 DCP OSITS, V 2RIA(TP4). [ISO 8208] X.25 CMS 1100/OSITS V 7R2B(TP0). [ISO 8208] X.25
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13, ATS:1-14 AND ATS:1-15

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-006 MHS Product ID: 61

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz
Tel: (703) 556-5665 Fax: (703) 556-5172
GOSIP Product Name: OS1100 OSI-MHS DDP-PPC: 5RIA & PCR 987
Version/Release: Ver OSI-HS 2R1B
Release Date: 06-MAY-92
Additional Info: None

Registration:
Date: 10-SEP-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: 1100/90 and 2200 Series Processors, OS1100 Exec. Ver 43R2
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: CMS 1100 7R2B + PCR 15312(TP4). OSITS 2RIA + PCR 192, 193, 194, 197 CMS 1100 7R2B + PCR 15312 (CLNP). DCP 802.3 LAN Line Module (LAN)
Protocols and Profiles: MHS/(Session)
MHS [X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
ATS Used: ATS:1-13, ATS:1-14 AND ATS:1-15

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-007 FTAM Product ID: 113

Supplier: Bull Information Systems, Incorporated
13430 North Black Canyon Highway
Phoenix, AZ 85029
Contact: Oscar V Hefner
Tel: (602) 862-6001 Fax: (602) 862-6051

GOSIP Product Name: FTAMX
Version/Release: Ver 02.01.06
Release Date: 01-AUG-92
Additional Info: None

Registration:
Date: 18-DEC-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: DPX/2 200, O/S B.O.S. 2

Connectivity: Session/TP4-CLNS/CLNP/LAN

Underlying Stack: LT-610, Bull Information Systems

Protocols and Profiles: FTAM [ISO 8571:1988] {T1, M1}

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0370
Conformance Expert Center for OSI Bull - CECOB
Rue Jean Jaures, B.P. 68
78430 Les Clayes/Bois

Product Code/Type: P-007 FTAM Product ID: 220

Supplier: Data General Corporation
4400 Computer Drive
Westboro, MA 01580
Contact: Peter Conway
Tel: (508) 898-7176 Fax: (508) 898-4212
GOSIP Product Name: FTAM AViiON Systems
Version/Release: Version 3.30
Release Date: 01-OCT-93
Additional Info: Model AV8500 tested. Vendor claims support for other hardware models as listed.
Registration:
Date: 08-FEB-94 Basis: DERIVED
Type: PROV, GOSIP Version 2

Hardware/Operating System Platforms: HW: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000 OS: DG/UX System for AViiON Computers, Revision 5.4R2.10
Connectivity: TP4-CLNS/CLNP/WAN

Underlying Stack: OSI Platform for AViiON Systems

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1, M1}
FTAM ACSE [ISO 10607-1:1990]
FTAM Presentation [ISO 10607-1:1990] {ASN.1}
ATS Used: ATS:2-16.2

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-007 FTAM Product ID: 90

Supplier: Data General Corporation
4400 Computer Drive, MS/D216
Westborough, MA 01580
Contact: Charles Stakus
Tel: (508) 870-6392 Fax: (508) 898-4694
GOSIP Product Name: FTAM For AViiON Systems
Version/Release: Ver 3.10
Release Date: 01-AUG-92
Additional Info: None

Registration:
Date: 13-NOV-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: AViiON 5000/6000 Series DG/UX System for AViiON Systems Rev. 5.4.1

Connectivity: Session/TP4-CLNS/CLNP/LAN

Underlying Stack: OSI/Platform for AViiON Systems

Protocols and Profiles: FTAM [ISO 8571:1988] {T1, M1}

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0391
Data General Corporation, OSI Conformance Test Center
4400 Computer Drive, MS/D216
Westborough, MA 01580

Product Code/Type: P-007 FTAM Product ID: 205

Supplier: Data General Corporation
4400 Computer Drive
Westboro, MA 01580
Contact: Peter Conway
Tel: (508) 898-7176 Fax: (508) 898-4212
GOSIP Product Name: FTAM for AViiON Systems
Version/Release: Version 3.30
Release Date: 01-OCT-93
Additional Info:

Registration:
Date: 15-DEC-93 Basis: BASE
Type: PROV, GOSIP Version 2

Hardware/Operating Systems Platforms: HW: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000
OS: DG/UX System for AViiON Computers, Revision 5.4R2.10
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: OSI/Platform for AViiON Systems

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1, M1}
FTAM ACSE [ISO 10607-1:1990]
FTAM Presentation [ISO 10607-1:1990] {ASN.1}
ATS Used: ATS:2-16.12, ATS:2-16.10, ATS:2-16.11, ATS:2-16.9,

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-007 FTAM Product ID: 130

Supplier: Digital Equipment Corp
550 King Street
Littleton, MA 01460-1289
Contact: Richard A Duhamel
Tel: (508) 486-5021 Fax: (508) 486-7417
GOSIP Product Name: DECnet/OSI for OpenVMS
Version/Release: Ver V5.5
Release Date: 09-NOV-92
Additional Info: None

Registration:
Date: 13-JAN-93 Basis: DERIVED
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: Digital VAX VMS Ver 5.5
Connectivity: Session/TP4-CLNS/CLNP/LAN

Underlying Stack: DECNet - OSI for Open VMS VAX Ver 5.5/VOTS Ver 3.0A
Protocols and Profiles:
FTAM [ISO 8571:1988] {T1} Simple File Transfer Protocol
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Product Code/Type: P-007 FTAM Product ID: 53

Supplier: Digital Equipment Corporation
550 King Street
Littleton, MA 01460-1289
Contact: Ladan Porooshani
Tel: (508) 486-7123 Fax:
GOSIP Product Name: DECNET-VAX (TM) Extensions Ver 5.4A/VAX FTAM Ver 2.0A
Version/Release: Ver 2.0A
Release Date: 01-MAR-92
Additional Info: None
Registration:
Date: 16-AUG-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: Digital VAX with VMS V5.4 and DECNET-VAX V5.4 Extensions
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: DECNet - OSI for OpenVMS VAX Ver 5.5/VOTS Ver 3.0A
Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0362
Digital Equipment Corporation, OSI Conformance Interoperability Test Center
550 King Street, MS LKG2A-R05
Littleton, MA 01460-1289

Product Code/Type: P-007 FTAM Product ID: 63

Supplier: Encore Computing Corporation
6901 West Sunrise Boulevard
Ft. Lauderdale, FL 33313-4499
Contact: Augie Gonzales
Tel: (305) 587-2900 Fax: (305) 797-5807
GOSIP Product Name: EnComm FTAM
Version/Release: Ver 2.0.1
Release Date: 01-SEP-92
Additional Info: None

Registration:
Date: 23-SEP-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
Encore Infinity 90 Series GPIO I, O/S UMAX Ver 3.0.7
Connectivity: TP4-CLNS/CLNP/LAN
Underlying Stack: Encore Infininty 90 Series GPIO I

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-007 FTAM Product ID: 32

Supplier: Hewlett-Packard Company
19420 Homestead Road
Cupertino, CA 95014-9810
Contact: Murali Subbarao
Tel: (408) 447-2822 Fax: (408) 447-3660
GOSIP Product Name: HP FTAM/9000 Series 800
Version/Release: Ver C.02.03
Release Date: 10-JUN-91
Additional Info: None

Registration:
Date: 30-JAN-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: HP9000 Series 800 computers which support LAN/9000 link product; HP-UX Operating System, Version 8.0
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: Unknown. Documentation was not retained.

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0365
Hewlett-Packard Company, OSI Conformance Test Center
19420 Homestead Road, MS 43UJ
Cupertino, CA 95014-9810

Product Code/Type: P-007 FTAM Product ID: 135

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467
GOSIP Product Name: IBM AIX OSI MESSAGING AND FILING / 6000
Version/Release: Ver 1
Release Date: 01-DEC-90
Additional Info: None
Registration:
Date: 25-FEB-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
IBM AIX/6000, Ver 3.1.5, O/S RISC System 6000
Connectivity: TP4-CLNS/CLNP/LAN
Underlying Stack: None

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0392
IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome

Product Code/Type: P-007 FTAM Product ID: 166

Supplier: IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome Italy
Contact: Alberto Sinibaldi
Tel: 39 6 5966-2281 Fax: 39 6 5966-2467
GOSIP Product Name: IBM OSI/File Services
Version/Release: Version 1 Release 1
Release Date: 01-JUN-90
Additional Info: Must be used with OSI/Communications Subsystem Version 1 Release 1.1, 01-DEC-90
Registration:
Date: 24-JUN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: (1) HW: IBM Systems 370/390 (1) OS: IBM MVS/ESA Ver 3 Rel 1
Connectivity: TP4-CONS/WAN

Underlying Stack: IBM OSI/Communications Subsystem V1R1.1
IBM X.25 NCP Packet Switching Interface V3R4

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0392
IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44
00143 Rome

Product Code/Type: P-007 FTAM Product ID: 215

Supplier: International Business Machines Corporation
Via Paolo Di Dono, 44
Rome 00143 Italy
Contact: Alberto Sinibaldi
Tel: (39-6)596-62281 Fax: (39-6)596-62467
GOSIP Product Name: OSI File Services/400
Version/Release: Version 2 Release 3
Release Date: 01-DEC-93
Additional Info: Must be used with OSI Communications Subsystem/400, Version 2 Release 3, December 1993
Registration:
Date: 13-JAN-94 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: HW: AS/400 OS: OS/400 Version 2 Release 3
Connectivity: TP0/WAN
Underlying Stack: OSI Communications Subsystem/400, Version 2 Release 3, December 1993 and AS/400 X.25 Communication Support, Version 2 Release 3, GOSIP Product ID: 183

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16
Conformance Lab: NVLAP# 0392
IBM Rome Networking Systems Laboratory
Via Paolo Di Dono 44 00143 Rome

Product Code/Type: P-007 FTAM Product ID: 52

Supplier: NCR
9900 Old Grove Road
San Diego, CA 92131
Contact: Wendy Morrison
Tel: (619) 693-5665 Fax: (619) 693-5705
GOSIP Product Name: NCR OSI STAR PRO FTAM
Version/Release: Ver 2.00.00
Release Date: 01-JUL-92
Additional Info: None

Registration:
Date: 07-AUG-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: HW: NCR System 3000 consisting of following hardware mods: 3320, 3340, 3345, 3447, 3450, 3550, and 3600 OS: NCR UNIX SVR4, (MP-RAS), Rel 2
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: Product ID# 51: NCR UNIX OSI Network Services, Ver 2.00.02
Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0363
Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax, VA 22031

Product Code/Type: P-007 FTAM Product ID: 48

Supplier: Novell Incorporated
2180 Fortune Drive
San Jose, CA 95131
Contact: Jan Provan
Tel: (408) 473-8422 Fax: (408) 433-9827
GOSIP Product Name: NETWARE FTAM
Version/Release: Ver 1.2 Rev B
Release Date: 20-APR-92
Additional Info: None
Registration:
Date: 24-JUN-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: FTAM Initiator Hub and Responder AST Premium 386/33; Netware 3.11; Novell Ethernet Card FTAM Initiator Executable AST Premium 386/33; DOS 3.3; Novell NE2000 Ethernet Card
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: Unknown. Documentation was not retained.
Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-007 FTAM Product ID: 134

Supplier: Retix
2401 Colorado Avenue
Santa Monica, CA 90404
Contact: Jeff Stone
Tel: (310) 828-3400 Fax: (310) 828-2255
GOSIP Product Name: Retix FTAM FT-820
Version/Release: Ver 1.80
Release Date: 01-OCT-92
Additional Info: None

Registration:
Date: 01-FEB-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: Tatung (Intel 386), O/S UNIX System V Rel 3.2 (SCO Ver 4.0)

Connectivity: TP4-CLNS/CLNP/WAN

Underlying Stack: Retix LT-610

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-007 FTAM Product ID: 126

Supplier: Retix
2401 Colorado Avenue
Santa Monica, CA 90404
Contact: Jeff Stone
Tel: (310) 828-3400 Fax: (310) 828-2255
GOSIP Product Name: Retix FTAM Model FT-820
Version/Release: Ver 1.80
Release Date: 01-OCT-92
Additional Info: None

Registration:
Date: 21-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: Intel 486 Alpha Systems Lab UNIX System V Rel 3.2

Connectivity: Session/TP4-CLNS/CLNP/LAN

Underlying Stack: Retix LT-610

Protocols and Profiles:
FTAM [ISO 8571:1988] {T1} Simple File Transfer Protocol

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-007 FTAM Product ID: 68

Supplier: SUN MicroSystems, Inc. International Centre for Network Computing
32 Rue du Vieux Chene
F-38240 Meylan France
Contact: Tom Hull
Tel: +33 76 41 42 18 Fax: +33 76 41 42 41
GOSIP Product Name: SUNNET OSI FTAM
Version/Release: Ver 7.1
Release Date: 01-OCT-92
Additional Info: None

Registration:
Date: 14-OCT-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: SUN 4
SUN O/S 4.0.3, 4.1, 4.1.1, 4.1.2
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SUNNet OSI 7.0

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-007 FTAM Product ID: 86

Supplier: SUN MicroSystems, Inc. International Centre for Network Computing
32 Rue du Vieux Chene
F-38240 Meylan France
Contact: Tom Hull
Tel: +33 76 41 42 18 Fax: +33 76 41 42 41
GOSIP Product Name: SUNNET OSI FTAM
Version/Release: Ver 7.1
Release Date: 01-OCT-92
Additional Info: None

Registration:
Date: 25-NOV-92 Basis: DERIVED
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: SUN 4
SUN O/S 4.0.3, 4.1, 4.1.1, 4.1.2
Connectivity: TP0/WAN

Underlying Stack: SUNNet X.25

Protocols and Profiles:
FTAM [ISO 8571:1988] {T1} Simple File Transfer Protocol

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0357
National Computing Centre Limited
Oxford Road Manchester M17ED

Product Code/Type: P-007 FTAM Product ID: 156

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SUNLink OSI FTAM
Version/Release: Ver 8.0
Release Date: 04-AUG-92
Additional Info: None

Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating Systems Platforms: HW: SPARCstation 4/30
OS: Solaris 2.1

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SUNLink OSI 8.0

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-007 FTAM Product ID: 159

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SUNLink OSI FTAM
Version/Release: Ver 8.0
Release Date: 04-AUG-93
Additional Info: None
Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: HW: SPARCstation 10
Model 42 OS: Solaris 2.1
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SUNLink OSI 8.0

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-007 FTAM Product ID: 158

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SUNLink OSI FTAM
Version/Release: Ver 8.0
Release Date: 04-AUG-93
Additional Info: None

Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: HW: SPARCstation 10
Model 41 OS: Solaris 2.1
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SUNLink OSI 8.0

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-007 FTAM Product ID: 157

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SUNLink OSI FTAM
Version/Release: Ver 8.0
Release Date: 04-AUG-93
Additional Info: None

Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: HW: SPARCstation 10
Model 30 OS: Solaris 2.1
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: SUNLink 8.0

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-007 FTAM Product ID: 160

Supplier: SUN Microsystems Federal, Incorporated
2650 Park Tower Drive, Suite 500
Vienna, VA 22180-7306
Contact: Michael Barnes
Tel: (703) 204-4100 Fax: (703) 204-4782
GOSIP Product Name: SUNLink OSI FTAM
Version/Release: Ver 8.0
Release Date: 04-AUG-93
Additional Info: None

Registration:
Date: 04-JAN-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms:
RDI BrightLite IPX Color Laptop Workstation
Solaris 2.1
Connectivity: TP4-CLNS/CLNP/LAN
Underlying Stack: SUNLink OSI 8.0

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0364
CDA, Incorporated
8301 Greensboro Drive, #350
McLean, VA 22102-3603

Product Code/Type: P-007 FTAM Product ID: 146

Supplier: UNISYS Corporation
8008 West Park Drive
McLea, VA 22102
Contact: Dale Pluta
Tel: (703) 556-5682 Fax: (703) 556-5172
GOSIP Product Name: A-Series OSI FTAM
Version/Release: Ver 40.400.0008
Release Date: 16-NOV-92
Additional Info: In conjunction with A-Series/CP2000 OSI-IPC Ver 30.00.199, Rel 11-Dec-92
Registration:
Date: 13-APR-93 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: A6
A-Series System Ver 4.0
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: A-Series/CP2000 OSI-IPC Ver 30.00.199 11-DEC-92
Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-007 FTAM Product ID: 150

Supplier: UNISYS Corporation
8008 West Park Drive
McLean, VA 22102
Contact: Dale Pluta
Tel: (703) 556-5682 Fax: (703) 556-5172
GOSIP Product Name: A-Series OSI-FTAM Product 115/P7.1a
Version/Release: Ver 40.400.0008
Release Date: 16-NOV-92
Additional Info: Session Layer is not registered at the request of the vendor UNISYS
Registration:
Date: 06-MAY-93 Basis: DERIVED
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: A6
A-Series System Ver 4.0
Connectivity: TP4-CONS/WAN

Underlying Stack: Unisys Product 113/P4.2

Protocols and Profiles: FTAM/(ACSE)/(Presentation)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS16

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-007 FTAM Product ID: 75

Supplier: UNISYS Corporation
8008 Westbrook Drive
McLean, VA 22102
Contact: Keith Fretz
Tel: (703) 556-5665 Fax: (703) 556-5172
GOSIP Product Name: OSI-FTAM
Version/Release: Rel 2R1A
Release Date: 03-MAY-92
Additional Info: None

Registration:
Date: 16-OCT-92 Basis: DERIVED
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: 1100/90 and all 2000 Series Systems, OS1100, Release 43R1
Connectivity: TP4-CLNS/CLNP/WAN

Underlying Stack: CP 2000 X.25

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-007 FTAM Product ID: 80

Supplier: UNISYS Corporation
2450 Swedesford Road
Paoli, PA 19301
Contact: Ed Kelly
Tel: (215) 993-7208 Fax:
GOSIP Product Name: OSI-FTAM
Version/Release: Rel 2R1A
Release Date: 03-MAY-92
Additional Info: None

Registration:
Date: 01-SEP-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: 1100/90 and all 2000 Series Systems OS1100 Release 43R1 DCP-15 through DCP-55, DCP/OS Ver 5R2A/TELCON Ver 9R1A
Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: DCP OSITS

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]
ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

Product Code/Type: P-007 FTAM Product ID: 60

Supplier: UNISYS Corporation
2450 Swedesford Road
Paoli, PA 19301
Contact: Ed Kelly
Tel: (215) 993-7208 Fax:

GOSIP Product Name: OSI-FTAM
Version/Release: Rel 2R1A
Release Date: 03-MAY-92
Additional Info: None

Registration:
Date: 10-SEP-92 Basis: BASE
Type: PROV, GOSIP Version 1

Hardware/Operating System Platforms: 1100/90 and all 2000 Series Systems OS1100 Release 43R1 DCP-15 through DCP-55, DCP/OS Ver 5R2A/TELCON Ver 9R1A

Connectivity: TP4-CLNS/CLNP/LAN

Underlying Stack: CMS 1000 7R2B PLS PCR 15312

Protocols and Profiles: FTAM/(ACSE)/(Presentation)/(Session)
FTAM [ISO 8571:1988] {T1}
FTAM ACSE [ISO 8650:1988]
FTAM Presentation [ISO 8823:1988]

ATS Used: ATS:1-16

Conformance Lab: NVLAP# 0367
UNISYS - Open Systems Interconnection Laboratory
P.O. Box 203, 2450 Swedesford Road
Paoli, PA 19301

5.4.4 REGISTER OF GOSIP INTEROPERABILITY TEST SUITES

Test Suites for the GOSIP Interoperability Testing provisions are listed here. Entries on this register are Provisional, valid until December 31, 1994.

ITS-1 X.400

OSINET, Message Handling Systems Interoperability Tests, Version 1, Edition 2, September 1990, available from: OSINET Corporation, 1750 Old Meadow Road Suite 400, McLean, VA 22102, Tel. (703) 883-2797

ITS-2 FTAM

OSINET, File Transfer, Access and Management Interoperability Tests, Version 1, Edition 2, June 1990, available from: OSINET Corporation, 1750 Old Meadow Road Suite 400, McLean, VA 22102, Tel. (703) 883-2797

5.4.5 REGISTER OF GOSIP INTEROPERABILITY TEST AND REGISTRATION SERVICES

Interoperability Test and Registration Services which meet the GOSIP Interoperability Testing provisions are listed here. Entries on this register are Provisional.

ITRS-1 OSINET
c/o Corporation for Open Systems International
1750 Old Meadow Road Suite 400, McLean, VA 22102
Tel: (703) 883-2797

ITRS-2 Process to Support Interoperability (PSI)
SPAG, PSI Operator, SPAGsa
Avenue Louise 165, Box 6,B-1050 Brussels, Belgium
Tel. 32 2 645 7811
Fax. 32 2 645 0879

5.4.6REGISTER OF GOSIP MEANS OF TESTING GOSIP VERSION 1

MEANS OF TESTING REGISTER: WIDE AREA NETWORK

MOT 1-1 WAN TEST SYSTEMS

NOTE: Wide Area Test Systems registered under GOSIP Version 1 were deleted from the Register as of March 14, 1993.

MEANS OF TESTING REGISTER: LOCAL AREA NETWORK

NOTE: Local Area Test Systems registered under GOSIP Version 1 and not related to FTAM or MHS were deleted from the Register as of March 14, 1993.

MOT 1-2 LAN TEST SYSTEMS

Supplier: Corporation for Open Systems
1750 Old Meadow Road
McLean, VA 22102
USA

Contact: Andrea Reitzel Tel (703) 205-2809
Fax (703) 848-4572

Test System Name, Release and Date:
COS 802.3 Test System, Ver 1.0, May 1989.

Hardware and Operating System Platform(s):
HP 16500A Logic Analyzer System Mainframe, Ver 2.0
HP 16531A 400 Mhz Scope Card, Ver 2.01
HP 16530A Timebase Card, Ver 2.0
HP 8656B Signal Generator, options 001 & 002
HP 8770A Arbitrary Waveform Synthesizer
HP 4972A LAN Protocol Analyzer with RS-232C Option, Ver B.04.01

Base/Derived: Base

Connectivity: 8802-3, Physical

Underlying Stack:

Protocols and Profiles:
MAC[ISO 8802-3] (Physical Layer Signalling)

Abstract Test Suite used: ATS:1-3

Date Registered: October 30, 1990

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MOT 1-2 LAN TEST SYSTEMS

Supplier: Corporation for Open Systems
1750 Old Meadow Road
McLean, VA 22102
USA

Contact: Andrea Reitzel Tel (703) 205-2809
Fax (703) 848-4572

Test System Name, Release and Date: COS 802.2/802.3 10Base5 Layer 2 Test System, Ver 1.1, May 1989.

Hardware and Operating System Platform(s):
MS-DOS 3.1, IBM PC/AT Compatible
HP 4972A LAN Protocol Analyzer with RS-232C Option, Ver B.04.01
HP 8568B Signal Generator
HP 8770A Arbitrary Waveform Synthesizer
HP 16500A Logic Analyzer

Base/Derived: Base

Connectivity: MAC[802.3], Physical

Underlying Stack:

Protocols and Profiles: LLC1[8802-2]/MAC[8802-3]

Abstract Test Suite used: ATS:1-3 and ATS:1-6

Date Registered: October 30, 1990

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MOT 1-2 LAN TEST SYSTEMS

Supplier: Corporation for Open Systems
1750 Old Meadow Road
McLean, VA 22102
USA

Contact: Andrea Reitzel Tel (703) 205-2809
Fax (703) 848-4572

Test System Name, Release and Date:
COS 802.2/802.3 10Base5 Layer 2 Test System, Ver 1.4 December 01, 1990

Hardware and Operating System Platform(s):
MS-DOS 3.1, IBM PC/AT Compatible
HP 4972A LAN Protocol Analyzer with RS-232C Option, Ver B.04.01
HP 8568B Signal Generator
HP 8770A Arbitrary Waveform Synthesizer
HP 16500A Logic Analyzer

Base/Derived: Derived

Connectivity: MAC[802.3], Physical

Underlying Stack:

Protocols and Profiles:
LLC1[ISO 8802-2]/MAC[ISO 8802-3]

Abstract Test Suite used: ATS:1-3 and ATS:1-6

Date Registered: July 21, 1992

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MEANS OF TESTING REGISTER: CLNP

MOT 1-3 CLNP TEST SYSTEMS

NOTE: CLNP Test Systems registered under GOSIP Version 1 were deleted from the Register as of March 14, 1993.

MEANS OF TESTING REGISTER: TRANSPORT

MOT 1-4 TRANSPORT TEST SYSTEMS

NOTE: Transport Test Systems registered under GOSIP Version 1 were deleted from the Register as of March 14, 1993.

MEANS OF TESTING REGISTER: SESSION

MOT 1-5 SESSION TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway
Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE, Session
Ver 1.1
January 30, 1992

Hardware and Operating System Platform(s):
80386 PC, Interactive 386/iX UNIX Ver 2.2
Twice source code modified Alcatel TITN Answare for X.25

Base/Derived: Derived

Connectivity: TP4-CLNS/CLNP{ES}/LAN
TP0/WAN
TP0/X.25/PLP/HDLC/RS-232C

Protocols and Profiles:
[ISO 8327] SESSION/FULL SESSION

Abstract Test Suite used: ATS:1-10

Date Registered: August 03, 1992

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MEANS OF TESTING REGISTER: SESSION

MOT 1-5 SESSION TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester, M1 7ED
United Kingdom
U.S. Contact: Andrea Reitzel Tel (703) 205-2809
U.K. Contact: Peter Bird Tel (44) 61 228-6333
Test System Name, Release and Date:
NCC:COS Session Tester Ver 1.0
August 01, 1991

Hardware and Operating System Platform(s):
SUN 3 Series, SUN OS 4.1.1 or later
SUN 4 Series, SUN OS 4.1.1 or later

Base/Derived: Derived

Connectivity: TP0/X.25 PLP/X.25 LAP-B/RS-232C; TP2/X.25 PLP/X.25 LAP-B/V.35; TP4/X.25 PLP/X.25 LAP-B; TP4-CLNS/CLNP{ES}/LLC1{802.2}/MAC{802.3}; TP4-CLNS/CLNP{ES}/X.25 PLP/X.25 LAP-B
Protocols and Profiles: [ISO 8327] Session/Full Session

Abstract Test Suite used: ATS:1-10

Date Registered: July 14, 1992

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MEANS OF TESTING REGISTER: MHS

MOT 1-6 MHS TEST SYSTEMS

Supplier: GSI-Danet Incorporated
1380 Old Freeport Road
Pittsburgh, PA 15238
Contact: Hans-Ludwig Heil Tel (412) 967-0834
Test System Name, Release and Date:
OSITEST/400, Ver 3.3
July 01, 1990

Hardware and Operating System Platform(s):
SUN 3 Series, SUN OS 3.5
SUN 4 Series, SUN OS 4.1
DEC MicroVAX, ULTRIX 2.2
Base/Derived: Base

Connectivity: Session/TP0/X.25 PLP/X.25 LAP-B/RS-232C
Session/TP0/X.25 PLP/X.25 LAP-B/V.35
Session/TP4/CLNP{ES}/LLC1{8802.2}/MAC{8802.3}
Underlying Stack:

Protocols and Profiles:
MHS-84[X.400]{P2,P1,RTS}
MHS-84 Relay[X.400]{P1,RTS}
MHS Session[X.410:1984]
Abstract Test Suite used: ATS:1-13, ATS:1-14, ATS:1-15

Date Registered: September 30, 1990

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MEANS OF TESTING REGISTER: MHS

MOT 1-6 MHS TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester, M1 7ED
United Kingdom
U.S. Contact: Andrea Reitzel Tel (703) 205-2809
Fax (703) 846-8590
U.K. Contact: Peter Bird Tel (44) 61 228-6333
Test System Name, Release and Date:
NCC:COS MHS Tester, Ver 2.2.2 July 01, 1991
Hardware and Operating System Platform(s):
SUN 4 Series, SUN OS 4.1
Base/Derived: Derived
Connectivity: Session/TP0/X.25 PLP/X.25 LAP-B/RS-232C
Session/TP0/X.25 PLP/X.25 LAP-B/V.35
Session/TP4/CLNP/X.25 PLP/X.25 LAP-B/RS-232C
Session/TP4/CLNP/X.25 PLP/X.25 LAP-B/V.35
Session/TP4/CLNP/LLC1[8802-2]/MAC[8802-3]
Session/TP4/CLNP/LLC1[8802-2]/MAC[8802-4]
Underlying Stack:
Protocols and Profiles:
MHS-84[X.400] {P2,P1,RTS}
MHS-84 Relay[X.400] {P1,RTS}
MHS Session[X.410:1984]
Abstract Test Suite used: ATS:1-13, ATS:1-14, ATS:1-15

Date Registered: August 19, 1991
Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MEANS OF TESTING REGISTER: FTAM

MOT 1-7 FTAM TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
12030 Sunrise Valley Drive
Reston, VA 22091
Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804
Test System Name, Release and Date:
XRTLE, FTAM Ver 1.0
April 10, 1991
Hardware and Operating System Platform(s):
SUN 3 Series, SUN O.S. 4.0.3
SUN 4 Series, SUN O.S. 4.1
Base/Derived: Derived

Connectivity:
SESSION/TP0/X.25 PLP/X.25 LAP-B/RS-232C
SESSION/TP0/X.25 PLP/X.25 LAP-B.V.35
SESSION/TP4/X.25 PLP/X.25 LAP-B/V.35
SESSION/TP4/X.25 PLP/X.25 LAP-B/RS-232C
SESSION/TP4/CLNP/LLC1[802.2]/MAC[802.3]
Underlying Stack:

Protocols and Profiles:
FTAM[ISO 8571]
Abstract Test Suite used: ATS:1-16

Date Registered: June 04, 1991

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MOT 1-7 FTAM TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804
Test System Name, Release and Date:
XRTLE, FTAM Ver 1.2 January 30, 1992

Hardware and Operating System Platform(s):
80386 PC, Interactive 386/iX UNIX Ver 2.2

Base/Derived: Derived

Connectivity:
Session/TP4/CLNP/LLC1[802.2]/MAC[802.3]
Session/TP0/X.25 PLP/HDLC/RS-232C
Session/TP4/X.25 PLP/X.25 LAP-B/RS-232C and V.35

Underlying Stack:

Protocols and Profiles: FTAM[ISO 8571]

Abstract Test Suite used: ATS:1-16

Date Registered: August 03, 1992

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MEANS OF TESTING REGISTER: FTAM

MOT 1-7 FTAM TEST SYSTEMS

Supplier: GSI-Danet Incorporated
1380 Old Freeport Road
Pittsburgh, PA 15238

Contact: Hans-Ludwig Heil Tel (412) 967-0834

Test System Name, Release and Date:
OSITEST/FTAM, Ver 2.4 July 01, 1990

Hardware and Operating System Platform(s):
SUN 3 Series, SUN OS 3.5
SUN 4 Series, SUN OS 4.1
DEC MicroVAX, ULTRIX 2.2

Base/Derived: Base

Connectivity: Session/TP0/WAN
Session/TP4/CLNP/LAN

Protocols and Profiles:
ISO 8571 FTAM; ISO 8823 Presentation; ISO 8650 ACSE
FTAM Session[ISO 10607-1:1990]

Abstract Test Suite used: ATS:1-16

Date Registered: September 30, 1990

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MOT 1-7 FTAM TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester, M1 7ED
United Kingdom
U.S. Contact: Andrea Reitzel Tel (703) 205-2809
Fax (703) 846-8590
U.K. Contact: Peter Bird Tel (44) 61 228-6333

Test System Name, Release and Date:
NCC:COS FTAM Tester, Ver 2.2.2 July 01, 1991

Hardware and Operating System Platform(s):
SUN 4 Series, SUN OS 4.1
Base/Derived: Derived

Connectivity: Session/TP0/X.25 PLP/HDLC LAP-B/RS-232C
Session/TP0/X.25 PLP/HDLC LAP-B/V.35
Session/TP4/CLNP/X.25 PLP/HDLC LAP-B/RS-232C
Session/TP4/CLNP/X.25 PLP/HDLC LAP-B/V.35
Session/TP4/CLNP/MAC[802.3]/LLC1[802.2]
Session/TP4/CLNP/MAC[8802-4]/LLC1[8802-2]

Protocols and Profiles: FTAM[ISO 8571]; Presentation[ISO 8823];
ACSE[ISO 8650]; FTAM Session[ISO 8327: 1987]
Abstract Test Suite used: ATS:1-16

Date Registered: August 01, 1991

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MOT 1-7 FTAM TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester, M1 7ED
United Kingdom
U.S. Contact: Andrea Reitzel Tel (703) 205-2809
Fax (703) 846-8590
U.K. Contact: Peter Bird Tel (44) 61 228-6333

Test System Name, Release and Date:
NCC:COS FTAM Tester, Ver 2.3.1 March 18, 1992

Hardware and Operating System Platform(s):
SUN 3 Series, SUN OS 4.1 or later
SUN 4 Series, SUN OS 4.1 or later
Base/Derived: Derived

Connectivity: ACSE/Presentation/Session/TP0/X.25 PLP/X.25 LAP-B
ACSE/Presentation/Session/TP2/X.25 PLP/X.25 LAP-B
ACSE/Presentation/Session/TP4/X.25 PLP/X.25 LAP-B
ACSE/Presentation/Session/TP4/CLNP

Protocols and Profiles:
FTAM[ISO 8571]; Presentation[ISO 8823]; ACSE[ISO 8650]
FTAM Session Platform[ISO 8327: 1987]
Abstract Test Suite used: ATS:1-16

Date Registered: April 23, 1992

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

MOT 1-7 FTAM TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester, M1 7ED
United Kingdom

U.S. Contact: Andrea Reitzel Tel (703) 205-2809
U.K. Contact: Peter Bird Tel (44) 61 228-6333

Test System Name, Release and Date:
NCC:COS FTAM Tester,
Ver 2.4
March 05, 1992

Hardware and Operating System Platform(s):
SUN 3 Series, SUN OS 4.1 or later
SUN 4 Series, SUN OS 4.1 or later

Base/Derived: Derived

Connectivity: Session/TP0/X.25 PLP/X.25 LAP-B
Session/TP2/X.25 PLP/X.25 LAP-B
Session/TP4/X.25 PLP/X.25 LAP-B
Session/TP4/CLNP

Protocols and Profiles: FTAM[ISO 8571]; ACSE[ISO 8650];
Presentation[ISO 8823]; FTAM Session[ISO 10607-1]

Abstract Test Suite used: ATS:1-16

Date Registered: July 14, 1992

Type of Registration and Expiration Date:
Provisional, until October 01, 1992 GOSIP Version 1

REGISTER OF GOSIP MEANS OF TESTING GOSIP VERSION 2

Means of Testing (MOT) for the GOSIP program of conformance testing are listed here. These MOTs relate to the protocols identified in FIPS 146-1 GOSIP Version 2. The type of registration and expiration date are listed with each MOT. For further details of each MOT listed, please contact the named supplier.

MEANS OF TESTING REGISTER: WIDE AREA NETWORKS

MOT 2-1 WIDE AREA NETWORK

Supplier: International Business Machines
P.O. Box 12195
Research Triangle Park, NC 27709

Contact: John G. Conner Tel (919) 254-2679
Fax

Test System Name, Release and Date:
Automated Protocol Test System/2 (APTS/2), Ver 1.1
August 03, 1992

Hardware and Operating System Platform(s):
IBM PS/2 Model 70, 80, or 90 with 8MB memory, OS/2 Ver 1.3

Base/Derived: Base

Connectivity: RS-232C, V.3

Protocols and Profiles:
X.25 PLP[8208] (X.25 LAP-B[7776]) {CCITT 1980, 1984, ISO 8208}

Abstract Test Suite used: ATS:2-1 (99.7%) and ATS:2-2 (100%) FULL X.25 WITH THE INCLUSION OF ANSI DEFECT REPORTS.

Date Registered: December 14, 1992

Type of Registration and Expiration Date:
FULL, until October 01, 1994 GOSIP Version 2

MOT 2-1 WIDE AREA NETWORK

Supplier: IBM Corporation
P.O. Box 12195
Research Triangle Park, NC 27709

Contact: John Lowman Tel (919) 543-1673
Fax (919) 254-2372

Test System Name, Release and Date:
Automated Protocol Test System/2 (APTS/2),
Ver 1.0
(X.25 PLP - X.25 LAP-B)
August 28, 1993

Hardware and Operating System Platform(s):
IBM PS/2 with OS/2 Version 2.0 or Version 2.1

Base/Derived: Derived

Connectivity: RS-232, V.35

Underlying Stack: None

Protocols and Profiles:
X.25 PLP/(X.25 LAP-B)
X.25 PLP [ISO 8208:1990]
X.25 HDLC/LAP-B [ISO 7776:1986]

Abstract Test Suite used: ATS:2-1A (99.7%) and ATS:2-2A (100%)

Date Registered: October 26, 1993

Type of Registration and Expiration Date:
Full, GOSIP Version 2

MOT 2-1 WIDE AREA NETWORK

Supplier: Hewlett-Packard Company
42115 Street
Edmonton, Alberta, T6E5R5
Canada

Contact: Bill Mortimer Tel (403) 462-4545
Fax

Test System Name, Release and Date:
ISO 8882 Test Suite
Ver 3.0
September 01, 1992

Hardware and Operating System Platform(s):
PT300, PT302, PT500, PT502, and PT540, O/S Ver 2.0

Base/Derived: Base

Connectivity: RS-232C, V.35

Protocols and Profiles:
X.25 PLP[8208]
(X.25 LAP-B[7776]) {CCITT 1980, 1984, ISO 8208}

Abstract Test Suite used: ATS:2-1 (99.7%) and ATS:2-2 (100%) FULL X.25 WITH THE INCLUSION OF ANSI DEFECT REPORTS.

Date Registered: January 29, 1993

Type of Registration and Expiration Date:
FULL, until October 01, 1994 GOSIP Version 2

MOT 2-1 WIDE AREA NETWORK

Supplier: Hewlett-Packard Company
42115 Street
Edmonton, Alberta, T6E5R5
Canada

Contact: Bill Mortimer Tel (403) 462-4545
Fax

Test System Name, Release and Date:
ISO 8882 Test Suite
Ver 3.1
February 01, 1993

Hardware and Operating System Platform(s):
PT300, PT302, PT500, PT502, and PT540, O/S Ver 2.0
(PT500/300), 2.7 (PT502/302) and 2.8 (PT540)

Base/Derived: Derived

Connectivity: RS-232C, V.35

Protocols and Profiles:
X.25 PLP[8208]
(X.25 LAP-B[7776]) {CCITT 1980, 1984, ISO 8208}

Abstract Test Suite used: ATS:2-1 (99.7%) and ATS:2-2 (100%) FULL X.25 WITH THE INCLUSION OF ANSI DEFECT REPORTS.

Date Registered: February 17, 1993

Type of Registration and Expiration Date:
FULL, until October 01, 1994 GOSIP Version 2

MOT 2-1 WIDE AREA NETWORK

Supplier: TEKELEC
26580 W. Agoura Road
Calabasas, CA 91302

Contact: Siamak Pousabahian Tel (818) 880-7952
Fax (818) 880-6993

Test System Name, Release and Date:
Chameleon 32 Plus, ISO 8882 Test Suite
Ver 1.0
July 14, 1992

Hardware and Operating System Platform(s):
Chameleon 32 Plus
MTOS-UX
Base/Derived: Base

Connectivity: RS-232C, V.35

Protocols and Profiles:
X.25 PLP/X.25 LAP-B
X.25 PLP[ISO 8208:1990] {CCITT 1984}
X.25 LAP-B[ISO 7776:1986] {CCITT 1984}

Abstract Test Suite used: ATS:2-1 (100%) and ATS:2-2 (100%) FULL X.25 WITH THE INCLUSION OF ANSI DEFECT REPORTS.

Date Registered: February 08, 1993

Type of Registration and Expiration Date:
FULL, until October 01, 1994 GOSIP Version 2

MOT 2-1 WIDE AREA NETWORK

Supplier: TEKELEC
26580 W. Agoura Road
Calabasas, CA 91302

Contact: Pierre Prescott Tel (880) 880-7780
Fax (818) 880-6993

Test System Name, Release and Date:
Chameleon 32 Plus, ISO 8882 Test Suite
Ver 2.0
December 17, 1992

Hardware and Operating System Platform(s):
Chameleon 32 Plus
MTOS-UX
Base/Derived: Derived

Connectivity: RS-232C, V.35

Protocols and Profiles:
X.25 PLP/X.25 LAP-B
X.25 PLP[ISO 8208:1990] {CCITT 1984}
X.25 LAP-B[ISO 7776:1986] {CCITT 1984}
Abstract Test Suite used: ATS:2-1 (100%) and ATS:2-2 (100%)

Date Registered: May 12, 1993

Type of Registration and Expiration Date:
FULL, until October 01, 1994 GOSIP Version 2

MEANS OF TESTING REGISTER: CLNP

MOT 2-3 CLNP TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21
CLNP Ver 1.1
January 29, 1992

Hardware and Operating System Platform(s):
80386 PC, Interactive 386/iX UNIX Version 2.2, 3.0, and 3.0.1 over (LAN) CMC 640 A.T. Type CMC
Base/Derived: Base

Connectivity: LLC1{802.2}/MAC{802.3}

Protocols and Profiles:
CLNP{ES}[ISO 8473]
Abstract Test Suite used: ATS:2-7 (90.9% With use of manual assessment)

Date Registered: January 11, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-3 CLNP TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester M1 7ED
United Kingdom

Contact: Peter Bird Tel (44) 612286333
Fax

Test System Name, Release and Date:
NCC IP (CLNP) Test System,
Ver 2.2.1
March 01, 1991
ITS Ver 2.3

Hardware and Operating System Platform(s):
SUN OS 4.1.2, SUN SPARCstation 330, SUNNET OSI Ver 7.0
Base/Derived: Base

Connectivity: LLC1{802.2}/MAC{802.3}

Protocols and Profiles:
CLNP{ES}[ISO 8473: 1988]
Abstract Test Suite used: ATS:2-7 (97.0% With use of manual assessment)

Date Registered: March 03, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2 (Level 1)

MEANS OF TESTING REGISTER: ES-IS(ES)

MOT 2-3 ES-IS TEST SYSTEMS

Supplier: Alcatel TITN, Inc.
7011 Koll Center Parkway, Suite 200
Pleasanton, California 94566-3101

Contact: Mr. Scott Schmitz
National Technical Manager
(703) 715-0800

Test System Name, Release and Date:
Alcatel TITN, Inc. XRTLE V5.20
ES-IS(ES) V1.1
June 1993.

Hardware and Operating System Platform:
PC 386/486
Interactive UNIX V2.2, V2.2.1, V3.0, V3.0.1

Base/Derived: Base

Connectivity: LLC1{802.2}/MAC{802.3}/10Base5

Underlying Stack: TWICE software modified by Alcatel TITN ANSWARE.

Protocols and Profiles: SIA VER 3:ES-IS{ES} [ISO 9542:1988]

Abstract Test Suite used: ATS:2-18

Percentage of ATCs Passed:
Literal Passes: 87%

Passes Based on
Manual Assessment: 8%

Total Percentage Passed: 95%

Date Registered: 01-OCT-93

Type of Registration: Provisional GOSIP V2
Expiration Date: _____

MEANS OF TESTING REGISTER: TRANSPORT

MOT 2-4 TRANSPORT TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101
Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804
Test System Name, Release and Date:
XRTLE Ver 4.21 TR02(TP0) Ver 1.1
(Transport Class 0) January 29, 1992

Hardware and Operating System Platform(s):
80386 based PC, Interactive 386/iX UNIX Ver 2.2
Base/Derived: Base

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:
TWICE Source code modified by Alcatel TITN ANSWARE

Protocols and Profiles:
Transport Class 0 [ISO 8073:1988]

Abstract Test Suite used: ATS:2-8 (87%, no additional test cases can be passed with manual assessment)

Date Registered: February 01, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-4 TRANSPORT TEST SYSTEMS

Supplier: Alcatel TITN, Inc.
7011 Koll Center Parkway, Suite 200
Pleasanton, California 94566-3101

Contact: Scott Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21 TR02(TP0) Ver 1.1
(Transport Class 0) January 29, 1992

Hardware and Operating System Platform(s):
SUN-3 or SUN-4 Workstations
SUN OS 4.1.1, 4.1.2, or 4.1.3
Base/Derived: Derived

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:
TWICE Source code modified by Alcatel TITN ANSWARE for X.25
Protocols and Profiles:
Transport Class 0 [ISO 8073:1988]
Abstract Test Suite used: ATS:2-8 (87%, no additional test cases can be passed with manual assessment)

Date Registered: December 3, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-4 TRANSPORT TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21 TR02(TP2) Ver 1.1
(Transport Class 2) January 29, 1992

Hardware and Operating System Platform(s):
80386 based PC
Interactive 386/iX UNIX Ver 2.2
Base/Derived: Base

Connectivity: X.25 PLP/X.25 LAP-B

Underlying Stack:
TWICE Source code modified by Alcatel TITN ANSWARE for X.25
Protocols and Profiles:
Transport Class 2 [ISO 8073:1988]
Abstract Test Suite used: ATS:2-20 (92.7%, 93.7% with use of manual assessment)

Date Registered: March 05, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-4 TRANSPORT TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21 TP4/CONS Ver 2.3
(Transport Class 4-CONS) January 29, 1992

Hardware and Operating System Platform(s):
80386 based PC
Interactive 386/iX UNIX Ver 2.2
Base/Derived: Base

Connectivity: X.25 PLP/HDLC LAP-B

Underlying Stack:
TWICE Source code modified by Alcatel TITN ANSWARE for X.25
Protocols and Profiles:
Transport Class 4-CONS [ISO 8073:1988]
Abstract Test Suite used: ATS:2-9.3 (86.5%, 89.1% with use of manual assessment)

Date Registered: March 02, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-4 TRANSPORT TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21 TP4/CLNS Ver 2.41
(Transport Class 4-CLNS) January 29, 1992

Hardware and Operating System Platform(s):
80386 based PC, Interactive 386/iX UNIX Ver 2.2.
Base/Derived: Base

Connectivity: CLNP{ES}/LLC1{802.2}/MAC{802.3}

Underlying Stack:
TWICE Source code modified by Alcatel TITN ANSWARE for CLNP
Protocols and Profiles:
Transport Class 4-CLNS [ISO 8073:1988/Add 2:1989]

Abstract Test Suite used: ATS:2-9.1 (94.7%, 95.3% with use of manual assessment)

Date Registered: March 05, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-4 TRANSPORT TEST SYSTEMS

Supplier: Alcatel TITN, Inc.
7011 Koll Center Parkway, Suite 200
Pleasanton, California 94566-3101

Contact: Scott Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21 TP4/CLNS Ver 2.41
(Transport Class 4-CLNS) January 29, 1992

Hardware and Operating System Platform(s):
SUN-3 or SUN-4 Workstations
SUN OS 4.1.1, 4.1.2, or 4.1.3
Base/Derived: Derived

Connectivity: CLNP{ES}/LLC1{802.2}/MAC{802.3}

Underlying Stack:
TWICE Source code modified by Alcatel TITN ANSWARE for CLNP

Protocols and Profiles:
Transport Class 4-CLNP [ISO 8073:1988/Add2:1989]
Abstract Test Suite used: ATS:2-9.1 (94.7%, 95.3% with use of manual assessment)

Date Registered: December 3, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-4 TRANSPORT TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester M1 7ED
United Kingdom

Contact: Peter Bird Tel 011-44-612-286-333
Fax 011-44-612-369-877
Internet peter@ncc.co.uk
USA: Robert Clark Technical Support Executive
Tel (510) 687-3002
Fax (510) 685-2864
Internet rob@premenos.sf.ca.us
Test System Name, Release and Date:
NCC ITS Transport Test System, Class 0 Release 3.0
January 04, 1992 ITS Protocol Engine Ver 2.3

Hardware and Operating System Platform(s):
SUN 3 or SUN 4 Series operating SUN OS 4.1.1 or later
SUNNet 7.0 X.25 + OSI
Base/Derived: Base

Connectivity: X.25 PLP/X.25 LAP-B/RS-232C

Protocols and Profiles:
TP0[ISO 8073:1988]
Abstract Test Suite used: ATS:2-8 (85.2%) (88.9% With use of manual assessment)
Date Registered: March 31, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-4 TRANSPORT TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester M1 7ED
United Kingdom
Contact: Peter Bird Tel 011-44-612-286-333
Fax 011-44-612-369-877
Internet peter@ncc.co.uk
USA: Robert Clark, Technical Support Executive
Tel (510) 687-3002
Fax (510) 685-2864
Internet rob@premenos.sf.ca.us

Test System Name, Release and Date:
NCC ITS Transport Test System, Class 2 Release 3.0
January 04, 1992 ITS Protocol Engine Ver 2.3
Hardware and Operating System Platform(s):
SUN 3 or SUN 4 Series operating SUN OS 4.1.1 or later
SUNNet 7.0 X.25 + OSI
Base/Derived: Base
Connectivity: X.25 PLP/X.25 LAP-B/RS-232C

Protocols and Profiles:
TP2[ISO 8073:1988]
Abstract Test Suite used: ATS:2-20 (66.5%) (71.8% With use of manual assessment)
Date Registered: March 31, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-4 TRANSPORT TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester M1 7ED
United Kingdom
Contact: Peter Bird Tel 011-44-612-286-333
Fax 011-44-612-369-877
Internet peter@ncc.co.uk
USA: Robert Clark, Technical Support Executive
Tel (510) 687-3002
Fax (510) 685-2864
Internet rob@premenos.sf.ca.us
Test System Name, Release and Date:
NCC ITS Transport Test System, Class 4/CONS
Release 3.0 January 04, 1992
ITS Protocol Engine Ver 2.3
Hardware and Operating System Platform(s):
SUN 3 or SUN 4 Series operating SUN OS 4.1.1 or later
SUNNet X.25 7.0
Base/Derived: Base

Connectivity: X.25 PLP/X.25 LAP-B/RS-232C

Protocols and Profiles:
TP4-CONS[ISO 8073:1988]
Abstract Test Suite used: ATS:2-9.2 (77.8%) (81.6% With use of manual assessment)

Date Registered: March 31, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-4 TRANSPORT TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester M1 7ED
United Kingdom
Contact: Peter Bird Tel 011-44-612-286-333
Fax 011-44-612-369-877
Internet peter@ncc.co.uk
USA: Robert Clark, Technical Support Executive
Tel (510) 687-3002
Fax (510) 685-2864
Internet rob@premenos.sf.ca.us
Test System Name, Release and Date:
NCC ITS Transport Test System, Class 4/CLNS
Release 3.0 May 01, 1992
ITS Protocol Engine Ver 2.3
Hardware and Operating System Platform(s):
SUN 3 or SUN 4 Series operating SUN OS 4.1.1 or later
SUNNet OSI 7.0 or later
Base/Derived: Base

Connectivity: LLC1{802.2}/MAC{802.3}

Protocols and Profiles:
TP4-CLNS[ISO 8073:1988/Add.2:1989]
Abstract Test Suite used: ATS:2-9.2 (86.5%) (88.9% With use of manual assessment)
Date Registered: March 31, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MEANS OF TESTING REGISTER: SESSION

MOT 2-5 SESSION TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101
Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804
Test System Name, Release and Date:
XRTLE Ver 4.21 SESSION Ver 1.1 January 29, 1992

Hardware and Operating System Platform(s):
80386 PC, Interactive 386/iX UNIX (tested with Ver 3.0, vendor claims support for 2.2 and higher) over TWICE Source code modified by Alcatel TITN ANSWARE for Transport, CLNP, LLC1
Base/Derived: Base

Connectivity: TP4/CLNP{ES}/LLC1{802.2}/MAC{802.3}

Underlying Stack:
Twice Source code modified by Alcatel TITN ANSWARE for Transport and CLNP
Protocols and Profiles:
Session[ISO 8327]
Abstract Test Suite used: ATS:2-10.1 (98.4%) (98.6% With use of manual assessment)

Date Registered: January 14, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-5 SESSION TEST SYSTEMS

Supplier: Alcatel TITN, Inc.
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21 SESSION Ver 1.1 January 29, 1992

Hardware and Operating System Platform(s):
SUN-3 or SUN-4 Workstations
SUN OS 4.1.1, 4.1.2, or 4.1.3

Base/Derived: Derived
Connectivity: TP4/CLNP{ES}/LAN

Underlying Stack:
Twice Source code modified by Alcatel TITN ANSWARE for Transport and CLNP

Protocols and Profiles:
Session [ISO 8327:1987]
Abstract Test Suite used: ATS:2-10.1 (98.4%, 98.6% with use of manual assessment)

Date Registered: December 3, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MEANS OF TESTING REGISTER: MHS

MOT 2-6 MHS TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
GENEPX400 Ver 2.6 June 28, 1992
Hardware and Operating System Platform(s): 80386 PC, Interactive 386/iX UNIX Ver 2.2 over SEMA group software for Session, TP0, OST PCXNet Card running OST X.25 S/W
Base/Derived: Base

Connectivity: TP0/X.25 PLP/X.25 LAP-B/RS-232C

Protocols and Profiles:
MHS-84[x.400] {P2, P1, RTS}
Abstract Test Suite used: ATS:2-13.2 (67.16%) (82.09% With use of manual assessment) ATS:2-13.3 (90.53%) ATS:2-13.4 (94.18%) (96.83% With use of manual assessment)

Date Registered: February 04, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-6 MHS TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester M1 7ED
United Kingdom
Contact: Peter Bird Tel 011-44-61-228-6333
Fax 011-44-61-236877
Internet peter@ncc.co.uk
Test System Name, Release and Date:
84mhs Ver 1.0 February 01, 1993

Additional Information: ITS Protocol Engine Release 24

Hardware and Operating System Platform(s):
SUN SPARCstation 4/330 with SunOS 4.1.2
SunNET 7.0 X.25 + SunNET OSI 7.0 (TP0)
OpenWindows 2.0 (not recommended) OpenWindows 3.0
SunLink 8.0 X.25 + SunLink OSI 8.0 (TP0)
Base/Derived: Base

Connectivity: TP0/WAN

Protocols and Profiles:
MHS[X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
Abstract Test Suite used: Session 2-13.5 (65.4%); RTS 2-13.2 (97.1%); P1 2-13.3 (85.21%, 92.3%); P2 2-13.4 (82.01%)

Date Registered: May 24, 1993

Type of Registration and Expiration Date:
Session Provisional until May 01, 1994 GOSIP Version 2
RTS, P1, P2 Provisional until October 01, 1994 GOSIP Vers 2

MOT 2-6 MHS TEST SYSTEMS

Supplier: The National Computing Centre Limited
Oxford House, Oxford Road
Manchester M1 7ED
United Kingdom
Contact: Peter Bird Tel 011-44-61-228-6333
Fax 011-44-61-236877
Internet peter@ncc.co.uk
Test System Name, Release and Date:
84mhs Ver 1.0 February 01, 1993

Additional Information: Vendor claims SUN 3 and SUN 4 Series hardware with SunOS 4.1.1 (or later) with underlying stack SunNET OSI V7.0 (or later)
Hardware and Operating System Platform(s):
SUN SPARCstation 4/330 with SunOS 4.1.1
SunNET 7.0 OpenWindows 2.0 (not recommended)
OpenWindows 3.0
Base/Derived: Derived

Connectivity: TP0/CLNP
Protocols and Profiles:
MHS[X.400:1984] {P2, P1, RTS}
MHS Session [X.410:1984]
Abstract Test Suite used: Session 2-13.5 (65.4%); RTS 2-13.2 (97.1%); P1 2-13.3 (85.21%, 92.3%); P2 2-13.4 (82.01%)
Date Registered: Feb 24, 1994

Type of Registration and Expiration Date:
Session Provisional until May 01, 1994 GOSIP Version 2
RTS, P1, P2 Provisional until October 01, 1994 GOSIP Vers 2

MEANS OF TESTING REGISTER: FTAM

MOT 2-7 FTAM TEST SYSTEMS

Supplier: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton, CA 94566-3101

Contact: Scott M. Schmitz Tel (703) 715-0800
Fax (703) 715-0804

Test System Name, Release and Date:
XRTLE Ver 4.21 FTAM Ver 1.31 January 29, 1992

Hardware and Operating System Platform(s):
80386 PC, Interactive 386/iX UNIX Ver 2.2 over TWICE
Source code modified by Alcatel TITN ANSWARE for
Session, Transport, CLNP, LLC1, X.25
Base/Derived: Base

Connectivity: Session/TP4/CLNP{ES}/LLC1{802.2}/MAC{802.3}
Session/TP4/X.25 PLP/X.25/RS-232C
Session/TP0/X.25 PLP/X.25/RS-232C
Protocols and Profiles:
FTAM[ISO 8571: 1988], {T1}Simple File Transfer Protocol

Abstract Test Suite used: ATS:2-16.1 (78%) (84% With use of manual assessment)
Date Registered: January 25, 1993

Type of Registration and Expiration Date:
Provisional until October 01, 1994 GOSIP Version 2

MOT 2-7 FTAM TEST SYSTEMS

Supplier: GSI-Danet, Incorporated
1380 Old Freeport Road
Pittsburgh, PA 15237
Contact: Hans-Ludwig Heil Tel (412) 967-0834
Fax
Test System Name, Version, Release and Date:
OSITEST/FTAM Version 2.6.3.2 01-MAR-93
Additional Information:
OSITEST/TCM Version 2.1.4
Hardware and Operating System Platform(s):
Sun4 330, SunOS 4.1.1
Base/Derived: Base
Connectivity: TP4-CLNS/CLNP{ES}/LAN; TP0/WAN

Underlying Stack: SunNet OSI 7.0; SunNet X.25 7.0
Protocols and Profiles:
FTAM/(ACSE)/(Presentation)/(Session)
FTAM[ISO 8571:1988]{T1, M1, T2, A1, R&R}
FTAM ACSE[ISO 8650:1988]
FTAM Presentation[ISO 8823:1987]{ASN.1}
FTAM Session[ISO 8327:1987]{R&R}
Abstract Test Suite used:
ATS:2-16.2(91%), ATS:2-16.4(83%), ATS:2-16.6(90%), ATS:2-16.7(87%), ATS:2-16.8(93%), ATS:2-16.9(82%), ATS:2-16.10(81%), ATS:2-16.11(95%), ATS:2-16.12(90%), ATS:2-16.13(73%)
Date Registered: 28-JUN-93
Type of Registration and Expiration Date:
Provisional, GOSIP VER 2, until 01-OCT-94

MOT 2-7 FTAM TEST SYSTEMS

Supplier: National Computing Centre, Ltd
Oxford Road
Manchester M17ED United Kingdom
Contact: Robert Clark Tel (510) 687-3002
Fax
Test System Name, Version, Release and Date:
FTAM Version 3.0
Additional Information: FTAM Test System includes the PICStool and the Integrated Tool Set includes the NCC Test Engine Release 2.4, PIXIT Tool, PCTR Tool, OSIlook, OSItool, X-BROWSE, OsmOSIs analysis tools
Hardware and Operating System Platform(s): Sun4 330, SunOS 4.1.2
Base/Derived: Base
Connectivity: TP4-CLNS/CLNP{ES}/LAN;
TP4-CLNS/CLNP{ES}/WAN;
TP0/WAN
Underlying Stack: SunNet OSI 7.0; SunNet X.25 7.0
Protocols and Profiles:
FTAM/(ACSE)/(Presentation)/(Session)
FTAM[ISO 8571:1988]{T1, M1, T2, A1, R&R}
FTAM ACSE[ISO 8650:1988]
FTAM Presentation[ISO 8823:1987]{ASN.1}
FTAM Session[ISO 8327:1987]{R&R}
Abstract Test Suite used:
ATS:2-16.2(94%), ATS:2-16.3(75%), ATS:2-16.6(90%), ATS:2-16.7(96%), ATS:2-16.8(88%), ATS:2-16.9(100%), ATS:2-16.10(95%), ATS:2-16.11(95%), ATS:2-16.12(94%), ATS:2-26.13(97%)
Date Registered: June 28, 1993

Type of Registration and Expiration Date: Provisional, GOSIP VER 2, until October 01, 1994

5.4.7PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENTS REGISTER

PICS:1-13

Protocol: MHS-84 {RTS, P1, P2}
GOSIP Version: 1
Expire Date:
Comments: None

Reference ATS:
ATS:1-13
ATS:1-14
ATS:1-15

Title: COS Stack Specification COS/AMH113

Organization: Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax VA 22031
USA
Issue Date: 15-APR-92
Issue: Version 1.2
Comments: None

PICS:2-1

Protocol: X.25 LAP-B
GOSIP Version: 2
Expire Date:
Comments: None

Reference ATS:
ATS:2-1

Title: PICS Proforma for X.25 Data Link Layer

Organization: Joint Interoperability Test Center
Bldg. # 57305
Ft. Huachuca AZ 85613-7020
USA
Issue Date: 01-MAR-92
Issue: ISO 7776
Comments: None

PICS:2-10

Protocol: Session
GOSIP Version: 2
Expire Date:
Comments: None

Reference ATS:
ATS:2-10.1
ATS:2-10.2
Title: PICS Proforma for basic connection oriented session
Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 22-OCT-92
Issue: 8327-2
Comments: None

PICS:2-13.1

Protocol: MHS-84 {RTS, P1, P2}
GOSIP Version: 2
Expire Date:
Comments: None

Reference ATS:
ATS:2-13.2
ATS:2-13.3
ATS:2-13.4
Title: Corporation for Open Systems (COS)

Organization: Corporation for Open Systems International
1750 Old Meadow Road
McLean VA 22102
USA
Issue Date: 15-APR-92
Issue: Version 1.2
Comments: None

PICS:2-13.2

Protocol: MHS-84 Session
GOSIP Version: 2
Expire Date:
Comments: None

Reference ATS:
ATS:2-13.1
Title: COS Stack Specification COS/AMH113

Organization: Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax VA 22031
USA
Issue Date: 15-APR-92
Issue: Version 1.2
Comments: None

PICS:2-16.1

Protocol: FTAM
GOSIP Version: 2
Expire Date:
Comments: None
Reference ATS:
ATS:2-16.1 ATS:2-16.10
ATS:2-16.11 ATS:2-16.12
ATS:2-16.13 ATS:2-16.2
ATS:2-16.3 ATS:2-16.4
ATS:2-16.5 ATS:2-16.6
ATS:2-16.7 ATS:2-16.8
ATS:2-16.9
Title: Protocol Implementation Conformance Statement ISO 8571, Part 5
Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 15-DEC-90
Issue: ISO 8571 FIRST EDITION
Comments: ISO/IEC SC6

Title: PROFILE REQUIREMENTS LIST

Organization: Joint Interoperability Test Center
Bldg. # 57305
Ft. Huachuca AZ 85613-7020
USA
Issue Date: 01-DEC-91
Issue: OIW/SIA PART 10 PHASE 3
Comments: None

PICS:2-16.2

Protocol: ACSE
GOSIP Version: 2
Expire Date:
Comments: Adjust requirements to conform to the application
Reference ATS:
ATS:2-16.9
Title: PICS Proforma for Association Control Service Element

Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 22-OCT-92
Issue: 8650-2
Comments: None

PICS:2-16.3

Protocol: Presentation
GOSIP Version: 2
Expire Date:
Comments: Adjust requirements to conform to the application

Reference ATS:
ATS:2-16.10
Title: PICS Proforma Presentation
Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 22-OCT-92
Issue: 8823-2
Comments: None

PICS:2-16.4

Protocol: Session
GOSIP Version: 2
Expire Date:
Comments: If embedded, adjust requirements to conform to the application
Reference ATS:
ATS:2-16.12
Title: PICS Proforma for basic connection oriented session
Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 22-OCT-92
Issue: 8327-2
Comments: None

PICS:2-17.1

Protocol: X.500-88 DAP
GOSIP Version: 2
Expire Date:
Comments: Under Review

Reference ATS:
ATS:TBD

Title: PICS Proforma for Directory Access Protocol (DAP)

Organization: International Telecommunications Union-Telecommunication
Standardization Sector

Issue Date: 06-APR-92
Issue: Draft Recommendation X.581
Comments: None

PICS:2-17.2

Protocol: X.500-88 DSP
GOSIP Version: 2
Expire Date:
Comments: Under Review

Reference ATS:
ATS:TBD

Title: PICS Proforma for Directory System Protocol (DSP)

Organization: International Telecommunications Union-Telecommunication
Standardization Sector

Issue Date: 06-APR-92
Issue: Draft Recommendation X.582
Comments: None

PICS:2-2

Protocol: X.25 PLP
GOSIP Version: 2
Expire Date:
Comments: None

Reference ATS: ATS:2-2

Title: PICS Proforma for X.25 Packet Layer (ISO 8208)
Organization: Joint Interoperability Test Center
Bldg. # 57305
Ft. Huachuca AZ 85613-7020
USA
Issue Date: 01-MAR-92
Issue: ISO 8208
Comments: None

PICS:2-3.1

Protocol: ES-IS
GOSIP Version: 2
Expire Date:
Comments: None

Reference ATS:
ATS:2-18

Title: PICS Proforma for End System to Intermediate System

Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 15-AUG-88
Issue: ISO 9542
Comments: None

Title: Interim Profile Specific ICS (SIA June 1990)

Organization: Joint Interoperability Test Center

Bldg. # 57305
Ft. Huachuca AZ 85613-7020
USA
Issue Date: 15-DEC-93
Issue: ---
Comments: None

PICS:2-7

Protocol: CLNP
GOSIP Version: 2
Expire Date:
Comments: None

Reference ATS:
ATS:2-7
ATS:2-7.1

Title: PICS Proforma for Connectionless Network Layer Protocol (ISO 8473)

Organization: Joint Interoperability Test Center
Bldg. # 57305
Ft. Huachuca AZ 85613-7020
USA
Issue Date: 01-MAR-92
Issue: ISO 8473
Comments: None

PICS:2-8.1

Protocol: TP 0 & 4
GOSIP Version: 2
Expire Date:
Comments: None

Reference ATS:
ATS:1-8 ATS:1-9
ATS:2-8 ATS:2-9.1
ATS:2-9.2 ATS:2-9.3

Title: PICS Proforma for Transport Class 0 and 4 Protocols

Organization: Joint Interoperability Test Center
Bldg. # 57305
Ft. Huachuca AZ 85613-7020
USA
Issue Date: 01-MAR-92
Issue: ISO 8073
Comments: None

PICS:2-8.2

Protocol: TP 0, 2, & 4
GOSIP Version: 2
Expire Date:
Comments: None

Reference ATS:
ATS:2-20 ATS:2-8
ATS:2-9.1 ATS:2-9.2
ATS:2-9.3

Title: PICS Proforma for TRANSPORT Class 0, 2, and 4 Protocols

Organization: Joint Interoperability Test Center
Bldg. # 57305
Ft. Huachuca AZ 85613-7020
USA
Issue Date: 01-JUN-93
Issue: ISO 8073:1988
Comments: Updated June 93 to include TP2

PICS:2-9

Protocol: CLTP
GOSIP Version: 2
Expire Date:
Comments: Voting Terminates on 29 Oct 1993 for ISO 8602:1987/DAM 1

Reference ATS:
ATS:UNDER RVW

Title: PICS Proforma for Connectionless Transport

Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 01-APR-93
Issue: ISO 8602:1987/DAM1:1993
Comments: None

PICS:3-22.1

Protocol: MHS-88 {P1}
GOSIP Version: 3
Expire Date:
Comments: This is also known as ISO/IEC DISP 10611-3:1993(E)

Reference ATS:
ATS:3-22.5

Title: Message Handling Systems-Common Messaging-Part 3: AMH11-Message Transfer(P1)

Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 31-JUL-93
Issue: ISO DISP 10611-3
Comments: None

PICS:3-22.2

Protocol: MHS-88 {P2}
GOSIP Version: 3
Expire Date:
Comments: This is also known as pDISP AMH2-2: Sept 1993

Reference ATS:
ATS:3-22.6

Title: Message Handling Systems-Interpersonal Messaging-Part 2: AMH21-IPM Content

Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 24-SEP-93
Issue: pDISP AMH2-2
Comments: None

PICS:3-22.3

Protocol: MHS-88 {P3}
GOSIP Version: 3
Expire Date:
Comments: This is also known as ISO/IEC DISP 10611-4:1993(E)

Reference ATS:
ATS:3-22.7.1
ATS:3-22.7.2

Title: Message Handling Systems-Common Messaging-Part 4: AMH12-MTS Access(P3)

Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 31-JUL-93
Issue: ISO DISP 10611-4
Comments: None

PICS:3-22.4

Protocol: MHS-88 {P7}
GOSIP Version: 3
Expire Date:
Comments: This is also known as ISO/IEC DISP 10611-5:1993(E)

Reference ATS:
ATS:3-22.8.1
ATS:3-22.8.2

Title: Message Handling Systems-Common Messaging-Part 5: AMH13-MS Access (P7)

Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 31-JUL-93
Issue: ---
Comments: None

Title: Message Handling Systems-Common Messaging-Part5:AMH24--IPM Requirements for Enhanced MS Access (P7)

Organization: International Organization for Standardization (ISO)
Case Pastale 56
CH-1211 Geneve 20
Switzerland
Issue Date: 24-SEP-93
Issue: ---
Comments: None

5.4.8 ABSTRACT TEST SUITES CONFORMANCE REGISTER

ATS:1-1

Protocol: High Level Data Link Control, Logical Access Procedure B

GOSIP Version: 1
Expire Date:
Comments:

Title: X.25-DTE Conformance Testing: Text for Data Link Layer Test Suite

Organization: ISO/IEC JTC1/SC2

USA
Issue Date: 30-JUN-90
Issue: ISO/IEC DP 8882-2
Comments:

ATS:1-10

Protocol: Session

GOSIP Version: 1
Expire Date:
Comments:

Title: Session Abstract Test Suite; Volumes 1, 2 and 3

Organization: CTS-WAN

USA
Issue Date: 01-SEP-88
Issue: CTS-WAN/T&S/ABS/SES/CS/1.0
Comments:

ATS:1-13

Protocol: Message Handling System - 1984, Reliable Transfer Service Profile
GOSIP Version: 1
Expire Date:
Comments: Also issued under NIST cover, August 1990.

Title: MHS RTS Tests and Testing Guide

Organization: National Computing Centre Limited

Oxford Road
Manchester M17ED
United Kingdom
Issue Date: 01-APR-90
Issue: Issue 2
Comments:

ATS:1-14

Protocol: Message Handling System - 1984, P1 Profile

GOSIP Version: 1
Expire Date:
Comments: Also issued under NIST cover, August 1990.

Title: MHS P1 Tests and Testing Guide

Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED
United Kingdom
Issue Date: 01-APR-90
Issue: Issue 3
Comments:

ATS:1-15

Protocol: Message Handling System - 1984, P2 Profile

GOSIP Version: 1
Expire Date:
Comments: Also issued under NIST cover, August 1990.

Title: MHS P2 Tests and Testing Guide

Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED
United Kingdom
Issue Date: 01-APR-90
Issue: Issue 3
Comments:

ATS:1-16

Protocol: File Transfer, Access, and Management: T1 and T2 Profiles, Association Control Service Element, and Presentation
GOSIP Version: 1
Expire Date:
Comments: T1 and T2 profiles from NIST; ACSE and Presentation from NCC.

Title: FTAM Abstract Test Suite for GOSIP Version 1

Organization: National Institute of Standards and Technology (NIST)
Building 225, Room B151
Gaithersburg MD 20899
USA
Issue Date: 01-AUG-90
Issue:
Comments:

Title: FTAM Tests and Testing Guide

Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED
United Kingdom
Issue Date: 03-AUG-90
Issue: NCC/TPD - 89/016
Comments:

ATS:1-2

Protocol: X.25 Packet Layer Protocol

GOSIP Version: 1
Expire Date:
Comments:

Title: DIS 8882-3 London Output.

Organization: ISO/IEC JTC1/SC2

USA
Issue Date: 20-JUN-90
Issue: ISO/IEC JTC1/SC6/N5608 Revised
Comments:

ATS:1-3

Protocol: Medium Access Control and Physical Layer Signaling [ISO 8802/3]
GOSIP Version: 1
Expire Date:
Comments: Incorporates four test suites submitted by Corporation for Open Systems (COS) International, October 1989.

Title: 802.3 Draft Abstract Test Suite for GOSIP Version 1.

Organization: National Institute of Standards and Technology (NIST)
Building 225, Room B151
Gaithersburg MD 20899
USA
Issue Date: 01-AUG-90
Issue:
Comments:

ATS:1-4

Protocol: Medium Access Control and Physical Layer Signaling [ISO 8802/4]
GOSIP Version: 1
Expire Date:
Comments:

Title: 802.4 MAC Sublayer Conformance Test System Test Case Reference Guide.

Organization: Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax VA 22031
USA
Issue Date: 01-MAR-88
Issue: COS/TPD-88/008, Issue 1
Comments:

ATS:1-5

Protocol: Medium Access Control and Physical Layer Signaling [ISO 8802/5]
GOSIP Version: 1
Expire Date:
Comments: No registered ATS

ATS:1-6

Protocol: Logical Link Control Type 1

GOSIP Version: 1
Expire Date:
Comments:

Title: 802.2 LLC (Type 1) Abstract Test Suite Submission (extract from 802.3 10BASE5 Layer 2 Test System Results Analysis Guide - LLC Sublayer).
Organization: Corporation for Open Systems International Test Center

8260 Willow Oaks Corp Drive, Suite 700
Fairfax VA 22031
USA
Issue Date: 01-AUG-90
Issue: Issue 1
Comments:

ATS:1-7

Protocol: Connectionless Network Protocol, End System

GOSIP Version: 1
Expire Date:
Comments:

Title: Internet Protocol Tests and Testing Guide for ISO 8473 Connectionless Network Protocol Implementations.

Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED
United Kingdom
Issue Date: 01-JUL-90
Issue: NCC/TPD-90/003, Issue 2
Comments:

ATS:1-7.1

Protocol: Connectionless Network Protocol, Intermediate System

GOSIP Version: 1
Expire Date:
Comments:

Title: Interim Abstract Test Suite for CLNP Intermediate Systems Testing.

Organization: National Institute of Standards and Technology (NIST)
Building 225, Room B151
Gaithersburg MD 20899
USA
Issue Date: 30-OCT-90
Issue:
Comments:

ATS:1-8

Protocol: Transport Protocol Class 0

GOSIP Version: 1
Expire Date:
Comments:

Title: ISO/OSI Transport Class 0 CTS-WAN Abstract Test Suite

Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED
United Kingdom
Issue Date: 13-OCT-88
Issue: CTS-WAN/T&S/ABS/TR0/CS/1.0, Rev 2.1
Comments:

ATS:1-9

Protocol: Transport Protocol Class 4

GOSIP Version: 1
Expire Date:
Comments:

Title: Transport Class 4 Tests and Testing Guide for ISO 8073 Transport Class 4 Implementations.

Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED
United Kingdom
Issue Date: 01-JUL-90
Issue: NCC/TPD - 90/002, Issue 2
Comments:

ATS:2-1

Protocol: High Level Data Link Control, Logical Access Procedure B

GOSIP Version: 2
Expire Date:
Comments:

Title: Information Technology-Telecommunications and Information Exchange Between Systems- X.25 DTE Conformance Testing- Part 2: Data Link Layer Conformance Test Suite

Organization: ISO/IEC JTC1/SC6

USA
Issue Date: 20-JAN-92
Issue: ISO/IEC 8882-2:1992(E), First Edition
Comments:

Title: Defect Report to ISO/IEC 8882-2: 1992

Organization: ISO/IEC JTC1/SC6

USA
Issue Date: 30-MAR-92
Issue: X3S3.4/92-54
Comments:

ATS:2-10.1

Protocol: Session

GOSIP Version: 2
Expire Date:
Comments: Should be superseded by ATS:2-10.2

Title: Session Abstract Test Suite, Volumes 1, 2, and 3

Organization: CTS-WAN

USA
Issue Date: 01-SEP-88
Issue: CTS/WAN/T&S/ABS/SES/CS/1.0
Comments:

Title: Session CTS-WAN Abstract Test Suite, CTS2 Extension

Organization: Alcatel TITN Incorporated
7011 Koll Center Parkway, Suite 200
Pleasanton CA 94566-3101
USA
Issue Date: 19-MAR-91
Issue: Version 2.0
Comments:

ATS:2-10.2

Protocol: Session

GOSIP Version: 2
Expire Date:
Comments:

Title: Session Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-JAN-92
Issue: OSTC/T&S/ABS/SES/CS/2.1
Comments:

ATS:2-13.1

Protocol: Message Handling System - 1984, Session Protocol

GOSIP Version: 2
Expire Date: 01-FEB-94
Comments: This ATS has been superseded by ATS:2-13.5

Title: Abstract Session Test Suite DSE MHS

Organization: Open Systems Testing Consortium Secretariat

Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 18-JAN-89
Issue: OSTC/MHS/ABS/SES/DSE/3.0, Version 3.0
Comments:

ATS:2-13.2

Protocol: Message Handling System - 1984, Reliable Transfer Service Profile
GOSIP Version: 2
Expire Date:
Comments:
Title: MHS RTS Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-JUL-91
Issue: OSTC/MHS/ABS/RTS/2.0
Comments:

ATS:2-13.3

Protocol: Message Handling System - 1984, P1 Profile

GOSIP Version: 2
Expire Date:
Comments:
Title: MHS Abstract Test Suite, P1 Protocol A/311 and A/3211

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 28-SEP-90
Issue: OSTC/MHS/ABS/P1/2.0
Comments:

ATS:2-13.4

Protocol: Message Handling System - 1984, P2 Profile

GOSIP Version: 2
Expire Date:
Comments:
Title: MHS Abstract Test Suite, P2

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-SEP-92
Issue: OSTC/MHS/ABS/P2/2.0
Comments:

ATS:2-13.5

Protocol: Message Handling System - 1984, Session Protocol

GOSIP Version: 2
Expire Date:
Comments: This ATS supersedes ATS:2-13.1

Title: ANNEX A - MHS '84 SPECIFIC PART

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 03-NOV-92
Issue: 2.0
Comments: This document is Annex A of document 2.

Title: Common Abstract Test Suite for the Session Protocol

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 03-NOV-92
Issue: 2.0
Comments: Merge this common part with Annex A to form the full MHS-84 test suite.

ATS:2-16.1

Protocol: File Transfer, Access, and Management; Simple File Transfer Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: T1-A/111, Volume 1 (Responder Tests) and Volume 2 (Initiator Tests)
Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-JAN-88
Issue: CTS-WAN/FTAM/ABS/FTAM-A111/1.0
Comments:

ATS:2-16.10

Protocol: File Transfer, Access, and Management; Presentation Protocol

GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM Presentation Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-JAN-92
Issue: OSTC/FTAM/ABS/FTAM/PRES
Comments:

ATS:2-16.11

Protocol: File Transfer, Access, and Management; Presentation Abstract Syntax Notation One
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM Presentation ASN.1 Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat

Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-JAN-92
Issue: OSTC/FTAM/ABS/FTAM/PRES/ASN.1/BER
Comments:

ATS:2-16.12

Protocol: File Transfer, Access, and Management; Session Protocol

GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM Session Abstract Test Sulte

Organization: Open Systems Testing Consortium Secretariat

Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 17-SEP-91
Issue: OSTC/FTAM/ABS/FTAM/SES
Comments:

ATS:2-16.13

Protocol: File Transfer, Access, and Management; Session Restart and Recovery
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM Session Restart and Recovery Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat

Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-JAN-92
Issue: OSTC/FTAM/ABS/FTAM/SES/R&R
Comments:

ATS:2-16.2

Protocol: File Transfer, Access, and Management; Simple File Transfer Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/111 (T1) Responder ATS and FTAM A/111 (T1) Initiator ATS

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-APR-91
Issue: CTS-WAN/FTAM/ABS/FTAM-A111/2.0, Version 2.0, Volumes 1 and 2
Comments:

ATS:2-16.3

Protocol: File Transfer, Access, and Management; Restart and Recovery Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/111 Restart and Recovery, Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date:
Issue: OSTC/FTAM/ABS/FTAM-A111 R&R/1.0
Comments:

ATS:2-16.4

Protocol: File Transfer, Access, and Management; Restart and Recovery Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/111 Restart and Recovery, Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 29-OCT-91
Issue: OSTC/FTAM/ABS/FTAM-A111 R&R\2.0
Comments:

ATS:2-16.5

Protocol: File Transfer, Access, and Management; Management Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/13 ATS

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-JAN-90
Issue: FTAM/ABS/FTAM-A13/1.0
Comments:

ATS:2-16.6

Protocol: File Transfer, Access, and Management; Management Profile

GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/13 ATS, Version 2.0

Organization: Open Systems Testing Consortium Secretariat

Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-AUG-91
Issue: FTAM/ABS/FTAM/A13/2.0
Comments:

ATS:2-16.7

Protocol: File Transfer, Access, and Management; Positional File Transfer Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/112 Abstract Test Suite, Volume 1 (A/112 Responder) and Volume 2 (A/112 Initiator)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-JAN-92
Issue: OSTC/FTAM/ABS/FTAM-A/112
Comments:

ATS:2-16.8

Protocol: File Transfer, Access, and Management; Simple File Access Profile
GOSIP Version: 2
Expire Date:
Comments:

Title: FTAM A/122 Responder Abstact Test Suite (Volume 1) and FTAM A/122 Initator Abstract Test Suite (Volume 2)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-JAN-92
Issue: OSTC/FTAM/ABS/FTAM-A/122
Comments:

ATS:2-16.9

Protocol: File Transfer, Access, and Management; Association Control Service Element
GOSIP Version: 2
Expire Date:
Comments: ATS Consists of a common part and a specific annex.

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-SEP-91
Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0
Comments: Without OSTC cover, document is identified as CTS2-ACSE V2.02
Title: FTAM ACSE Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 01-JAN-92
Issue: OSTC/FTAM/ABS/FTAM/ACSE
Comments: This document is Annex D of Document 1. Without OSTC cover, document is identified as ACSE_CTS2_FTAM.

ATS:2-17

Protocol: Virtual Terminal

GOSIP Version: 2
Expire Date:
Comments: No registered ATS.

ATS:2-18

Protocol: End System to Intermediate System In End System

GOSIP Version: 2
Expire Date:
Comments:

Title: ES/IS In ES Abstract Test Suite

Organization: Alcatel TITN Answare

Aix-en-Provence
France
Issue Date: 01-MAY-93
Issue: Version 1.1
Comments:

ATS:2-19

Protocol: Connection Oriented Network Service

GOSIP Version: 2
Expire Date:
Comments: No registered ATS.

ATS:2-1A

Protocol: High Level Data Link Control, Logical Access Procedure B

GOSIP Version: 2
Expire Date:
Comments: This ATS consists of ATS:2-1 as modified by the documents below.

ATS:2-2

Protocol: X.25 Packet Layer Protocol

GOSIP Version: 2
Expire Date:
Comments:

Title: Information Technology-Telecommunications and Information Exchange Between Systems-X.25-DTE Conformance Testing-Part 3: Packet Layer Conformance Test Suite

Organization: ISO/IEC JTC1/SC2/WG2

USA
Issue Date: 16-JAN-91
Issue: ISO/IEC 8882-3:1991(E), First Edition
Comments:

Title: Defect Report to ISO/IEC 8882-3:1991

Organization: ISO/IEC JTC1/SC2/WG2

USA
Issue Date: 01-MAR-92
Issue: X3S3.7/92-49
Comments:

ATS:2-20

Protocol: Transport Protocol Class 2

GOSIP Version: 2
Expire Date:
Comments: A revised version of this ATS is registered as ATS:2-20A

Title: OSTC Abstract Test Suite, Transport Class 2

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 31-JAN-91
Issue: OSTC/T&S/ABS/TR2/CS/2.0
Comments:

ATS:2-20A

Protocol: Transport Protocol Class 2

GOSIP Version: 2
Expire Date:
Comments: Minor revisions of ATS:2-20

Title: OSTC Abstract Test Suite, Transport Class 2

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date:
Issue: OSTC/T&S/ABS/TR2/CS/2.1
Comments:

ATS:2-21.1

Protocol: High Level Data Link Control, Logical Access Procedure D

GOSIP Version: 2
Expire Date:
Comments: Used in ISDN D Channel layer 2.

Title: Integrated Services Digital Network Conformance Testing; Layer 2 - Data Link Layer (LAPD); Part 1 - Basic Rate Interface, User Side
Organization: National Institute of Standards and Technology (NIST)

Issue Date: 01-SEP-93
Issue: NIST Special Publication 823-4
Comments: This publication describes the LAP-D ATS for ISDN D Channel Layer 2 as developed and approved by the ISDN Conformance Testing (ICOT) Working Group of the NIUF

ATS:2-2A

Protocol: X.25 Packet Layer Protocol

GOSIP Version: 2
Expire Date:
Comments: This ATS consists of ATS:2-2 as modified by the documents below.

ATS:2-3

Protocol: Medium Access Control and Physical Layer Signaling [ISO 8802/3]
GOSIP Version: 2
Expire Date:
Comments: Incorporates four test suites submitted by Corporation for Open Systems (COS) International in October 1989

Title: 802.3 Draft Abstract Test Suite for GOSIP Version 1

Organization: National Institute of Standards and Technology (NIST)
Building 225, Room B151
Gaithersburg MD 20899
USA
Issue Date: 01-AUG-90
Issue:
Comments:

ATS:2-4

Protocol: Medium Access Control and Physical Layer Signaling [ISO 8802/4]
GOSIP Version: 2
Expire Date:
Comments:

Title: 802.4 MAC Sublayer Conformance Test System Test Case Reference Guide

Organization: Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax VA 22031
USA
Issue Date: 01-MAR-88
Issue: COS/TPD-88/008, Issue 1
Comments:

ATS:2-5

Protocol: Medium Access Control and Physical Layer Signaling [ISO 8802/5]
GOSIP Version: 2
Expire Date:
Comments: No Registered ATS

ATS:2-6

Protocol: Logical Link Control Type 1

GOSIP Version: 2
Expire Date:
Comments:
Title: 802.2 LLC (Type 1) Abstract Test Suite Submission (extract from 802.3 10BASE5 Layer 2 Test System Results Analysis Guide - LLC Sublayer)

Organization: Corporation for Open Systems International Test Center
8260 Willow Oaks Corp Drive, Suite 700
Fairfax VA 22031
USA
Issue Date: 01-AUG-90
Issue: Issue 1
Comments:

ATS:2-7

Protocol: Connectionless Network Protocol, End System

GOSIP Version: 2
Expire Date:
Comments:

Title: Internet Protocol Tests and Testing Guide for ISO 8473 Connectionless Network Protocol Implementations

Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED
United Kingdom
Issue Date: 01-JUL-90
Issue: NCC/TPD-90/003, Issue 2
Comments:

ATS:2-7.1

Protocol: Connectionless Network Protocol, Intermediate System

GOSIP Version: 2
Expire Date:
Comments:

Title: Interim Abstract Test Suite for CLNP Intermediate Systems Testing

Organization: National Institute of Standards and Technology (NIST)
Building 225, Room B151
Gaithersburg MD 20899
USA
Issue Date: 30-OCT-90
Issue:
Comments:

ATS:2-8

Protocol: Transport Protocol Class 0

GOSIP Version: 2
Expire Date:
Comments: A revised version of this ATS is registered as ATS:2-8A

Title: OSTC Abstract Test Suite, Transport Class 0

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 31-JAN-91
Issue: OSTC/T&S/ABS/TR0/CS/2.0
Comments:

ATS:2-8A

Protocol: Transport Protocol Class 0

GOSIP Version: 2
Expire Date:
Comments: Minor revision of ATS 2-8

Title: OSTC Abstract Test Suite, Transport Class 0

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date:
Issue: OSTC/T&S/ABS/TRO/CS/2.1
Comments:

ATS:2-9.1

Protocol: Transport Protocol Class 4 Over Connectionless Network Service
GOSIP Version: 2
Expire Date:
Comments: New ATS under development by EWOS.

Title: Transport Class 4 over CLNS Abstract Test Suite

Organization: Alcatel TITN Answare
Aix-en-Provence
France
Issue Date: 07-MAY-92
Issue: Version 2.2
Comments:

ATS:2-9.2

Protocol: Transport Protocol Class 4

GOSIP Version: 2
Expire Date:
Comments: New ATS under development by EWOS.

Title: Transport Class 4 Tests and Testing Guide for ISO 8073 Transport Class 4 Implementations

Organization: National Computing Centre Limited
Oxford Road
Manchester M17ED
United Kingdom
Issue Date: 01-MAY-92
Issue: ISG-DEV-008-10-004, Issue 5
Comments:

ATS:2-9.3

Protocol: Transport Protocol Class 4 Over Connection Oriented Network Service
GOSIP Version: 2
Expire Date:
Comments: New ATS under development by EWOS

Title: Transport Class 4 over CONS Abstract Test Suite

Organization: Alcatel TITN Answare
Aix-en-Provence
France
Issue Date: 30-SEP-91
Issue: Version 2.0
Comments:

ATS:3-22.1.1

Protocol: Message Handling System - 1988, Session

GOSIP Version: 3
Expire Date: 01-FEB-94
Comments: Superseded by ATS:3-22.1.2

Title: MHS-88 DSE Session ATS

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 20-DEC-90
Issue: MHS-88/ABS/SES/DSE/1.0
Comments:

ATS:3-22.1.2

Protocol: Message Handling System - 1988, Session

GOSIP Version: 3
Expire Date:
Comments: Supersedes ATS:3-22.1.1

Title: ANNEX B - MHS '88 SPECIFIC PART

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 03-NOV-92
Issue: 2.0
Comments: This document is Annex B of document 2.

Title: Common Abstract Test Suite for the Session Protocol

Organization: Open Systems Testing Consortium Secretariat

Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 03-NOV-92
Issue: 2.0
Comments: Merge this common part with Annex B to form the full MHS-88 test suite.

ATS:3-22.2.1

Protocol: Message Handling System - 1988, Presentation - MH

GOSIP Version: 3
Expire Date:
Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 Presentation Abstract Test Suite MH (88) Part

Organization: Open Systems Testing Consortium Secretariat

Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 20-DEC-91
Issue: OSTC/MHS-88/ABS/PRES/MH/1.0
Comments: This document is Annex A of document 2. Without OSTC cover, document is identified as CTS2/XMHS/MH/PRES/ATS/V3.1
Title: MHS '88 Presentation - Common Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 20-DEC-91
Issue: OSTC/MHS-88/ABS/PRES/ALL/1.0
Comments: Without OSTC cover, document is identified as CTS2/XMHS/ALL/PRES/ATS/V4.0 CTS2_XX_PRES

ATS:3-22.3.1

Protocol: Message Handling System -1988, Association Control Service Element - MH
GOSIP Version: 3
Expire Date:
Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite MH

Organization: Open Systems Testing Consortium Secretariat

Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 04-DEC-91
Issue: OSTC/MHS-88/ABS/ACSE/MH/1.0
Comments: This is Annex C of Document 2. Without OSTC cover, document is Identified as ACSE_ATS_MHS_SPECIFIC_PART V2.03.
Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-SEP-91
Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0
Comments: Without OSTC cover, document is identified as CTS2-ACSE V2.02

ATS:3-22.3.2

Protocol: Message Handling System - 1988, Association Control Service Element-P3-UA
GOSIP Version: 3
Expire Date:
Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P3-UA

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-DEC-91
Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0
Comments: This is Annex B4 of Document 2. Without OSTC cover, document is identified as ACSE_ATS_RA_SPECIFIC_PART P3-UA V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-SEP-91
Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0
Comments: Without OSTC cover, document is identified as CTS2-ACSE V2.02

ATS:3-22.3.3

Protocol: Message Handling System - 1988, Association Control Service Element-P3-MTA
GOSIP Version: 3
Expire Date:
Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P3-MTA

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-DEC-91
Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0
Comments: This is Annex B5 of Document 2. Without OSTC cover, document is identified as ACSE_ATS_RA_SPECIFIC_PART P3-MTA V2.03
Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-SEP-91
Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0
Comments: Without OSTC cover, document is identified as CTS2-ACSE V2.02

ATS:3-22.3.4

Protocol: Message Handling System - 1988, Association Control Service Element-P3-MS
GOSIP Version: 3
Expire Date:
Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P3-MS

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-DEC-91
Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0
Comments: This is Annex B3 of Document 2. Without OSTC cover, document is identified as ACSE_ATS_RA_SPECIFIC PART P3-MS V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-SEP-91
Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0
Comments: Without OSTC cover, document is identified as CTS2-ACSE V2.02

ATS:3-22.3.5

Protocol: Message Handling System - 1988, Association Control Service Element-P7-UA
GOSIP Version: 3
Expire Date:
Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P7-UA

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-DEC-91
Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0
Comments: This is Annex B2 of Document 2. Without OSTC cover, document is Identified as ACSE_ATS_RA_SPECIFIC_PART P7-UA V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-SEP-91
Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0
Comments: Without OSTC cover, document is identified as CTS2-ACSE V2.02

ATS:3-22.3.6

Protocol: Message Handling System - 1988, Association Control Service Element-P7-MS
GOSIP Version: 3
Expire Date:
Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P7-MS

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-DEC-91
Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0
Comments: This is Annex B1 of Document 2. Without OSTC cover, document is identified as ACSE_ATS_RA_SPECIFIC_PART P7-MS V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 05-SEP-91
Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0
Comments: Without OSTC cover, document is identified as CTS2-ACSE V2.02

ATS:3-22.4

Protocol: Message Handling System - 1988, Reliable Transfer Service Element
GOSIP Version: 3
Expire Date:
Comments:

Title: MHS '88 RTSE Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 15-OCT-91
Issue: OSTC/MHS-88/ABS/RTSE/1.0
Comments: Without OSTC cover, document is identified as CTS2/XMHS/MH/RTSE/ATS/V6.0

ATS:3-22.5

Protocol: Message Handling System - 1988, P1 Profile

GOSIP Version: 3
Expire Date:
Comments:
Title: MHS '88 P1 Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 08-JAN-92
Issue: OSTC/MHS-88/ABS/P1/1.0
Comments: Without OSTC cover, document is identified as CTS2/XMHS/MH/P1/ATS/V2.5.

ATS:3-22.6

Protocol: Message Handling System - 1988, P2 Profile

GOSIP Version: 3
Expire Date:
Comments:

Title: MHS '88 P2 Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 26-MAY-91
Issue: OSTC/MHS-88/ABS/P2/1.0
Comments: Without OSTC cover, this document is identified as CTS2/XMHS/MH/P2/ATS/V3.2

ATS:3-22.7.1

Protocol: Message Handling System - 1988, P3-UA Profile

GOSIP Version: 3
Expire Date:
Comments:

Title: MHS '88 P3-UA Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 30-SEP-91
Issue: OSTC/MHS-88/ABS/P3-UA/1.0
Comments: Without OSTC cover, document is identified as CTS2/XMHS/RA/P3-UA/ATS/V4.0

ATS:3-22.7.2

Protocol: Message Handling System - 1988, P3-MTA Profile

GOSIP Version: 3
Expire Date:
Comments:

Title: MHS '88 P3-MTA Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 18-SEP-91
Issue: OSTC/MHS-88/ABS/P3-MTA/1.0
Comments: Without OSTC cover, document is identified as CTS2/XMHS/RA/P3-MTA/ATS/V4.0

ATS:3-22.8.1

Protocol: Message Handling System - 1988, P7-UA Profile

GOSIP Version: 3
Expire Date:
Comments:

Title: MHS '88 P7-UA Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 18-SEP-91
Issue: OSTC/MHS-88/ABS/P7-UA/1.0
Comments: Without OSTC cover, document is identified as CTS2/XMHS/RA/P7-UA/ATS/V4.0

ATS:3-22.8.2

Protocol: Message Handling System - 1988, P7-MS Profile

GOSIP Version: 3
Expire Date:
Comments:

Title: MHS '88 P7-MS Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat
Rue du Trone, 12
B-1050 Brussels
Belgium
Issue Date: 19-SEP-91
Issue: OSTC/MHS-88/ABS/P7-MS/1.0
Comments: Without OSTC cover, document is identified as CTS2/XMHS/RA/P7-MS/ATS/V4.0

ATS:3-23

Protocol: Directory Services

GOSIP Version: 3
Expire Date:
Comments: No Registered ATS. NIST plans to establish a conformance testing infrastructure for Directory Services by the end of 1993

6. NIST POSIX CONFORMANCE TESTING

6.1 FIPS POSIX Standard

The National Institute of Standards and Technology through its Computer Systems Laboratory (NIST/CSL) has established a conformance testing program for the Federal Information Standard for POSIX (FIPS 151-1 and FIPS 151-2). FIPS 151-2 will replace FIPS 151-1 in its entirely on October 15, 1992. These standards are based on the IEEE POSIX Std. 1003.1-1988 (FIPS 151-1) and ISO/IEC 9945-1:1990 (FIPS 151-2). The testing model includes a Certification Authority, NVLAP Accredited Testing Laboratories, Clients and the official NIST POSIX Conformance Test Suites. The Certification Authority is the Director of NIST/CSL. The National Voluntary Laboratory Accreditation Program (NVLAP), part of NIST, accredits the testing laboratories. The test suites are NIST-PCTS:151-1 and NIST-PCTS:151-2 were developed by NIST/CSL and are based on the test assertions specified by the IEEE Standard for Information Technology — Test Methods for Measuring Conformance to POSIX, IEEE Std. 1003.3-1991 (NIST-PCTS:151-1) and the IEEE Standard for Information Technology — Test Methods for Measuring conformance to POSIX.1, IEEE Std 2003.1-1992 (NIST-PCTS:151-2).

6.2 POSIX Test Procedures

There are Accredited POSIX Testing Laboratories (APTLs) accredited by NVLAP for using one or both test suites. NVLAP accreditation is renewable after one year, and identifies the specific testing procedures which the lab is authorized to run. The labs provide testing and analysis services to their clients and may forward the final test results to NIST/CSL for evaluation and subsequent issuance of a Certificate of Validation by NIST/CSL.

Testing policy documents and registers of validated products and accredited laboratories and available on an electronic mail (email) file server system. For most email systems, send an email message to posix@nist.gov (mail posix@nist.gov). The first line of the message should contain a command to send index (send index). After issuing the send command and a carriage return, end the email message. A listing of all of the available files will be returned via email to the requesting email address.

6.3 POSIX Test Suite

The NIST-PCTS:151-2 is available from NIST/CSL, POSIX Certification Authority, Building 225 Room B266, National Institute of Standards and Technology, Gaithersburg, MD 20899. The NIST-PCTS:151-1 is available from the National Technical Information Services (NTIS), 5825 Port Royal Road, Springfield, VA 22161, (703) 487-4650. For ordering information call (301) 975-3290.

6.4 Validation Requirements

An accredited lab may submit a "clean" test report to NIST/CSL for evaluation in anticipation of a Certification of Validation being issued. "Clean" implies no test assertion failures. The Certificate of Validation will confirm that the stated product has been tested using the official NIST-PCTS and that the test results have been validated by NIST/CSL. The Certificate of Validation and the Test Results Summary contain information on the product tested, the implementation that was tested, the suppliers, conditional features that were tested, configuration details and the identification of the testing laboratory. These certificates are issued by NIST/CSL through the testing lab. Fees for services by the testing labs are established by the labs.

6.5 TESTING LABORATORIES for NIST POSIX (FIPS 151-1)

The National Voluntary Laboratory Accreditation Program (NVLAP) has accredited the following laboratories to test computer operating system interfaces for conformance with the Federal Information Processing Standard 151-1 (FIPS 151-1) using the NIST POSIX Conformance Test Suite (NIST-PCTS:151-1). Only accredited laboratories may submit test reports to NIST/CSL for validation.

ACCREDITED NIST POSIX TESTING LABORATORIES

The National Voluntary Laboratory Accreditation Program (NVLAP) has accredited the following laboratories to test computer operating system interfaces for conformance with the Federal Information Processing Standard 151-1 (FIPS 151-1) using the NIST POSIX Conformance Test Suite (NIST-PCTS:151-1). Only accredited laboratories may submit test reports to NIST/CSL for validation.

BULL S.A. / Laboratoire POSIX
1 rue de Provence / BP208
38432 ECHIROLLES CEDEX (France)

Contact: Mr. Georges Chardon
Phone: (33) 76 39 75 93

DataFocus Incorporated
12450 Fair Lakes Circle, Suite 400
Fairfax, VA 22033-3831

Contact: Mr. Glen McPherson
Phone: 703-631-6770

Mindcraft, Inc.
410 Cambridge Avenue
Palo Alto, CA 94306

Contact: Mr. Bruce Weiner
Phone: 415-323-9000

PERENNIAL
4699 Old Ironsides Drive, Suite 210
Santa Clara, CA 95054

Contact: Mr. Barry E. Hedquist
Phone: 408-748-2900

UniSoft Corporation
6121 Hollis Street
Emeryville, CA 94608-2092

Contact: Ms. Audrey Ruelas
Phone: 510-420-6400

6.6 VALIDATED PRODUCTS for NIST POSIX (FIPS 151-1)

NIST POSIX VALIDATED PRODUCTS

The following products have been tested by an Accredited POSIX Testing Laboratory (APTL) using the official National Institute of Standards and Technology POSIX Conformance Test Suite (NIST-PCTS:151-1) for the Federal Information Processing Standards Publication 151-1 (FIPS PUB 151-1). A Certificate of Validation has been issued by NIST/CSL. Additional information is available from NIST/CSL on conditional features supported, configuration details, and resolved test codes (if appropriate).

PRODUCT SUPPLIERS	REFERENCE FILE #
Amdahl Corporation	AMD5598
Apple Computer Inc.	APP2482, APP3355, APP7204, APP7224, APP7235, APP8616, APP9125, APP9165
AT&T	ATT1566
BULL S.A.	BUL2387, BUL6051
Control Data Corporation	CDC1101, CDC5574, CDC5750
CONVEX Computer Corporation	CON0202, CON2551, CON6027
Cray Research, Inc.	CRA2641
Data General Corporation	DGC2542, DGC4767, DGC8016, DGC8703, DGC9391, DGC9574
Digital Equipment Corp.	DEC0319, DEC0638, DEC4670, DEC5794, DEC7386, DEC7833, DEC7917, DEC8003, DEC9418, DEC9672
Encore Computer Corporation	ENC6897
ESIX/Everex Systems, Inc.	EVR0901, EVR9749
Harris Corporation	HAR5240
Hewlett-Packard Company	HPC0115, HPC0303, HPC0535, HPC0603, HPC1581, HPC1992, HPC2540, HPC2698, HPC2952, HPC3574, HPC3760, HPC3897, HPC4246, HPC6304, HPC6391, HPC6637, HPC6906, HPC7051, HPC7716, HPC8098, HPC9185
Interactive Systems Corp.	INT5154
Intergraph Corporation	INT4675
International Business Machines, Inc.	IBM0320, IBM0458, IBM1344, IBM2592, IBM3697
Lynx Real-Time Systems, Inc.	LNX3076
Modular Computer Systems, Inc.	MOD4817
Motorola Computer Group	MOT1086, MOT5618
NCR Corporation	NCR0554, NCR1448, NCR2047, NCR2805, NCR3061, NCR3331, NCR4518, NCR5533, NCR7380, NCR7549
NeXT Computer, Inc.	NXT0623
Pyramid Technology Corporation	PYR1271, PYR3067, PYR3233, PYR4970, PYR9863
Santa Cruz Operation Inc.	SCO3664, SCO3832, SCO4102, SCO5199, SCO6748, SCO8054, SCO9875
Sequent Computer Systems Inc.	SEC8754
Silicon Graphics, Inc.	SGI5507, SGI9297
Sun Microsystems Computer Corp.	SUN1065, SUN1442, SUN2031, SUN2727, SUN2930, SUN3272, SUN3402, SUN5684, SUN5782, SUN5970, SUN6602, SUN7188, SUN7793
SunSoft, Inc.	SUN0617, SUN2241, SUN3129, SUN3403, SUN4529, SUN5382, SUN6635, SUN6859, SUN8720, SUN9763
Unisys Corporation	UNI0505, UNI1798, UNI3690, UNI5711, UNI9063, UNI9080
Univel	UNV0528, UNV2014, UNV3055, UNV3978, UNV9180
UNIX System Laboratories	USL2115, USL3610, USL6259

SYSTEM SUPPLIERS	REFERENCE FILE #
AGI Computer, Inc.	EVR0901
Alpha Systems Lab	SUN3403
Amdahl Corporation	AMD5598
Apple Computer Inc.	APP2482, APP3355, APP7204, APP7224, APP7235, APP8616, APP9125, APP9165
AST Research, Inc.	SCO4102, UNV3055, UNV9180, USL2115, USL6259
AT&T	ATT1566, USL3610
BULL S.A.	BUL2387, BUL6051
Compaq Computer Corporation	INT5154, LNX3076, SUN6859
Control Data Corporation	CDC1101, CDC5574, CDC5750
CONVEX Computer Corp.	CON0202, CON2551, CON6027
Cray Research, Inc.	CRA2641
Data General Corporation	DGC2542, DGC4767, DGC8016, DGC8703, DGC9391, DGC9574, SCO6748
Dell Computer Corporation	SUN1065
Diamond Flower Incorporated	SCO3664, SCO8054
Digital Equipment Corp.	DEC0319, DEC0638, DEC4670, DEC5794, DEC7386, DEC7833, DEC7917, DEC8003, DEC9418, DEC9672
Encore Computer Corporation	ENC6897
ESIX/Everex Systems, Inc.	EVR9749
Harris Corporation	HAR5240
Hewlett-Packard Company	HPC0115, HPC0303, HPC0535, HPC1581, HPC1992, HPC2540, HPC2698, HPC2952, HPC3574, HPC3760, HPC3897, HPC4246, HPC0603, HPC6304, HPC6391, HPC6637, HPC6906, HPC7051, HPC7716, HPC8098, HPC9185
Intergraph Corporation	INT4675
International Business Machines	IBM0320, IBM0458, IBM1344, IBM2592, IBM3697
Modular Computer Systems, Inc.	MOD4817
Motorola Computer Group	MOT1086, MOT5618
NCR Corporation	NCR0554, NCR1448, NCR2047, NCR2805, NCR3061, NCR3331, NCR4518, NCR5533, NCR7380, NCR7549
NeXT Compputer, Inc.	NXT0623
Pyramid Technology Corp.	PYR1271, PYR3067, PYR3233, PYR4970, PYR9863
RDI	SUN3402
Sequent Computer Systems Inc.	SEC8754
Silicon Graphics, Inc.	SGI5507, SGI9297
Sun Microsystems Corp.,	SUN0617, SUN1442, SUN2031, SUN2241, SUN2727, SUN2930, SUN3129, SUN3272, SUN4529, SUN5382, SUN5684, SUN5782, SUN5970, SUN6602, SUN6635, SUN7188, SUN7793, SUN8720, SUN9763
Unisys Corporation	SCO9875, UNI0505, UNI1798, UNI3690, UNI5711, UNI9063, UNI9080, UNV0528, UNV2014, UNV3978
Zenith Data Systems	SCO3832, SCO5199

Reference File #: AMD5598
Product Supplier: Amdahl Corporation
Product Tested: UTS System Version: 4 Release: 1
System Supplier: Amdahl Corporation
System Hardware: 5995M Model: 4550
C Compiler: Amdahl C Version: 1.5 Release: June, 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 07/23/93

Reference File #: APP2482
Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 2.0.1 Release: 01/30/1991
System Supplier: Apple Computer Inc.
System Hardware: Macintosh Model: IIfx
C Compiler: A/UX native C compiler (cc) Ver: 1.21 Rel: 1/13/1991
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: APP3355
Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 3.0 Release: March 9, 1992
System Supplier: Apple Computer Inc.
System Hardware: Macintosh Model: Quadra 700
C Compiler: A/UX native C compiler (cc) Ver: 1.23 Rel: Feb 9, 1992
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 04/16/92

Reference File #: APP7204
Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 3.0.1 Release: April 23, 1993
System Supplier: Apple Computer Inc.
System Hardware: Workgroup Server Model: 80
C Compiler: A/UX Developer's Tools (c89) Ver: 1.1 Rel: Apr 1, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 06/24/93

Reference File #: APP7224
Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 3.0 Release: March 9, 1992
System Supplier: Apple Computer Inc.
System Hardware: Macintosh Model: Quadra 950
C Compiler: A/UX native C compiler (cc) Ver: 1.23 Rel: Feb 9, 1992
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/14/92

Reference File #: APP7235
Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 2.0.1 Release: 01/30/1991
Supplier: Apple Computer Inc. Hardware: Macintosh Model: IIci
C Compiler: A/UX native C compiler (cc) Ver: 1.21 Rel: 01/13/1991
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: APP8616
Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 2.0.1 Release: 01/30/1991
Supplier: Apple Computer Inc. Hardware: Macintosh Model: IIsi
C Compiler: A/UX native C compiler (cc) Ver: 1.21 Rel: 01/13/1991
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: APP9125
Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 3.0 Release: March 9, 1992
System Supplier: Apple Computer Inc.
System Hardware: Macintosh Model: Quadra 700
C Compiler: A/UX Developer's Tools (c89) Ver: 1.1 Rel: April 1, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 08/11/92

Reference File #: APP9165
Product Supplier: Apple Computer Inc.
Product Tested: A/UX Version: 3.0 Release: March 9, 1992
System Supplier: Apple Computer Inc.
System Hardware: Macintosh Model: Quadra 950
C Compiler: A/UX Developer's Tools (c89) Ver: 1.1 Rel: Apr 1, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 08/11/92

Reference File #: ATT1566
Product Supplier: AT&T
Product Tested: AT&T UNIX System V Ver: Release 4 Rel: 4.0.3
System Supplier: AT&T
System Hardware: AT&T 3B2 R3 Series Model: 3B2/600 GR
C Compiler: AT&T 3B2/RISC C Development System Version: 1.0
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0343 DataFocus Incorporated Date Issued: 11/06/91

Reference File #: BUL2387
Product Supplier: BULL S.A.
Product Tested: BOS Version: 2 Release: 1
System Supplier: BULL S.A.
System Hardware: DPX/2 Model: 200
C Compiler: C Compiler Version: 72 Release: 1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0373 BULL S.A./Laboratoire POSIX Date Issued: 2/24/93

Reference File #: BUL6051
Product Supplier: BULL S.A.
Product Tested: BOS/X Version: 3 Release: 2
System Supplier: BULL S.A.
System Hardware: DPX/20 Model: 620
C Compiler: BOS/X XLC C Compiler Version: 1 Release: 02
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0373 BULL S.A./Laboratoire POSIX Date Issued: 1/22/93

Reference File #: CDC1101
Product Supplier: Control Data Corporation
Product Tested: EP/IX Version: 1.4.2 Release: November 27, 1991
System Supplier: Control Data Corporation
System Hardware: Control Data 4000 Model: 4680MP
C Compiler: EP/IX C Language RISCompiler V: C 2.11 Rel: July 1990
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0356 Applications Software Incorporated Date Issued: 1/29/92

Reference File #: CDC5574
Product Supplier: Control Data Corporation
Product Tested: EP/IX Version: 1.3.1 Release: 03/21/1991
System Supplier: Control Data Corporation
System Hardware: Control Data 4000 Model: 4330-250
C Compiler: EP/IX C Language RISCompiler Version: 2.11 Release: July 1990
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0356 Applications Software Incorporated Date Issued: 05/24/91

Reference File #: CDC5750
Product Supplier: Control Data Corporation
Product Tested: EP/IX Version: 1.3.1 Release: 03/21/1991
System Supplier: Control Data Corporation
System Hardware: Control Data 4000 Model: 4680
C Compiler: EP/IX C Language RISCompiler Version: 2.11 Release: 07/16/1990
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0356 Applications Software Incorporated Date Issued: 05/24/91

Reference File #: CON0202
Product Supplier: CONVEX Computer Corporation
Product Tested: ConvexOS Version: 10.1 Release: C200 Series
System Supplier: CONVEX Computer Corporation
System Hardware: C2 Model: C220
C Compiler: CONVEX C Version: 4.3.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/11/92

Reference File #: CON2551
Product Supplier: CONVEX Computer Corporation
Product Tested: ConvexOS Version: 10.1 Release: C3800 Series
System Supplier: CONVEX Computer Corporation
System Hardware: C38 Model: C3810
C Compiler: CONVEX C Version: 4.3.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/11/92

Reference File #: CON6027
Product Supplier: CONVEX Computer Corporation
Product Tested: ConvexOS Version: 10.1 Release: C3400 Series
System Supplier: CONVEX Computer Corporation
System Hardware: C34 Model: C3440
C Compiler: CONVEX C Version: 4.3.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/11/92

Reference File #: CRA2641
Product Supplier: Cray Research, Inc.
Product Tested: UNICOS Version: 7.0.5.bu Release: 7.0
System Supplier: Cray Research, Inc.
System Hardware: Cray Y-MP Model: YMP2E/232-4
C Compiler: Cray Standard C Compiler Release: 3.0.5 (5/20/93)
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 10/14/93

Reference File #: DEC0319
Product Supplier: Digital Equipment Corporation
Product Tested: DEC OSF/1 Version: 1.2 Release: March 1993
System Supplier: Digital Equipment Corporation
System Hardware: DEC/3000 Model: 500
C Compiler: DEC OSF/1 for AXP C Compiler Version: 1 Release: March 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 03/10/93

Reference File #: DEC0638
Product Supplier: Digital Equipment Corporation
Product Tested: VMS Version: 5 Release: 5 (with VMS POSIX, version 1.0)
System Supplier: Digital Equipment Corporation
System Hardware: VAXstation Model: 3100 M76
C Compiler: VAX C Version: 3 Release: 2
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0343 DataFocus Incorporated Date Issued: 01/29/92

Reference File #: DEC4670
Product Supplier: Digital Equipment Corporation
Product Tested: The ULTRIX Operating System Version: 4.3A Release: July 1993
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 5000/150
C Compiler: Mips C Compiler Version: 3.0
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 06/24/93

Reference File #: DEC5794
Product Supplier: Digital Equipment Corporation
Product Tested: ULTRIX Version: 4.2 Release: May 31, 1991
System Supplier: Digital Equipment Corporation
System Hardware: VAXstation II Model: GPX
C Compiler: pcc Version: 4.2
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 06/17/91

Reference File #: DEC7386
Product Supplier: Digital Equipment Corporation
Product Tested: The ULTRIX Operating System Version: 4.3 Release: August 1992
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 5000/200
C Compiler: Mips C Compiler Version: 2.10
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 09/18/92

Reference File #: DEC7833
Product Supplier: Digital Equipment Corporation
Product Tested: OpenVMS VAX Version: 6 Release: 0 (with OpenVMS VAX POSIX, Version X1.2-35E)
System Supplier: Digital Equipment Corporation
System Hardware: VAXstation Model: 3100 M76
C Compiler: VAX C Version: 3 Release: 2
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 10/14/93

Reference File #: DEC7917
Product Supplier: Digital Equipment Corporation
Product Tested: the ULTRIX Operating System Version: 4.2A Release: November 18, 1991
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 3100
C Compiler: MIPS C Compiler Version: 2.10
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0342 Mindcraft, Inc. Date Issued: 12/06/91

Reference File #: DEC8003
Product Supplier: Digital Equipment Corporation
Product Tested: The ULTRIX Operating System Version: 4.3A Release: July 1993
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 5000/260
C Compiler: Mips C Compiler Version: 3.0
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 06/24/93

Reference File #: DEC9418
Product Supplier: Digital Equipment Corporation
Product Tested: ULTRIX Version: 4.2 Release: May 31, 1991
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 3100
C Compiler: MIPS C Compiler Version: 2.10
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 06/17/91

Reference File #: DEC9672
Product Supplier: Digital Equipment Corporation
Product Tested: The ULTRIX Operating System Version: 4.2A Release: December 1991
System Supplier: Digital Equipment Corporation
System Hardware: DECstation Model: 5000/200
C Compiler: MIPS C Compiler Version: 2.10
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0342 Mindcraft, Inc. Date Issued: 02/12/92

Reference File #: DGC2542
Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 5.4
System Supplier: Data General Corporation
System Hardware: AViion 5000 Model: AV/5240
C Compiler: GNU C Compiler for AViiON Systems Version: 1.37.23
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

Reference File #: DGC4767
Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 5.4.2 Release: August 1992
System Supplier: Data General Corporation
System Hardware: AViion AV/530/4600 Model: AV/532
C Compiler: GNU C Compiler for AViiON Systems Version: DG-2.2.3
Release: August 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 09/09/92

Reference File #: DGC8016
Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 5.4
System Supplier: Data General Corporation
System Hardware: AVilon 400/4000 Model: AV/4100
C Compiler: GNU C Compiler for AViiON Systems Version: 1.37.23
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

Reference File #: DGC8703
Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 5.4
System Supplier: Data General Corporation
System Hardware: AViion 400/4000 Model: AV/412
C Compiler: GNU C Compiler for AViION Systems Version: 1.37.23
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

Reference File #: DGC9391
Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 4.32
System Supplier: Data General Corporation
System Hardware: AViion AV/400/4000 Model: AV/410
C Compiler: GNU C Compiler for AViion Sys Version: 1.37.23
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: DGC9574
Product Supplier: Data General Corporation
Product Tested: DG/UX Version: 5.4.2 Release: August 1992
System Supplier: Data General Corporation
System Hardware: AViion AV/8000 Model: AV/6240
C Compiler: GNU C Compiler for AViiON Systems Version: DG-2.2.3
Release: August 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 11/03/92

Reference File #: ENC6897
Product Supplier: Encore Computer Corporation
Product Tested: UMAX V Release: 3.0.6
System Supplier: Encore Computer Corporation
System Hardware: 91 Series Model: 91-02427
C Compiler: Green Hills Software, Inc. C Release: 1.1
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0345 UniSoft Corporation Date Issued: 3/12/92

Reference File #: EVR0901
Product Supplier: ESIX/Everex Systems, Inc.
Product Tested: ESIX System V Release 4 Version: 4 Release: 4.0
System Supplier: AGI Computer, Inc.
System Hardware: AGI Model: 486/33
C Compiler: ESIX ANSI C Compiler Version: 5.0
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

Reference File #: EVR9749
Product Supplier: ESIX/Everex Systems, Inc.
Product Tested: ESIX System V Release 4 Version: 4 Release: 4.0
System Supplier: ESIX/Everex Systems, Inc.
System Hardware: Everex Model: 3000S 386/33
C Compiler: ESIX ANSI C Compiler Version: 5.0
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

Reference File #: HAR5240
Product Supplier: Harris Corporation
Product Tested: CX/UX Release: 5.3
System Supplier: Harris Corporation, Computer Systems Division
System Hardware: Night Hawk Model: HN4802
C Compiler: Harris C Compiler Release: 5.3
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0342 Mindcraft, Inc. Date Issued: 12/16/91

Reference File #: HPC0115
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 867S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC0303
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 867s
C Compiler: HP C Compiler Version: A 08.17 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 09/09/92

Reference File #: HPC0535
Product Supplier: Hewlett-Packard Company
Product Tested: Domain/OS Version: 10.4 Release: April 1992
System Supplier: Hewlett-Packard Company
System Hardware: Domain Series 4000 Model: DN4500
C Compiler: Domain/C Version: 6.9.M/MPX Release: May 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 09/2/92

Reference File #: HPC0603
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 9.01 Release: January 4, 1993
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 700 Model: 735
C Compiler: HP C Compiler Version: HP92453-01 A.09.19 Release: December, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

Reference File #: HPC1581
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 827S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC1992
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.08 Release: 11/23/92
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 827S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC2540
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.07 Release: December 1991
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 700 Model: 720
C Compiler: HP C Compiler Version: A 08.71 Release: Dec 1991
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 01/29/92

Reference File #: HPC2698
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 817S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC2952
Product Supplier: Hewlett-Packard Company
Product Tested: Domain/OS Version: 10.4 Release: April 1992
System Supplier: Hewlett-Packard Company
System Hardware: Domain Series 400 Model: 433s
C Compiler: Domain/C Version: 6.9.M/MPX Release: May 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 09/2/92

Reference File #: HPC3574
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 9.0 Release: October 7, 1992
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 400 Model: 433S
C Compiler: HP C Compiler Version: B2371B.08.00 Internal Revision 70.2 Release: October 7, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

Reference File #: HPC3760
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 847S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC3897
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 9.0 Release: October 7, 1992
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 847S
C Compiler: HP C Compiler Version: A 09.19 Release: Oct 7, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 1/07/93

Reference File #: HPC4246
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.08 Release: 11/23/92
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 807S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC6304
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 9.01 Release: January 4, 1993
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 700 Model: 720
C Compiler: HP C Compiler Ver: HP92453-01 A.09.19 Rel: Dec, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

Reference File #: HPC6391
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.00 with PHCO_0800 (Patch) Release: January 1991, January 1992 (Patch)
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 400 Model: 400S
C Compiler: HP C Compiler Version: B 08.00 Release: Dec. 1991
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 04/17/92

Reference File #: HPC6637
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.08 Release: 11/23/92
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 817S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC6906
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 9.01 Release: January 4, 1993
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 700 Model: 715
C Compiler: HP C Compiler Ver: HP92453-01 A.09.19 Rel: Dec. 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

Reference File #: HPC7051
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.08 Release: 11/23/92
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 867S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC7716
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.08 Release: 11/23/92
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 847S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC8098
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8.02 Release: 10/06/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 807S
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

Reference File #: HPC9185
Product Supplier: Hewlett-Packard Company
Product Tested: HP-UX Version: 8 Release: 5/6/91
System Supplier: Hewlett-Packard Company
System Hardware: HP9000 Series 800 Model: 835
C Compiler: HP C Compiler Version: A 08.17 Release: 5/6/91
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 12/18/91

Reference File #: IBM0320
Product Supplier: International Business Machines Inc.
Product Tested: AIX Version 3 for RISC System/6000 Version: 3 Release: 2
System Supplier: International Business Machines Inc.
System Hardware: RISC System/6000 Model: 220
C Compiler: xlc Version: 1 Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 02/25/92

Reference File #: IBM0458
Product Supplier: International Business Machines Inc.
Product Tested: AIX Version 3 for RISC System/6000 Version: 3 Release: 2
System Supplier: International Business Machines Inc.
System Hardware: RISC System/6000 Model: 530H
C Compiler: xlc Version: 1 Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 02/25/92

Reference File #: IBM1344
Product Supplier: International Business Machines Inc.
Product Tested: AIX Version: 3 Release: 1
System Supplier: International Business Machines Inc.
System Hardware: RISC System/6000 Model: 320
C Compiler: xlc Version: 3 Release: 1
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: IBM2592
Product Supplier: International Business Machines Inc.
Product Tested: AIX Version: 3 Release: 1
System Supplier: International Business Machines Inc.
System Hardware: RISC System/6000 Model: 530
C Compiler: xlc Version: 3 Release: 1
PCTS: 151-1 Version: 1.1 - 04/26/91
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

Reference File #: IBM3697
Product Supplier: International Business Machines Inc.
Product Tested: AIX Version 3 for RISC System/6000 Version: 3 Release: 2
System Supplier: International Business Machines Inc.
System Hardware: RISC System/6000 Model: 320
C Compiler: xlc Version: 1 Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 02/25/92

Reference File #: INT4675
Product Supplier: Intergraph Corporation
Product Tested: CLIX Version: 06.02.01 Release: 3.1
System Supplier: Intergraph Corporation
System Hardware: Intergraph 6400 Series Workstation Model: 6450
C Compiler: CLIPPER Advanced Optimizing C Compiler Version: 06.00.01.43 Release: 28-JAN-1992
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

Reference File #: INT5154
Product Supplier: Interactive Systems Corp.
Product Tested: Interactive UNIX Operating System Version: 3.0 Release: 3.2
System Supplier: Compaq Computer Corporation
System Hardware: Compaq Model: System Pro
C Compiler: Interactive UNIX Software Development System Ver: 3.0
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0345 UniSoft Corporation Date Issued: 10/16/91

Reference File #: LNX3076
Product Supplier: Lynx Real-Time Systems, Inc.
Product Tested: LynxOS Version: 2 Release: 2.2.0
System Supplier: Compaq Computer Corporation
System Hardware: ProLinea Model: 4/33
C Compiler: gcc Version: 1.42 Release: September 19, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/14/93

Reference File #: MOD4817
Product Supplier: Modular Computer Systems, Inc.
Product Tested: REAL/IX Version: V.3 Release: D.0
System Supplier: Modular Computer Systems, Inc.
System Hardware: REAL/STAR Model: 1000
C Compiler: GNU C Compiler for REAL/IX Systems Version: 1.37
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/05/92

Reference File #: MOT1086
Product Supplier: Motorola Computer Group
Product Tested: UNIX® System V/88 Release 4.0 Version: 3 Release: 4.0
System Supplier: Motorola Computer Group
System Hardware: Motorola Series 8000 Model: 8x40
C Compiler: Software Development System Version: T302.0 Release: 12/2/92
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 2/19/93

Reference File #: MOT5618
Product Supplier: Motorola Computer Group
Product Tested: UNIX® System V/88 Release 4.0 Version: 3 Release: 4.0
System Supplier: Motorola Computer Group
System Hardware: Motorola Series 8000 Model: 8x20
C Compiler: Software Development System Ver: T302.0 Rel: 12/2/92
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 2/19/93

Reference File #: NCR0554
Product Supplier: NCR Corporation
Product Tested: NCR UNIX System V Ver: Release 4 Rel: 4.0.4
System Supplier: NCR Corporation
System Hardware: NCR 3B2 R3 Series Model: 3B2/1000 R3 (Military ID: 3B2/600 GR)
C Compiler: 3B2/RISC C Development System Release: 1.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 12/09/92

Reference File #: NCR1448
Product Supplier: NCR Corporation
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2 Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3455
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

Reference File #: NCR2047
Product Supplier: NCR Corporation
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3447
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

Reference File #: NCR2805
Product Supplier: NCR Corporation
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3450
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

Reference File #: NCR3061
Product Supplier: NCR Corporation
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2 Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3555
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

Reference File #: NCR3331
Product Supplier: NCR Corporation
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3345
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

Reference File #: NCR4518
Product Supplier: NCR Corporation
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3550
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

Reference File #: NCR5533
Product Supplier: NCR Corporation
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2 Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3520
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

Reference File #: NCR7380
Product Supplier: NCR Corporation
Product Tested: UNIX® System V Release 4.0 Version 3.1 Version: 3.1 Release: 4.0
System Supplier: NCR Corporation
System Hardware: StarServer E Model: Release 3
C Compiler: Optimized C Compiler Version: 5.0
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 03/10/93

Reference File #: NCR7549
Product Supplier: NCR Corporation
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2 Version: SVR4 Release: 2
System Supplier: NCR Corporation
System Hardware: System 3000 Model: 3525
C Compiler: NCR C Development Toolkit Release: 2
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

Reference File #: NXT0623
Product Supplier: NeXT Computer, Inc.
Product Tested: NEXTSTEP Version: 3.2 Release: November 5, 1993 (with POSIX for NEXTSTEP version 1.0)
System Supplier: NeXT Computer, Inc.
System Hardware: NeXTstation Model: Color Turbo
C Compiler: NEXTSTEP DEVELOPER Version: 3.2 Release: November 5, 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/93

Reference File #: PYR1271
Product Supplier: Pyramid Technology Corporation
Product Tested: OSx Version: 5.1a-92a023 Release: 0422s
System Supplier: Pyramid Technology Corporation
System Hardware: MIServer Model: MIS-2T
C Compiler: att_cc Version: 5.1
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

Reference File #: PYR3067
Product Supplier: Pyramid Technology Corporation
Product Tested: DataCenter/OSx Version: dcosx Release: 1.1-92c027
System Supplier: Pyramid Technology Corporation
System Hardware: MIServer Model: 2S
C Compiler: DataCenter/OSx C Compiler Release: 1.1-92c027
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 09/09/92

Reference File #: PYR3233
Product Supplier: Pyramid Technology Corporation
Product Tested: DataCenter/OSx Version: dcosx Release: 1.1-92c027
System Supplier: Pyramid Technology Corporation
System Hardware: MIServer Model: 12S
C Compiler: DataCenter/OSx C Compiler Release: 1.1-92c027
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 10/05/92

Reference File #: PYR4970
Product Supplier: Pyramid Technology Corporation
Product Tested: DataCenter/OSx Version: dcosx Rel: 1.1-92c027
System Supplier: Pyramid Technology Corporation
System Hardware: MIServer Model: 4S
C Compiler: DataCenter/OSx C Compiler Release: 1.1-92c027
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 09/09/92

Reference File #: PYR9863
Product Supplier: Pyramid Technology Corporation
Product Tested: OSx Version: 5.1a Release: 0318t
System Supplier: Pyramid Technology Corporation
System Hardware: MIServer Model: MIS-4T
C Compiler: att_cc Version: 5.1
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

Reference File #: SCO3664
Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO Open Desktop Version: 2.0
System Supplier: Diamond Flower Incorporated
System Hardware: DFI Model: 486SX/25
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 11/02/92

Reference File #: SCO3832
Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO UNIX System V/386 Version: Release 3.2
System Supplier: Zenith Data Systems
System Hardware: Z Station Model: 433DEh
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 09/28/92

Reference File #: SCO4102
Product Supplier: Santa Cruz Operation, Inc.
Product Tested: SCO UNIX System V/386 Version: Release 3.2
System Supplier: AST Research, Inc.
System Hardware: Premium Series Model: 486/33
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 07/01/92

Reference File #: SCO5199
Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO UNIX System V/386 Version: 3.2
System Supplier: Zenith Data Systems
System Hardware: Zenith Data Systems Supersport Laptop Model: Supersport SX
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0343 DataFocus Incorporated Date Issued: 09/17/91

Reference File #: SCO6748
Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO UNIX System V/386 Version: 3.2 Release: 2
System Supplier: Data General Corporation
System Hardware: Walkabout/SX Model: G2763
C Compiler: Microsoft C Optimizing Compiler Version: 5.1
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

Reference File #: SCO8054
Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO Open Desktop Version: 2.0
System Supplier: Diamond Flower Incorporated
System Hardware: DFI Model: 486/33
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 11/02/92

Reference File #: SCO9875
Product Supplier: Santa Cruz Operation Inc.
Product Tested: SCO UNIX System V/386 Version: 3.2
System Supplier: UNISYS Corporation
System Hardware: PW^2 Advantage 3000 Series Model: 3256
C Compiler: Microsoft C Version: 5.1
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0343 DataFocus Incorporated Date Issued: 11/01/91

Reference File #: SEC8754
Product Supplier: Sequent Computer Systems Inc.
Product Tested: DYNIX/ptx Operating System Version: 1.3.0
System Supplier: Sequent Computer Systems Inc.
System Hardware: Symmetry Series II Model: S27
C Compiler: C Tools Version: 1.12p
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0345 UniSoft Corporation Date Issued: 12/09/91

Reference File #: SGI5507
Product Supplier: Silicon Graphics, Inc.
Product Tested: IRIX Version: 4.0.5
System Supplier: Silicon Graphics, Inc.
System Hardware: IRIS Model: Crimson
C Compiler: IRIS Development Option Version: 2.20
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 06/15/92

Reference File #: SGI9297
Product Supplier: Silicon Graphics, Inc.
Product Tested: IRIX Version: 4.0.5
System Supplier: Silicon Graphics, Inc.
System Hardware: IRIS Model: Indigo
C Compiler: IRIS Development Option Version: 2.20
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 06/15/92

Reference File #: SUN0617
Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.0.1 Release: PC
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation IPC Model: GX
C Compiler: Solaris C Compiler Version: 1.0.1 Release: Dec 4, 1991
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 08/27/92

Reference File #: SUN1065
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris 2.1 for x86 Version: 2.1 Release: May 1993
System Supplier: Dell Computer Corporation
System Hardware: 450 Model: DE
C Compiler: ProCompiler C Version: 2.0.1 for x86 Rel: May 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/20/93

Reference File #: SUN1442
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.2 Release: May 28, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation LX Model: 4/30
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

Reference File #: SUN2031
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: August 4, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SunWorkstation 4/30 Model: 4/30
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

Reference File #: SUN2241
Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 2.0 Release: June 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation 2 Model: 4/75
C Compiler: Sun C Compiler Version: 2.0 Release: 20 May 1992
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 07/02/92

Reference File #: SUN2727
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: December 7, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCserver 10 Model: 42
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 1/07/93

Reference File #: SUN2930
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.2 Release: May 28, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation 2 Model: 4/75
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

Reference File #: SUN3129
Product Supplier: SunSoft, Inc.
Product Tested: Interactive Unix Operating System V/386 Version: 3.0.1 Release: 3.2
System Supplier: Compaq Computer Corporation
System Hardware: Desk Pro Model: 386/20E
C Compiler: Interactive Unix Software Development System Version: 3.0 Release: December 4, 1991
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0345 UniSoft Corporation Date Issued: 9/18/92

Reference File #: SUN3272
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.2 Release: May 28, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCenter 10 Model: 54
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

Reference File #: SUN3402
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: August 4, 1992
System Supplier: RDI
System Hardware: BriteLite Model: IPX Color Laptop Workstation
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/16/92

Reference File #: SUN3403
Product Supplier: SunSoft, Inc.
Product Tested: Interactive Unix Operating System V/386 Version: 3.0.1 Release: 3.2
System Supplier: Alpha Systems Lab
System Hardware: ASL486/33 Model: ASL433
C Compiler: Interactive Unix Software Development System Version: 3.0
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0345 UniSoft Corporation Date Issued: 10/05/92

Reference File #: SUN4529
Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.1 Version C Release: August 13, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCclassic Model: 4/15
C Compiler: Solaris C Compiler Version: 1.1 Release: August 13, 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/14/93

Reference File #: SUN5382
Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.0.1 Release: PC
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation IPX Model: GX
C Compiler: Solaris C Compiler Version: 1.0.1 Release: December 4, 1991
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus Incorporated Date Issued: 09/02/92

Reference File #: SUN5684
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: December 7, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCclassic Model: 4/15
C Compiler: Sun C Compiler Version: 2.0.1 Release: October 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 1/07/93

Reference File #: SUN5782
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: August 4, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCserver 10 Model: 30
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

Reference File #: SUN5970
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: August 4, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCserver 10 Model: 41
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

Reference File #: SUN6602
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.2 Release: May 28, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCenter 2000 Model: 01
C Compiler: Sun C Compiler Version: 2.0.1 Release: October 3, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

Reference File #: SUN6635
Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.0.1 Release: PC
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCserver 690 Model: 140
C Compiler: Solaris C Compiler Version: 1.0.1 Release: December 4, 1991
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 02/19/92

Reference File #: SUN6859
Product Supplier: SunSoft, Inc.
Product Tested: INTERACTIVE UNIX Operating System V/386 Version: 4.0 Release: 3.2
System Supplier: Compaq Computer Corporation
System Hardware: DeskPro Model: 66M
C Compiler: INTERACTIVE Software Development System Version: 4.0 Release: May 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 07/15/93

Reference File #: SUN7188
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 1.1 Release: August 24, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation 10 Model: GX-30
C Compiler: Solaris C Compiler Version: 1.1 Release: August 24, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 08/27/92

Reference File #: SUN7793
Product Supplier: Sun Microsystems Computer Corporation, Inc.
Product Tested: Solaris Version: 2.1 Release: August 4, 1992
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCserver 10 Model: 42
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

Reference File #: SUN8720
Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.1 Version C Release: August 13, 1993
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation Model: 4/30
C Compiler: Solaris C Compiler Version: 1.1 Release: Aug 13, 1993
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/14/93

Reference File #: SUN9763
Product Supplier: SunSoft, Inc.
Product Tested: Solaris Version: 1.0.1 Release: PC
System Supplier: Sun Microsystems Computer Corporation, Inc.
System Hardware: SPARCstation 2 Model: GX
C Compiler: Solaris C Compiler Version: 1.0.1 Release: Dec 4, 1991
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 02/19/92

Reference File #: UNI0505
Product Supplier: Unisys Corporation
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000 Series Model: U 6000/15

C Compiler: UNIX System V Release 4 Standard C Development Environment Version: 1.0.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 04/30/92

Reference File #: UNI1798
Product Supplier: Unisys Corporation
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000 Series Model: U 6000/65

C Compiler: UNIX System V Release 4 Standard C Development Environment Version: 1.0.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/12/92

Reference File #: UNI3690
Product Supplier: Unisys Corporation
Product Tested: UNIX System V Release 4 Version: 1.1 Release: October 30, 1992
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000 Series Model: U6000/65
C Compiler: UNIX System V Release 4 Standard C Development Environment Version: 1.1
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 09/28/92

Reference File #: UNI5711
Product Supplier: Unisys Corporation
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000 Series Model: U 6000/60

C Compiler: UNIX System V Release 4 Standard C Development Environment Version: 1.0.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/12/92

Reference File #: UNI9063
Product Supplier: Unisys Corporation
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000 Series Model: U 6000/35
C Compiler: UNIX System V Release 4 Standard C Development Environment Version: 1.0.2
PCTS: 151-1 Version: 1.1 - 01/22/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/12/92

Reference File #: UNI9080
Product Supplier: Unisys Corporation
Product Tested: CTOS II Version: 3 Release: 3
System Supplier: Unisys Corporation
System Hardware: Unisys B-Series Model: NGEN
C Compiler: Microsoft C Version: 6.0
PCTS: 151-1 Version: 1.1 - 07/01/91
APTL: 0343 DataFocus Incorporated Date Issued: 09/17/91

Reference File #: UNV0528
Product Supplier: Univel
Product Tested: UnixWare Version: 1.0 Release: June 1993
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000/DT Series/PW^2 Advantage Plus Series Model: U6000/DT1 (MPE 4332)
C Compiler: Optimizing C Compilation Sys Ver: 2.0 Rel: Nov 2, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/18/93

Reference File #: UNV2014
Product Supplier: Univel
Product Tested: UnixWare Version: 1.0 Release: June 1993
System Supplier: Unisys Corporation
System Hardware: Unisys U 6000/DT Series/PW^2 Advantage Plus Series Model: U6000/DT2 (MPE 4663)
C Compiler: Optimizing C Compilation System Version: 2.0 Release: Nov. 2, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/18/93

Reference File #: UNV3055
Product Supplier: Univel
Product Tested: UnixWare Application Server Version: 1.0 Release: October 1992
System Supplier: AST Research, Inc.
System Hardware: Premium 486/33 Model: 3V
C Compiler: UnixWare Software Development Kit Version: 1.0 Release: October 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/93

Reference File #: UNV3978
Product Supplier: Univel
Product Tested: UnixWare Version: 1.0 Release: June 1993
System Supplier: Unisys Corporation
System Hardware: Unisys PW^2 Advantage Series Model: MPI 4336)
C Compiler: Optimizing C Compilation System Version: 2.0 Release: Nov. 2, 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 05/18/93

Reference File #: UNV9180
Product Supplier: Univel
Product Tested: UnixWare Personal Edition Version: 1.0 Release: October 1992
System Supplier: AST Research, Inc.
System Hardware: Premium 486/33 Model: 3V
C Compiler: UnixWare Software Development Kit Version: 1.0 Release: October 1992
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/93

Reference File #: USL2115
Product Supplier: UNIX System Laboratories, Inc.
Product Tested: UNIX System V Release 4 Version: 4 Release: 4.0
System Supplier: AST Research, Inc.
System Hardware: Premium Series Model: 486/33
C Compiler: Standard C Development Environment Version: 5.0
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0343 DataFocus, Inc. Date Issued: 07/01/92

Reference File #: USL3610
Product Supplier: UNIX System Laboratories, Inc.
Product Tested: UNIX® System V Release 4 for the Intel386™ Architecture Version: 4
Release: July 1991
System Supplier: AT&T
System Hardware: AT&T 6386/25 WGS Model: CPU 311 PC3B
C Compiler: Standard C Development Environment Version: Issue 5
PCTS: 151-1 Version: 1.1 - 09/11/91
APTL: 0342 Mindcraft, Inc. Date Issued: 12/12/91

Reference File #: USL6259
Product Supplier: UNIX System Laboratories, Inc.
Product Tested: UNIX® System V/386 Release 4 Version: 4.0T
Release: August 1992, with PATCH #1 (Package Date: 11/20/92)
System Supplier: AST Research, Inc.
System Hardware: Premium 486/33 Model: 3V
C Compiler: UNIX System Laboratories Standard C Development Environment Version: Issue 5
PCTS: 151-1 Version: 1.1 - 05/21/92
APTL: 0342 Mindcraft, Inc. Date Issued: 2/12/93

6.7 TESTING LABORATORIES AND VALIDATED PRODUCTS for NIST POSIX (FIPS 151-2)

ACCREDITED NIST POSIX TESTING LABORATORIES

The National Voluntary Laboratory Accreditation Program (NVLAP) has accredited the following laboratories to test computer operating system interfaces for conformance with the Federal Information Processing Standard 151-2 (FIPS 151-2) using the NIST POSIX Conformance Test Suite (NIST-PCTS:151-2). FIPS 151-2 replaced FIPS 151-1 in its entirety on October 15, 1993. Only accredited laboratories may submit test reports to NIST/CSL for validation.

DataFocus Incorporated
12450 Fair Lakes Circle, Suite 400
Fairfax, VA 22033-3831
Contact: Mr. Glen McPherson
Phone: 703-631-6770

Mindcraft, Inc.
410 Cambridge Avenue
Palo Alto, CA 94306
Contact: Mr. Bruce Weiner
Phone: 415-323-9000

PERENNIAL
4699 Old Ironsides Drive, Suite 210
Santa Clara, CA 95054
Contact: Mr. Barry E. Hedquist
Phone: 408-748-2900

NIST POSIX VALIDATED PRODUCTS

The following products have been tested by an Accredited POSIX Testing Laboratory (APTL) using the official National Institute of Standards and Technology POSIX Conformance Test Suite (NIST-PCTS:151-2) for the Federal Information Processing Standards 151-2 (FIPS PUB 151-2). A Certificate of Validation has been issued by NIST/CSL. Additional information is available from NIST/CSL on conditional features supported, configuration details, and resolved test codes (if appropriate).

Information in this listing includes product information on the implementation, system tested and type of implementation. FIPS 151-2 supports three types of implementations, native, hosted, and cooperating. A native implementation "refers to an implementation of POSIX.1 that interfaces directly to an operating system kernel." A cooperating implementation "refers to an implementation of POSIX.1 that interfaces directly to an operating system kernel but the load modules are not produceable on this implementation." A hosted implementation "referes to an implementation of POSIX.1 that is accomplished through interfaces from the POSIX.1 services to some alternate form of operating system kernel services."

Information is also provided on the following primary conditional features: General Terminal Interface devices (GTI), Mountable File System (MFS), Modem Control (MC), and Appropriate Privileges (AP).

PRODUCT SUPPLIERS	REFERENCE FILE #
Digital Equipment Corporation	151-2DEC001, 151-2DEC002
International Business Machines Corp.	151-2IBM001, 151-2IBM002, 151-2IBM003, 151-2IBM003
SunSoft, Inc.	151-2SUN001, 151-2SUN002, 151-2SUN003, 151-2SUN004
Unisys Corporation	151-2UNI001, 151-2UNI002

SYSTEM SUPPLIERS	REFERENCE FILE #
Digital Equipment Corporation	151-2DEC001, 151-2DEC002
International Business Machines Corp.	151-2IBM001, 151-2IBM002, 151-2IBM003, 151-2IBM004
Sun Microsystems Computer Corp., Inc.	151-2SUN001, 151-2SUN002, 151-2SUN003, 151-2SUN004
Unisys Corporation	151-2UNI001, 151-2UNI002

PRODUCTS

151-2DEC001 Issued: 08/12/93 Type: Hosted
Product Supplier: **Digital Equipment Corporation**
Product: **POSIX for Open VMS AXP Version X1.0-041**
PCD: POSIX 1003.1-1990 Conformance Document for Open VMS AXP (July 1993)
GTI - NOT Provided by Product MC - NOT Provided by Product
MFS - Supported by Product AP - Supported by Product
Computer Hardware Supplier: Digital Equipment Corporation
Computer Hardware Product: DECsystem, Model 4000/610
Host Operating System Supplier: Digital Equipment Corporation
Host Operating System: OpenVMS AXP Version 1.5
C Compiler: DEC C Version 1, Release 3
APTL: 0343 DataFocus Incorporated

151-2DEC002 Issued: 02/28/94 Type: Native
Product Supplier: **Digital Equipment Corporation**
Product: **DEC OSF/1 Version 2.0, released March, 1994**
PCD: DEC OSF/1 POSIX.1 Conformance Document (Order Number:AA-PS35B-TE)
GTI - Supported by Product MC - NOT Provided by Product
MFS - Supported by Product AP - Supported by Product
Computer Hardware Supplier: Digital Equipment Corporation
Computer Hardware Product: DEC 3000, Model 400
C Compiler: DEC OSF/1 C Compiler, Version 2.0
APTL: 0342 Mindcraft, Inc.

151-2IBM001 Issued: 03/08/94 Type: Native
Product Supplier: **International Business Machines Corporation**
Product: **MVS/ESA 4.3 OpenEdition™ 1.0**
PCD: OpenEdition MVS POSIX.1 Conformance Document, Document Number SC23-3011-00
GTI - NOT Provided by Product MC - NOT Provided by Product
MFS - Supported by Product AP - Supported by Product
Computer Hardware Supplier: International Business Machines Corporation
Computer Hardware Product: ES/9000-570
C Compiler: IBM SAA AD/Cycle® C/370 Version 1 Release 2
APTL: 0342 Mindcraft, Inc.

151-2IBM002 Issued: 02/17/94 Type: Native
Product Supplier: **International Business Machines Corporation**
Product: **AIX Version 3.2.5 for RISC System/6000 with PTFs: U423984, U424399, U424507, U424590, U425456, U424587, U425984, U425988, U425997, U426001, U426014, U425858**
PCD: AIX Version 3.2 POSIX Conformance Document
GTI - Supported by Product MC - Supported by Product
MFS - Supported by Product AP - Supported by Product
Computer Hardware Supplier: International Business Machines Corporation
Computer Hardware Product: RISC System/6000, Model 590
C Compiler: XLC Version 1, Release 3
APTL: 0342 Mindcraft, Inc.

151-2IBM003 Issued: 02/17/94 Type: Native
Product Supplier: **International Business Machines Corporation**
Product: **AIX Version 3.2.5 for RISC System/6000 with PTFs: U423984, U424399, U424507, U424590, U425456, U424587, U425984, U425988, U425997, U426001, U426014, U425858**
PCD: AIX Version 3.2 POSIX Conformance Document
GTI - Supported by Product MC - Supported by Product
MFS - Supported by Product AP - Supported by Product
Computer Hardware Supplier: International Business Machines Corporation
Computer Hardware Product: RISC System/6000, Model 250
C Compiler: XLC Version 1, Release 3
APTL: 0342 Mindcraft, Inc.

151-2IBM004 Issued: 02/17/94 Type: Native
Product Supplier: **International Business Machines Corporation**
Product: **AIX Version 3.2.5 for RISC System/6000 with PTFs: U423984, U424399, U424507, U424590, U425456, U424587, U425984, U425988, U425997, U426001, U426014, U425858**
PCD: AIX Version 3.2 POSIX Conformance Document
GTI - Supported by Product MC - Supported by Product
MFS - Supported by Product AP - Supported by Product
Computer Hardware Supplier: International Business Machines Corporation
Computer Hardware Product: RISC System/6000, Model 360
C Compiler: XLC Version 1, Release 3
APTL: 0342 Mindcraft, Inc.

151-2SUN001 Issued: 12/23/93 Type: Native
Product Supplier: **SunSoft, Inc.**
Product: **Solaris 2.3 with patch 101294-01**
PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.1 Part No: 801-5263-10
GTI - Supported by Product MC - Supported by Product
MFS - Supported by Product AP - Supported by Product
Computer Hardware Supplier: Sun Microsystems Computer Corporation, Inc.
Computer Hardware Product: SPARCcenter 2000, model 2204
C Compiler: Sun C Compiler Version 2.0.1, Released Oct. 3, 1992
APTL: 0342 Mindcraft, Inc.

151-2SUN002 Issued: 12/23/93 Type: Native
Product Supplier: **SunSoft, Inc.**
Product: **Solaris 2.3 with patch 101294-01**
PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.1 Part No: 801-5263-10
GTI - Supported by Product MC - Supported by Product
MFS - Supported by Product AP - Supported by Product
Computer Hardware Supplier: Sun Microsystems Computer Corporation, Inc.
Computer Hardware Product: SPARCstation 10SX, model 40
C Compiler: Sun C Compiler Version 2.0.1, Released Oct. 3, 1992
APTL: 0342 Mindcraft, Inc.

151-2SUN003 Issued: 12/23/93 Type: Native
Product Supplier: **SunSoft, Inc.**
Product: **Solaris 2.3 with patch 101294-01**
PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.1 Part No: 801-5263-10
GTI - Supported by Product MC - Supported by Product
MFS - Supported by Product AP - Supported by Product
Computer Hardware Supplier: Sun Microsystems Computer Corporation, Inc.
Computer Hardware Product: SPARCstation 10, model 52
C Compiler: Sun C Compiler Version 2.0.1, Released Oct. 3, 1992
APTL: 0342 Mindcraft, Inc.

151-2SUN004 Issued: 12/23/93 Type: Native
Product Supplier: **SunSoft, Inc.**
Product: **Solaris 2.3 with patch 101294-01**
PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.1 Part No: 801-5263-10
GTI - Supported by Product MC - Supported by Product
MFS - Supported by Product AP - Supported by Product
Computer Hardware Supplier: Sun Microsystems Computer Corporation, Inc.
Computer Hardware Product: SPARCserver 670MP, model 54
C Compiler: Sun C Compiler Version 2.0.1, Released Oct. 3, 1992
APTL: 0342 Mindcraft, Inc.

151-2UNI001 Issued: 12/02/93 Type: Native
Product Supplier: **Unisys Corporation**
Product: **Unix System V Release 4 Revision 1.2**
PCD: UNIX System V Release 4.0 POSIX Conformance Programmer's Guide
GTI - Supported by Product MC - Supported by Product
MFS - Supported by Product AP - Supported by Product
Computer Hardware Supplier: Unisys Corporation
Computer Hardware Product: Unisys U6000 Series U6000/65
C Compiler: Unix System V Release 4 Standard C Development Environment Rev. 1.2
APTL: 0342 Mindcraft, Inc.

151-2UNI002 Issued: 12/02/93 Type: Native

Product Supplier: **Unisys Corporation**

Product: **Unix System V Release 4 Revision 1.2**

PCD: UNIX System V Release 4.0 POSIX Conformance Programmer's Guide

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: Unisys Corporation

Computer Hardware Product: Unisys U6000 Series U6000/300

C Compiler: Unix System V Release 4 Standard C Development Environment Rev. 1.2

APTL: 0342 Mindcraft, Inc.

For further information on the NIST/CSL POSIX validation program contact Martha M. Gray, Computer Systems Laboratory, B266 Technology Bldg., NIST, Gaithersburg, MD 20899. Telephone: 301-975-3276, fax: 301-590-0932, e-mail: gray@sst.ncsl.nist.gov.

This register is also available on an electronic mail (email) file server system. To use the service, you must be able to send and receive email via the Internet. For most email systems, send an email message (*mail posix@nist.gov*) with the first line of the message containing a command to *send 151-2reg* and a carriage return. The next line should simply end your email message (on some systems a period and a carriage return). This register will be returned via email to your email address. There is also a register for FIPS 151-1 accredited laboratories and validated products. For this register use the command *send 151-1reg*.

7. COMPUTER SECURITY TESTING

7.1 Cryptographic Standards

The lists in Sections 8.6, 8.7 and 8.8 provide technical information about products that have been validated as conforming to the following computer security FIPS:

a. Data Encryption Standard (DES), FIPS PUB 46-1,

b. Message Authentication Code (MAC), FIPS PUB 113, and

c. Key Management Using ANSI X9.17, FIPS PUB 171.

7.2 Data Encryption Validation Tests

FIPS PUB 46-1 specifies a cryptographic algorithm that converts plaintext to ciphertext using a 56-bit key. Testing procedures for the validation of devices as conforming to FIPS PUB 46-1 are described in the NBS Special Publication 500-20, Validating the Correctness of Hardware Implementations of the NBS Data Encryption Standard. The validation of a device is performed by running the Monte Carlo test described in the publication. The Monte-Carlo test consists of eight million encryptions and four million decryptions, with two encryptions and one decryption making up a single test. The test is designed to use the Electronic Codebook Mode (ECB) of DES. Although the actual test described in NBS Special Publication 500-20 is the same test used to validate devices today, the procedures for administering the test have changed. Currently, the test is performed by the vendor using initial values supplied by NIST. The vendor uses the supplied information to run the Monte-Carlo test and sends the results to NIST.

7.3 Message Authentication Code (MAC) Validation System

FIPS PUB 113, Computer Data Authentication, specifies a Data Encryption Algorithm which may be used to detect unauthorized intentional and accidental modifications to data. This process is known as data authentication. The algorithm is based on DES and is used to authenticate an entire binary message. FIPS PUB 113 is compatible with ANSI X9.9 which provides methods for authenticating an entire binary message as well as all or parts of a message which are in a coded character format. Procedures for the validation of products which implement FIPS PUB 113 and ANSI X9.9 are described in NBS Special Publication 500-156, Message Authentication Code (MAC) Validation System: Requirements and Procedures.

7.4 Key Management Validation System (KMVS)

FIPS PUB 171 adopts ANSI X9.17 for Federal Government use. ANSI X9.17, Financial Institution Key Management (Wholesale), provides procedures and protocols for the secure generation, distribution, storage, entry, use and destruction of symmetric cryptographic keying material (e.g., DES). It provides key management solutions for a variety of operational environments, and as such, ANSI X9.17 contains a number of options. FIPS PUB 171 specifies a particular set of options whenever keying material is distributed using the protocols of ANSI X9.17. Procedures for the validation of products which conform to a subset of the options selected in FIPS PUB 171 are described in the Key Management Validation System: Point-to-Point Validation System document which is available from the Manager of the Security Group (see Section 8.5).

7.5 General

7.5.1 Request for Validation

To validate a product, a vendor should send a formal request for validation which includes a clear indication of the product to be tested. The request must also include the name, address, and telephone number of the person within the vendor's organization who will be responsible for the validation testing. The request should be sent to:

Manager, Security Technology Group
Computer Security Division
Computer Systems Laboratory
Building 225, Room A216
National Institute of Standards and Technology
Gaithersburg, MD 20899
Telephone (301) 975-2920

7.5.2 Information about Validated Products

It should be noted that the purpose of the following lists (see Sections 7.6, 7.7 and 7.8) is to provide technical information about products that have been validated as conforming to the FIPS Standards listed in Section 7.1. NIST has made every attempt to provide complete and accurate information about the products described in the following lists. However, due to the possibility of changes made within individual companies, NIST cannot guarantee that this document reflects the current status of each product.

7.5.3 Validation Documentation

Copies of the above FIPS and Special Publications are for sale by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161. The KMVS validation requirements document discussed in Section 7.4 can be obtained by contacting the Manager of the Security Technology Group at the above address.

7.6 DES Validated Devices

NOTE: The purpose of this document is to provide technical information about devices that have been validated as conforming to Federal Information Processing Standard Publication 46-1, Data Encryption Standard. The National Institute of Standards and Technology (NIST) has made every attempt to provide complete and accurate information about the devices described in this document. However, due to the possibility of changes made within individual companies, NIST cannot guarantee that this document reflects the current status of each product.

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
ADT Security Systems 2560 Huntington Avenue Fourth Floor Alexandria, VA 22303 Hal Marriott (703) 960-8548	ADT Universal Communicator	7187-099 Universal Subsystem and 2995 Universal Subsystem	10/17/90	Chip is an on board component for Communicator products in the High Security Intrusion Detection System. System has integrated key management capabilities.
Advanced Micro Devices, Inc. 4115 Freiderich Lane Mail Stop 135 Austin, TX 78744 Patrick Soheili (408) 749-2161	AmZ8068	8068DC; 8068DCB; 8068JC; 8068PC;	1/28/81	One 40-pin DIP package; n-channel Si-gate technology; ECB, CBC and 8-bit CFB modes; separate ports for key input, clear data and enciphered data; concurrent input, output and ciphering activities; external DMA control; interfaces with AmZ8000 CPU bus directly, and with the 2900, 8080, 8085 and 8048 families with minimum throughput greater than 1 Mbytes per second; greater than 1 Mbytes per second.
	AM 9568	9568DC; 9568DCB; 9568I; 9568DMB; 9568JC; 9568PC;	2/28/84	N-channel silicon gate LSI product containing the circuitry necessary to encrypt and decrypt data; can be used in terminals dedicated controllers, communication concentrators, and peripheral task processors in general processor systems; can be used in CF, ECB, or CBC operating modes; separate ports for key input, clear data, and enciphered data enhanced security; interface directly to the IAPX86, 88 bus; interfaces with 2900 and 8051 families with minimal external logic.
American Telephone and Telegraph Company (AT&T) 6612 E. 75th Street P.O. Box 1008 Indianapolis, IN 46206 Ken Zempol (908) 658-6870	AT&T Smart Card Version 2.11/DES	Computer Security System	5/3/91	Card is part of a smart card based Computer Security System (CSS). The card is carried by an authorized user and permits the user to gain access to host computer systems that are protected by the CSS.
	AT&T Smart Card Version 3.0/DES (5E1)	Computer Security System	7/19/91	This version of the AT&T Smart Card is designed to closely follow developments in the international standards arena in areas of card communication protocols, commands and file structures. It is a general purpose smart card that supports multiple applications and uses the DES as a basic part of its operating system.
Arkansas Systems Inc. 8901 Kanis Road Little Rock, AR 72205-6498 David H. Bishop (501) 227-8471	DES-MATE	Device Only	7/6/89	Provides data encryption for messages sent and received on-line between and ATM/EFT Network switch processor and an IBM host participant in that network. DES key management is automatic and under system control.
AT&T Whippany Road Whippany, N.J. 07981 William Oeschger (201) 898-1198	AT&T T7000A Digital Encryption Processor	Chip Only	4/22/86	Manufactured using CMOS technology; 40-pin DIP; encryption modes include ECB, CBC, CFB, and OFB; throughput 1.882 Mbytes/second on-chip RAM and ROM program memory.
AT&T Bell Laboratories 25 Lindsley Drive Room 2B-309 Morristown, N.J. 07960 William Oeschger (201) 898-1198	DEP229ER (WE229ER)	Not Commercially Available	9/6/83	3.5 micron NMOS technology; 40-pin DIP; encryption modes - ECB, CBC, OFB, CFB1, CFB8, CFB64; Throughput rate of 117K ciphering operation/second.

DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
American Telephone and Telegraph Company AT&T Guilford Center I-85 and Mt Hope Church Road McLeansville, NC 27420 Mr. B. F. Bailey (919) 279-3779	AT&T Mark E DES Key Generator, PN ON493049-1X	Not Available	6/3/92	Not available
American Telephone and Telegraph Company AT&T Guilford Center I-85 and Mt Hope Church Road McLeansville, NC 27420 Mr. M. Zugay (919) 279-3779	AT&T Mark ET DES Key Generator, Part No. AN10014-1	Not Available	6/3/92	Not available
Arkansas Systems, Inc. 8901 Kanis Road Little Rock, AR 72205-6498 David H. Bishop (501) 227-6471	DES-MATE	Not Available	7/6/89	Provides data encryption for messages sent and received on-line between an ATM/EFT Network switch processor and an IBM host participant in that network. DES key management is automatic and under system control.
Chase Manhattan Bank, N.A. 199 Water Street 12th Floor New York, NY 10081 Robert Stevenson (212) 797-4153	Chase Encryption Device 1	Not Available	7/24/84	Not Available
Collins Telecommunications Collins Defense Communications 350 Collins Road, NE Mail Stop 120-105 Cedar Rapids, Iowa 52498 Jim Perkins (319) 395-5773	765-5914-001	CR-200	10/15/77	pMOS chip with 40 usec algorithm execution time; chip has approximately a 50 nsec state change; can perform I/O functions while the chip is in operation; part of network stand-alone encryptor.
	Voice Privacy Device VP430	Device Only	10/6/81	Imbedded encryption device for commercial hand held communications devices.
Computer Elektronik Infosys of America, Inc. 512-A Herndon Parkway Herndon, VA 22070 A. Mark Brown (703) 435-3800	SuperCrypt	Chip and Design Kit	7/24/91	Chip designed for high speed (12 Megabytes/sec data rates) encryption and decryption. ECB, CBC, CFB and OFB modes of DES supported as well as MAC generation. Available as a 120 Pin Flat Pack.
	CryptCard	CryptCard	1/12/93	CryptCard is an access control and DES encryption adapter for notebook PCs that have a PCMCIA slot.
Cylink Corporation 110 South Wolfe Road Sunnyvale, CA 94086 Lee Nightingill (408) 735-5800	CY1045	Chip Only	1/28/87	Not Available
	Cylink Faxdes	Device Only	7/1/87	Not Available
	12035-001, DES52M	Device Only	6/3/92	Not Available
	12422-001, DES2M1CFB	Device Only	8/27/92	Not Available
Datakey Inc. 407 West Travelers Trail Burnsville, MN 55337-9990 Michael Carenzo (612) 890-6850	H8-310 ASACS Smart Card	H8-310 ASACS Smart Card	7/2/92	The ASACS hardware consists of a credit-card sized smart card with an embedded Hitachi H8/310 microprocessor and a reader/writer interface which provides an RS-232 serial connection to a host computer. The smart card functions are implemented in firmware which is stored in the memory of the card's microprocessor.

DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
Docutel/Olivetti Corporation 106 Decker Court Suite 300 Irving, TX 75062 Division International Marketing (214) 550-5400	Docutel Nordisk Spardata Cash Dispensing Terminal	Total Teller 2380;ETS 5100;	6/20/82	Firmware implementation of DES in ROM for PIN/communications security.
The Exchange 15395 SE 30th Place Bellevue, WA 98007 Patricia Lenti-Crane (206)644-7000	EXCRYPT DEB-64-KM (originally EXCLUDE DEB-64-KM)	Device Only	1/26/89	Encrypts and decrypts data; generates random keys; supports up to six security processor boards that can be run in parallel to enhance throughput; has storage capacity for up to 4000 DES keys; developed for secure financial transactions.
Fairchild Semiconductor 2000 Century Plaza Columbia, MD 21044 Sales Department (301) 730-1510	9414 Chip Set	Not Available	12/20/73	Bit-slice chip set mounted on a 9414 board with edge or ELCO connector; 4 chip set with 40 pins each; 2 bits, of each byte are distributed to each chip; single 5 V power supply; separate data inputs and outputs; ECB, CFB, and CBC modes of operation.
Front Line Software P.O. Box 217 Lowell, MA 01853 William Graham (617) 452-3352	726-8064 PROM Device	Chip Only	12/1/86	4 K EPROM to be used with Intel IPAX family of microprocessors including all models of the IBM PC family; all modes of DES supported.
GEC-Marconi Limited Ltd. Brown Lane, The Airport Portsmouth, Hampshire P03 5PH England Roger Madden Cycomm Corporation (703) 352-4741	DM800	Encription only	3/1/93	The DM800 is a module that can be added to an ordinary analogue radio in order to provide communication security by digital encryption.
GEMPLUS CARD INTERNATIONAL 6290 Montrose Road Rockville, MD 20852 Gilles Lisimaque (301) 770-1558	MCOS16K EEPROM/DES	Card Only	3/18/91	A multi-application smart card which complies with the ISO standard 7816 (parts 1, 2, and 3) for Integrated Circuit cards with contacts.
General Electric Company Mountain View Road Lynchburg, VA 24502 Jim Elder (804) 948-6187	Part Number 19B801375	Not Available	6/28/85	The GE DES IC is a microprocessor controlled, low speed asynchronous CMOS IC using DES. Intended to provide secure voice in commercial grade mobile radio applications.
Glenco Engineering, Inc. 270 Lexington Drive Buffalo Grove, IL 60089-6930 D. Wade Clark (708) 808-0300	Glen-DES PN GL306051	Glen-DES PN GL306051	5/8/92	The Glen-DES is a compact 20 pin design, using low power CMOS technology, operating at 3us using a 16 MHz clock. The DES chip features nonvolatile internal memory, an external key and a combined key. It is available with a simple CPU interface and it supports a DOS printer port implementation.
IBM Corporation Federal Systems Division P.O. Box 100 Kingston, NY 12401 Robert Elander (914) 385-6692	4402182 WK4/988	Chip Only	11/1/77	This card used in terminal equipment; the chip uses technology with PLA control to implement CBC;
	P/N 8270094 using DES Chip P/N 5898057 (originally 8269206)	Not Available	8/25/78	This card is used in 3845 and 3846 equipment for 8-bit CFB.
	Two TTL cards - 8632242 and 8679176	3846-Link Encryption;3848-Cryptographic Unit;	9/21/79	Will operate at least at the 1.5 Mbytes 360 channel rate; card set is used in the 3848 cryptographic unit; uses "Emerald-5" technology.

DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
IBM Corporation 1001 W.T. Harris Blvd. West Charlotte, NC 28257 William Rohland (704) 594-8250	4745 Security Interface Unit and the Personal Security Card	IBM 4753 Network Security Processor	10/10/90	Devices are used in a transaction security system to protect the privacy and integrity of data using a common cryptographic interface. The security interface unit communicates with the Personal Security Card and the cryptographic adaptor, if present. The Personal Security Card is an integrated-circuit chip card that contains a single chip security processor.
IBM Corporation P. O. Box 950 Poughkeepsie, NY 12602 Robert Granell (914) 435-5751	IBM EX/900 Integrated Cryptographic Feature		2/26/93	The Integrated Cryptographic Feature i afailable for inclusion on the IBM ES/9000 processors in support of IBMs cryptographic architecture.
Intel 1900 Prairie City Road Folsom, CA 95630 Joe Dragony (916) 351-5250	8294	Not Available	1/3/78	Algorithm is microcode which is burned into a 1 Kbyte ROM on a 5 volt, 40-pin chip driven by a 8042 microprocessor.
	8294A	8294 chip; 8294A chip;	6/20/82	Same as the 8294 except for a maximum data transfer rate of 400 bytes per second.
John E. Holt & Associates 2714 Key Boulevard Arlington, VA 22201 John Holt (703) 524-2923	Krypton Firmware	Expansion board available in two models;	2/12/86	ROM chips for the standard IBM PC family include eight 3722 chips, four 2764 chips and one 27256 chip; 1024-bit CBC chaining; encryption speed dependent on clock of PC; ROM can plug directly into ROM slot.
Jones Futurex 3715 Atherton Road Rocklin, CA 95765 Steve De Rosa (916) 632-3456	SAFE 300		8/12/93	The SAFE 300 is a stand-alone fax encryptor that provides both public network security and office privacy with automatic fax encryption, confidential fax mailbox, and misdial protection.
Lexicon ICOT Corporation 3801 Zanker Road P.O. Box 5143 San Jose, CA 95150-5143 Bob Lynch (408) 433-3300	LEX-POS (Model 600)	Device Only	11/28/84	A Personal Identification Number (PIN) entry device; used in conjunction with financial transaction devices, 16 key keyboard, 20 character display, RS-232 compatible, Lexicon sold LEX-POS to ICOT Corporation.
LSI Logic/Dataco AS Smedeholm 12-14 DK-2730 Herlev Denmark Jens Kjelsbak 45 44 53 01 00	Dataco L5A4043 2030025402	ScaNET PC TCP/IP package; Gateway; IBM 3270 Gateway; Terminal Server; IBM S/3X Terminal Server; Buffered Repeater;	1/12/90	Custom DES IC was manufacturer by LSI Logic for Dataco. The DES chip is designed for optional use in ScaNet local area network products.
Matsushita Electronic Components High Frequency Products Division One Pansonic Way Secaucus, NJ 07094 Dursun Sakarya (201) 348-7767	EBC 1642 IC Card	Card Only	3/13/91	Card is designed to be a high security external storage media housing an 8 bit CPU and 64 Kbit EEPROM.
Micro Card Technologies, Inc. 14070 Proton Road Dallas, TX 75244 Jeff Lang (214) 788-4055	Micro Card TB100 Integrated Circuit Card	TB100 Integrated Circuit Card Family	9/19/90	A multi-application integrated circuit card which can simultaneously support several application data files. Ciphering and deciphering functions may be used to encrypt or decrypt external messages using DES.

DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
Morse Security Group, Inc. 12960 Bradley Avenue Sylmar, CA 91342-0128 Nalin Chheda (800) 423-5669 (818) 367-5951	TRAP 5200 System	Touch Response Alarm; Touch Response Transponder;	4/17/90	Touch response alarm processor system, including a receiver processor located in a data gathering center and a series of transponders located at remote locations, contains DES to produce encrypted data that flows along a communication path.
Motorola Microprocessor Products Division 6501 William Cannon Drive West Austin, TX 78735-8598 Don Ponder (512) 440-2956	MC6859 (originally MGD68NE)	MC6859 Chip	2/11/80	Si-gate depletion mode, nMOS 24-pin DIP using single 5 volt power supply; implements ECB and CFB.
Motorola 1309 East Algonquin Road Shaumburg, IL 60196 James Osborn (312) 576-2251	TSW-2		11/12/81	Special purpose for internal use only.
Newbridge Microsystems 603 March Road Kanata, Ontario Canada K2K 2M5 Tony Rosati (613) 592-0714	CA95A		9/8/93	The CA95C Data Ciphering Processor implements the DES using the ECB, CFB, or CBC modes of operation. The CA95C provides a high throughput rate up to 11 Mbytes/second. Separate ports for key input, clear data and enciphered data are available.
	CA20C03A	Chip Only	4/10/91	A high performance WD20C03A compatible DES Data encryption processor with data transfer rates up to 4 Mbytes per second. Supports ECB and CBC; PLCC and PDIP packaging available.
Newnet S.A. Alsina 430 Buenos Aires 1087 Argentina Daniel Ramos 54 1 334 9732	Data Security Device (DSD 9612)	Chip Only	7/2/91	This device is based on an eight bit INTEL microprocessor with 8 Kbytes of EPROM. Transfer data at speeds of 1200 to 9600 bps and communicates with other devices via EIA RS-232-C ports.
Nixdorf Computer Corporation 168 Middlesex Turnpike Burlington, MA 01803 Kevin Madden (617) 890-3600	VEM Module	Not Available	1/7/80	The plug-in module is used with the Nixdorf 8864 CPU for encrypting data transmission blocks and file protection; may be used in terminal applications in the financial community; uses TTL.
Racal-Milgo P.O. Box 407044 Ft. Lauderdale, FL 33340-7044 Richard Abbruscato (305) 476-6800	Datacryptor	Datacryptor II; Datacryptor III; Dial-up Datacryptor II; Datacryptor II Model 1027 Standard 1027	1/7/80	Stand alone equipment with public key management remote distribution of master keys.
Rothenbuhler Engineering P.O. Box 708 2191 Rhodes Road Sedro Wolley, WA 98284-0708 Andrew Benson (206) 856-0836	CLS Series 5200 Encryption Module	CLS Series 5200 Polling System	3/19/91	The CLS Series 5200 Encryption Module is used in a system which communicates 8 channels of electronic security information between a client and a central monitoring facility.

DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	DEVICE ID	PRODUCT	VALIDATION DATE	DESCRIPTION
Secur-Data Systems, Inc. Omega Center 7340 Executive Way, Suite R Frederick, MD 21701 Ronald Baum (301) 698-9955	DESPLEX	TM5; MP5	2/2/89	Used in a CF configuration as part of a firmware operating system for processing and transmission of alarm sensor data as well as receiving and annuciating dat at an alarm monitoring facility.
Texas Instruments, Inc. P.O. Box 1443, M/S 736 Houston, TX 77001 Mike Polen (713) 274-3635	TMS 99541	TMS 7500 Chip; New name for the TMS 99521 Chip;	2/28/82	Preprogrammed TMS7020 8-bit single chip microprocessor; 40-pin DIP plastic package I/O pins are TTL compatible; master and active key registers.
UNIVAC P.O. Box 3942 St. Paul, MN 55165 Jim Nelson (612) 631-6728	End-End/Mass Storage Encryptor	Not Available	1/29/80	Prototype device for testing purposes only
VLSI Technology, Inc. 8375 S. River Parkway Tempe, AZ 85284 R. Slusarczyk (602) 752-8574	VM007 - Data Encryption Processor	VM007 Chip	1/6/92	The VM007 Data Encryption Processor is a programmable integrated circuit that provides a complete cryptographic system on a single chip. It contains a hardware implementation of the DES, RISC-based sequencer, data storage registers, and ROM-based microprogram. It is designed to provide very high data and key processing rates (up to 190 Megabits per second), flexible I/O inter-facing, advanced security features and supports all DES modes of operation. The VM007 is manufactured using 1.0 micron CMOS technology and is available in a 84-pin leaded ceramic chip carrier.
	VM009 Data Encryption Processor	VM009B; VM009A80; VM009A86;		
	VM009 Data Encryption			The VM009 Data Encryption Processor is a programmable integrated circuit that provides a complete cryptographic system on a single chip. It contains a hardware implementation of the DES, and data storage registers. It is designed to provide very high data and key processing rates (up to 100 Megabits per second), flexible I/O inter-facing, advanced security features, and supports all DES modes of operation. The VM009 is manufactured using 1.0 micron CMOS technology and is available in a 40 lead plastic DIP and 44 lead plastic leaded chip carrier.
Wells Fargo Security Products A Unit of Baker Protective Services 1010 North Glebe Road, Suite 680 Arlington, VA 22201 William Martin (703) 247-4250	WP PN 5286/WP PN 5287	MP40/AS- 40; MP44/AS- 44;	5/26/89	The monitor panels are intended for use in a monitoring station of a proprietary intrusion detection alarm system.
Western Digital Corporation 2445 McCabe Way Irvine, CA 92714 Product Marketing Manager for Security Devices (714) 474-2033 X7853	WD-2001/WD2002	WD-2001 Chip; WD-2002 Chip;	8/9/79	Uses si-gate nMOS, TTL compatible; ECB speeds of up to 40 Kbytes/second, 161 Kbytes/second and 242 Kbytes/second.
	WD20C03 DES Device	WD-20C03 Chip	2/19/87	Uses si-gate CMOS, TTL compatible; ECB and CBC, speeds of up to 403 Kbytes/second, 645 Kbytes/second and 807 Kbytes/second in ECB.

7.7 FIPS 113, Computer Data Authentication
Message Authentication Code (MAC) Implementations

	Vendor/Contact	Implementation	Validated Options
1.	ACS Communications Systems Inc. 480 Spring Park Place Suite 900 Herndon, VA 22070 Don Cole, (703) 471-0892	Personal Computer Security Module, PCSM-T May 16, 1986	BINARY OPTION (FIPS 113)
2.	Federal Reserve Bank of Cleveland P.O.B. 6387 Cleveland, Ohio 44101 Dave Rich, (216) 579-2221	Jones Futurex PC Encryption Board FRS PC MAC Processor October 28, 1986	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING
3.	Shannon Systems, Inc. Mountain View, CA Out of Business	Remote Crypto Facility Software Version 3.0 January 16, 1987	BINARY OPTION (FIPS 113)
4.	Codercard, Inc. Rights transferred to LITRONICS Information Systems on Sept. 12, 1990 - see entry 23. LITRONICS Information Systems 2950 Redhill Avenue Costa Mesa, CA 92626 Bob Gray, (714) 557-3444	Personal Computer Security Adaptor, CPS-300 Argus, Version 1 Software February 26, 1987	BINARY OPTION (FIPS 113) CODED CHARACTERS, ENTIRE MESSAGE, NO EDITING CODED CHARACTERS, ENTIRE MESSAGE, EDITING CODED CHARACTERS, EXTRACTED MESSAGE ELEMENTS, NO EDITING CODED CHARACTERS, EXTRACTED MESSAGE ELEMENTS, EDITING
5.	Jones Futurex, Inc. 10933 Trade Center Drive Rancho Cordova, CA 95670 Don Thompson, (916) 635-3972	MAC-310 Message Authenticator February 27, 1987	BINARY OPTION (FIPS 113)
6.	Infomax Securities 6974 Sandpiper Place Carlsbad, CA 92009 David Howard, (619) 931-8787	Protecom Crypto Processor Protecom Device Driver & Utilities, Version 0.5 March 27, 1987	BINARY OPTION (FIPS 113)
7.	Inter-Quest, Inc. 16508 E. Laser Drive Fountain Hills, AZ 85268 Charles Redding, (602) 948-2560	PORT-OF-ENTRY Computer Security System Vers. 1.1 (Software) May 8, 1987	BINARY OPTION (FIPS 113)
8.	Infomax Securities 6974 Sandpiper Place Carlsbad, CA 92009 David Howard, (619) 931-8787	Protecom Crypto Processor Protecom Device Driver & Utilities, Version 0.6 May 11, 1987	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
9.	Digitech Telecommunications, Inc. 342 Madison Avenue Suite 2010 New York, NY 10017 James J. McKeeff, (212) 557-7230	Softnet Software, Version 1 June 29, 1987	BINARY OPTION (FIPS 113)
10.	Sytek, Inc. Rights transferred to AeT Research, Inc. on January 29, 1988 - see entry 17 AeT Research 675 North First Street Suite 800 San Jose, CA 95112 Linden Feldman, (408) 275-0820	MACbox June 30, 1987	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
11.	Inter-Quest, Inc. 16508 East Laser Drive Fountain Hills, AZ 85268 Charles Redding, (602) 948-2560	PORT-OF-ENTRY Computer Security System Vers 1.2 (Software) August 17, 1987	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
12.	Racal-Guardata Limited Richmond Court 309 Fleet Road Fleet, Hampshire GU13 8BU England Paul Halliden, (252) 622144, England	PC Security Module, RGL 600 RGL 600 Host PC C Driver Software, Version: V1.01 November 20, 1987	BINARY OPTION (FIPS 113)
13.	The Chase Manhattan Bank, N.A. 1 Seaport Plaza 11th Floor New York, New York 10038 Bob Martian, (212) 797-4038	C-FIMAS 16 Software, Version 1.0 December 8, 1987	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
14.	Ataila Corporation 2304 Zanker Road San Jose, CA 95131 Dale Hopkins, (408) 435-8850	Personal Computer Module, CPCM CPCM.HEX Software, Version OA 13-2043-01 January 11, 1988	BINARY OPTION (FIPS 113)

Message Authentication Code (MAC) Implementations, *Continued*

	Vendor/Contact	Implementation	Validated Options
16.	GN Telematic, Inc. 46 Manning Road Billerica, MA 01821 Poul Hebegaard, (617) 667-8644	safeMatic 2000, KB76-17527 Coded Character Set Processing Software, Model KB77-17012, Version A February 3, 1988	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
17.	AeT Research 675 North First Street Suite 800 San Jose, CA 95112 Originally validated on June 30, 1987 as a Sytek, Inc. device - see entry 10. Linden Feldman, (408) 275-0820	MACbox August 8, 1988	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
18.	Atalla Corporation 2304 Zanker Road San Jose, CA 95131 Dale Hopkins, (408) 435-8850	Personal Computer Module, MN-40-249 CPCM.HEX Software, Version OE 13-2043-00 September 26, 1988	BINARY OPTION (FIPS 113)
19.	Cypher Communications Technology, Inc. 4520 East-West Highway Suite 550 Bethesda, MD 20814 Angel Bailey, (301) 652-6790	CYCOM SCI AX3 5.01, Version 10084002 February 2, 1989	BINARY OPTION (FIPS 113)
20.	Dial-Guard 55 Koch Road/PO Box 7045 Corte Madera, CA 94925 Shun-Hwa Chang or Trone Miller, (415) 927-2232	Dial-Guard Remote Authenticator 01-103, Version 2.0 Rev. 0 March 6, 1989	BINARY OPTION (FIPS 113)
21.	Oldok Data 3945 St. Martin Laval, Quebec, Canada H7T 1B7 Claude Vigeant, (514) 681-1681	RAC/M FAS-PACK, Version 1.0 April 24, 1989	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
22.	Racal-Guardata, Inc 480 Spring Park Place Suite 900 Herndon, VA 22070 Brian Buchotz, (703) 471-0892	X9 Crypto Server June 1, 1990	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
23.	LITRONIC Information Systems 2950 Redhill Avenue Costa Mesa, CA 92626 Rights transferred on September 12, 1990 Bob Gray, (714) 545-6649 James Prohaska, (703) 960-8068	Personal Computer Security Adapter Argus, Version 1 Software** Originally validated by Codercard, Inc. on February 26, 1987 - see entry 4.	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
24.	IBM Corporation Dept. 65K/B204-3 1001 W.T. Harris Blvd. Charlotte, NC 28257 Roger Evans, (704) 594-7060	4755 Cryptographic Adapter October 15, 1990	BINARY OPTION (FIPS 113)
25.	IBM Corporation Dept. 65K/B204-3 1001 W.T. Harris Blvd. Charlotte, NC 28257 Roger Evans, (704) 594-7060	4754 Security Interface Unit October 15, 1990	BINARY OPTION (FIPS 113)
26.	IBM Corporation Dept. 65K/B204-3 1001 W.T. Harris Blvd. Charlotte, NC 28257 Roger Evans, (704) 594-7060	IBM Personal Security Card October 15, 1990	BINARY OPTION (FIPS 113)
27.	Cypher Communications Technology, Inc. 15200 Shady Grove Rd. Suite 350 Rockville, MD 20850 Angel Bailey, (301) 590-9314	CYCOM SCI/SL 96 AX5 5.03, Version 10084012 December 19, 1990	BINARY OPTION (FIPS 113)
28.	Cypher Communications Technology, Inc. 15200 Shady Grove Rd. Suite 350 Rockville, MD 20850 Angel Bailey, (301) 590-9314	CYCOM SCI 192 AX7 5.05, Version 10084020 January 10, 1991	BINARY OPTION (FIPS 113)

Message Authentication Code (MAC) Implementations, *Continued*

	Vendor/Contact	Implementation	Validated Options
29.	Digital Equipment Corporation Digital Drive - MK01-2/B06 Merrimack, NH 03054 Steve Lawrence, (603) 884-3445	PIN Pad 201 SMD Model: P003-120-XX March 25, 1991	BINARY OPTION (FIPS 113)
30.	Information Security Corporation 1141 Lake Cook Road Suite D Deerfield, IL 60015 Michael Markowitz, (708) 405-0500	DES Module used in SpyProof! July 10, 1991	BINARY OPTION (FIPS 113)
31.	Digital Signature Validated by Information Security Corporation 1115 N. East Avenue Oak Park, IL 60302 Michael Markowitz, (708) 405-0500	DES Module used in CryptMaster (3.20) and SecretAgent (1.00) July 15, 1991	BINARY OPTION (FIPS 113)
32.	The Exchange Systems 15395 SE 30th Place Bellevue, WA 98007-6594 Robert Adamson, (206) 644-7000 X255	PCE-3000 (IBM PS/2 Microchannel) January 8, 1992	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
33.	The Exchange Systems 15395 SE 30th Place Bellevue, WA 98007-6594 Robert Adamson, (206) 644-7000 X255	PCE-1000 ISA Adaptor January 9, 1992	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING

7.8 FIPS 171, Key Management Validation Using ANSI X9.17

Vendor/Contact	Implementation	Validated Options
1. LITRONICS Information Systems 2950 Redhill Avenue Costa Mesa, CA 92626 (Originally validated by Codercard; rights transferred on September 11, 1990) Bob Gray, (714) 545-6649 James Prohaska, (703) 960-8068	Hardware: Argus-PC, Model: CMS-100 Software: Argus/MACE Software, Version: 1.0 September 23, 1988	No. of communicating pairs: 2 No. of manual (*)KKs per comm. pair: 2 Length of manual and auto. (*)KKs: PAIR Key generation capability: YES Number of auto. distr. (*)KKs shared: UP TO 4 Number of KDs shared: UP TO 8 2 KDs in KSMs: SOMETIMES Send RSI messages: NOT TESTED Receive RSI messages: NOT TESTED Notarization of keys in KSMs: ALWAYS Send odd parity on keys in KSMs: ALWAYS Send IVs in KSMs: SOMETIMES Send encrypted IVs in KSMs: ALWAYS Send EDCs in RSIs and ESMs: ALWAYS Action if EDC received in RSIs and ESMs: NOT APPLICABLE Send EDKs in KSMs: SOMETIMES Action on count error: ADJUST COUNT Send DSMs: YES Receive DSMs: YES IDA in DSM if only one KD can be shared: YES Role assumed: EITHER A OR B Automatic error recovery: NOT TESTED Space & CRLF as field delimiter: NOT TESTED
2. TECHNICAL COMMUNICATIONS CORPORATION 100 Domino Drive CONCORD, Massachusetts 01742 John Gill, (617) 862-6035	Hardware: CX5000A Software: Version: 1.0 May 6, 1991	No. of communicating pairs: 1 No. of manual (*)KKs per comm. pair: 2 Length of manual and auto. (*)KKs: PAIR Key generation capability: YES Number of auto. distr. (*)KKs shared: 0 Number of KDs shared: 1 2 KDs in KSMs: NEVER Send RSI messages: NOT TESTED Receive RSI messages: NOT TESTED Notarization of keys in KSMs: ALWAYS Send odd parity on keys in KSMs: ALWAYS Send IVs in KSMs: SOMETIMES Send encrypted IVs in KSMs: ALWAYS Send EDCs in RSIs and ESMs: ALWAYS Action if EDC received in RSIs and ESMs: NOT APPLICABLE Send EDKs in KSMs: NEVER Action on count error: ADJUST COUNT Send DSMs: YES Receive DSMs: YES IDA in DSM if only one KD can be shared: YES Role assumed: EITHER A OR B Automatic error recovery: NOT TESTED Space & CRLF as field delimiter: NOT TESTED
3. TECHNICAL COMMUNICATIONS CORPORATION 100 Domino Drive CONCORD, Massachusetts 01742 John Gill, (617) 862-6035	Hardware: CX5000 Software: Version: 2.0 May 15, 1991	No. of communicating pairs: 1 No. of manual (*)KKs per comm. pair: 2 Length of manual and auto. (*)KKs: PAIR Key generation capability: YES Number of auto. distr. (*)KKs shared: 4 Number of KDs shared: 1 2 KDs in KSMs: NEVER Send RSI messages: NOT TESTED Receive RSI messages: NOT TESTED Notarization of keys in KSMs: ALWAYS Send odd parity on keys in KSMs: ALWAYS Send IVs in KSMs: SOMETIMES Send encrypted IVs in KSMs: ALWAYS Send EDCs in RSIs and ESMs: ALWAYS Action if EDC received in RSIs and ESMs: NOT APPLICABLE Send EDKs in KSMs: NEVER Action on count error: ADJUST COUNT Send DSMs: YES Receive DSMs: YES IDA in DSM if only one KD can be shared: YES Role assumed: EITHER A OR B Automatic error recovery: NOT TESTED Space & CRLF as field delimiter: NOT TESTED
4. COMMUNICATION DEVICES, INC. 1 Forstmann Court Clifton, NJ 07011 Gene Hartsell, (201) 772-6997	Hardware: RSD/E Software: Version 7.2	No. of communicating pairs: 1 No. of manual (*)KKs per comm. pair: 1 Length of manual and auto. (*)KKs: PAIR Key generation capability: NO Number of auto. distr. (*)KKs shared: 0 Number of KDs shared: 1 2 KDs in KSMs: NEVER Send RSI messages: NOT TESTED Receive RSI messages: NOT TESTED Notarization of keys in KSMs: ALWAYS Send odd parity on keys in KSMs: ALWAYS Send IVs in KSMs: SOMETIMES Send encrypted IVs in KSMs: ALWAYS Send EDCs in RSIs and ESMs: ALWAYS Action if EDC received in RSIs and ESMs: NOT APPLICABLE Send EDKs in KSMs: NEVER Action on count error: ADJUST COUNT Send DSMs: YES Receive DSMs: YES IDA in DSM if only one KD can be shared: YES Role assumed: EITHER A OR B Automatic error recovery: NOT TESTED Space & CRLF as field delimiter: NOT TESTED Number of communicating pairs: 1 Number of manual (*)KKs per comm. pair: 2 Length of manual and

APPENDIX A

FIPS CONFORMANCE TESTING PRODUCTS AND SERVICES

APPENDIX A

FIPS CONFORMANCE TESTING PRODUCTS AND SERVICES

The purpose of this appendix is to provide information about products and services that are available to Federal Agencies for assessing products for conformance to FIPS.

The entries in this list identify the topic, the standard tested, the NIST contact, and the product or service offered. The letters T, S, or C in the Product/Service column indicate a test method, testing service, or certificate/registered report respectively.

TOPIC	STANDARD	CONTACT	PRODUCT/SERVICE
COBOL	FIPS PUB 21-3	Judy Kailey NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3259	T, S, C
Fortran	FIPS PUB 69-1	Judy Kailey NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3259	T, S, C
Pascal	FIPS PUB 109	Carmelo Montanez NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2398	T, S, C
C	FIPS PUB 160	Carmelo Montanez NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2398	T, S, C
Ada	FIPS PUB 119	William Dashiell NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2490	T, S, C
MUMPS	FIPS PUB 125	William Dashiell NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2490	T, S, C
SQL	FIPS PUB 127-1	Joan Sullivan NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3258	T, S, C

TOPIC	STANDARD	CONTACT	PRODUCT/SERVICE
GKS	FIPS PUB 120	Susan (Quinn) Sherrick NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3268	T, S, C
CGM	FIPS PUB 128 MIL-D-28003	Lynne Rosenthal NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3353	T, S, C
PHIGS	FIPS PUB 153 ANSI/ISO 9592.1-1989	Kevin Brady NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3644	T, S, C
Raster	FIPS PUB 150 MIL-R-28002	Frank Spielman NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3257	T
IRDS	FIPS PUB 156	Alan Goldfine NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3252	T, S, C
POSIX	FIPS PUB 151-1	Martha Gray NIST, Bldg. 225, Rm. B266 Gaithersburg, MD 20899 (301) 975-3276	T, S, C
Message Authentication	FIPS PUB 113	Miles Smid NIST, Bldg. 225, Rm. A216 Gaithersburg, MD 20899 (301) 975-2938	T, S, C
Key Management Validation	FIPS PUB 171 ANSI X9.17	Miles Smid NIST, Bldg. 225, Rm. A216 Gaithersburg, MD 20899 (301) 975-2938	T, S, C
Data Encryption Standard	FIPS PUB 46-1	Miles Smid NIST, Bldg. 225, Rm. A216 Gaithersburg, MD 20899 (301) 975-2938	T, S, C
GOSIP	FIPS PUB 146	Stephen Nightingale NIST, Bldg. 225, Rm 141 Gaithersburg, MD 20899 (301) 975-3616	T, S

TOPIC	STANDARD	CONTACT	PRODUCT/SERVICE
1984 X25	CCITT X.25-1984 ISO 7776, ISO 8208 ISO 8882, ISO 9646 FIPS PUB 100-1	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T
ISDN Data Link Layer	Q921.LAPD ANSI T1.602	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T
ISDN Physical Layer	S/T Interface ANSI T1.605 (S/T Interface) ANSI T1.601 (U Interface)	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T (abstract)
ISDN Network Layer	Q931 ANSI T1.607 ANSI T1.608 FIPS PUB (planned)	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T
FDDI	ANSI X3T9	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T

U.S. DEPARTMENT OF COMMERCE
NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY
BLDG 225 ROOM A/266
GAITHERSBURG, MD 20899

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

DO NOT FORWARD
ADDRESS CORRECTION REQUESTED
RETURN POSTAGE GUARANTEED

SPECIAL FOURTH CLASS
BOOK RATE
POSTAGE & FEES PAID
NIST
PERMIT No. G195